

## References

- Abernethy S, Bobra AM, Shiu WY, Wells PG, Mackay D. 1986. Acute lethal toxicity of hydrocarbons and chlorinated hydrocarbons to two planktonic crustaceans: The key role of organism-water partitioning. *Aquat Toxicol* 8: 163-174.
- Achazi RK, Chroszcz G, Duker C, Henneken M, Rothe B, Schaub K, Steudel I. 1995. The effect of fluoranthene (Fla), benzo(a)pyrene (BaP) and cadmium (Cd) upon survival rate and life cycle parameter of two terrestrial annelids in laboratory test systems. *Newslett Enchytraeidae* 4: 7-14.
- Adema DMM, Henzen L. 1990. De invloed van 50 prioritaire stoffen op de groei van *Lactuca sativa* (sla). Zeist, The Netherlands: TNO (MT-TNO). TNO report R90/101.
- Ahrens MJ, Nieuwenhuis R, Hickey CW. 2002. Sensitivity of juvenile *Macomona liliana* (bivalva) to UV-photoactivated fluoranthene toxicity. *Environ Toxicol* 17: 567-577.
- Allred PM, Giesy JP. 1985. Solar radiation-induced toxicity of anthracene to *Daphnia pulex*. *Environ Toxicol Chem* 4: 219-226.
- Anderson JW, Neff JM, Cox BA, Tatem HE, Hightower GM. 1974. The effects of oil on estuarine animals: Toxicity, uptake and depuration, respiration. In: Vernberg FJ, Vernberg WB, eds. *Pollution and physiology of marine organisms*. New York: Academic Press. pp. 285-310.
- Arfsten DP, Davenport R, Schaeffer DJ. 1994. UV-A coexposure enhances the toxicity of aromatic hydrocarbons, munitions, and metals to *Photobacterium phosphoreum*. *Biomed Environ Sci* 7: 101-108.
- Atienzar FA, Conradi M, Evenden AJ, Jha AN, Depledge MH. 1999. Qualitative assessment of genotoxicity using random amplified polymorphic DNA: Comparison of genomic template stability with key fitness parameters in *Daphnia magna* exposed to benzo[a]pyrene. *Environ Toxicol Chem* 18: 2275-2282.
- Barata C, Baird DJ. 2000. Determining the ecotoxicological mode of action of chemicals from measurements made on individuals: results from instar-based tests with *Daphnia magna* Straus. *Aquat Toxicol* 48: 195-209.
- Bastian MV, Toetz DW. 1982. Effect of eight polynuclear hydrocarbons on growth of *Anabaena flos-aquae*. *Bull Environ Contam Toxicol* 29: 531-538.
- Bisson M, Dujardin R, Flammariion P, Garric J, Babut M, Lamy M-H, Porcher J-M, Thybaud É, Vindimian É. 2000. Complément au SEQ-Eau: méthode de détermination des seuils de qualité pour les substances génotoxiques. Verneuil-en-Halatte, France: Institut National de l'Environnement Industriel et des Risques (INERIS), Agence de l'eau Rhin-Meuse.
- Black JA, Birge WJ, Westerman AG, Francis PC. 1983. Comparative aquatic toxicology of aromatic hydrocarbons. *Fundam Appl Toxicol* 3: 353-358.
- Bleeker EAJ, Wiegman S, Droge STJ, Kraak MHS, Van Gestel CAM. 2003. Towards an improvement of the risk assessment of polycyclic (hetero)aromatic hydrocarbons. Amsterdam, The Netherlands: Aquatic Ecology and Ecotoxicology, Faculty of Science, University of Amsterdam and Animal Ecology, Institute of Ecological Science, Faculty of Earth and Life Sciences, Vrije Universiteit Amsterdam. Report 2003-01 (UvA)/Report 2003-04 (VU).
- Bobra AM, Shiu WY, Mackay D. 1983. Acute toxicity of fresh and weathered crude oils to *Daphnia magna*. *Chemosphere* 12: 1137-1149.
- Boese BL, Lamberson JO, Swartz RC, Ozretich R, Cole F. 1998. Photoinduced toxicity of PAHs and alkylated PAHs to a marine infaunal amphipod (*Rhepoxynius abronius*). *Arch Environ Contam Toxicol* 34: 235-240.
- Boese BL, Lamberson JO, Swartz RC, Ozretich RJ. 1997. Photoinduced toxicity of fluoranthene to seven marine benthic crustaceans. *Arch Environ Contam Toxicol* 32: 389-393.

- Boese BL, Ozretich RJ, Lamberson JO, Swartz RC, Cole FA, Pelletier J, Jones J. 1999. Toxicity and phototoxicity of mixtures of highly lipophilic PAH compounds in marine sediment: Can the ΣPAH model be extrapolated? *Arch Environ Contam Toxicol* 36: 270-280.
- Borovsky D, Linley JR, Kagan J. 1987. Polycyclic aromatic compounds as phototoxic mosquito larvicides. *J Am Mosq Control Assoc* 3: 246-250.
- Bowmer CT. 1994. Paris Commission sediment reworker ring-test, 1993. Technical report. Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-R 93/317.
- Bowmer CT, Roza P, Henzen L, Degeling C. 1993. The development of chronic toxicological tests for PAH contaminated soils using the earthworm *Eisenia fetida* and the springtail *Folsomia candida*. Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-R 92/387.
- Broderius SJ, Kahl MD, Hoglund MD. 1995. Use of joint toxic response to define the primary mode of toxic action for diverse industrial organic chemicals. *Environ Toxicol Chem* 14: 1591-1605.
- Buccafusco RJ, Ells SJ, LeBlanc GA. 1981. Acute toxicity of priority pollutants to bluegill sunfish (*Lepomis macrochirus*). *Bull Environ Contam Toxicol* 26: 446-452.
- Cairns MA, Nebeker AV. 1982. Toxicity of acenaphthene and isophorone to early life stages of fathead minnows. *Arch Environ Contam Toxicol* 11: 703-707.
- Caldwell RS, Calderone EM, Mallon MH. 1977. Effects of a seawater-soluble fraction of Cook Inlet crude oil and its major aromatic components on larval stages of the Dungeness crab, *Cancer magister* Dana. In: Wolfe DA, ed. *Fate and effects of petroleum hydrocarbons in marine ecosystems and organisms*. New York: Pergamon Press. pp. 210-220.
- Cody TE, Radiske MJ, Warshawsky D. 1984. The phototoxicity of benzo[a]pyrene in the green alga *Selenastrum capricornutum*. *Environ Res* 35: 122-132.
- Cole FA, Boese BL, Swartz RC, Lamberson JO, DeWitt TH. 2000. Effects of storage on the toxicity of sediments spiked with fluoranthene to the amphipod, *Rhepoxynius abronius*. *Environ Toxicol Chem* 19: 744-748.
- Correa M, Coler R. 1983. Enhanced oxygen uptake rates in dragonfly nymphs (*Somatochlora cingulata*) as an indication of stress from naphthalene. *Bull Environ Contam Toxicol* 30: 269-276.
- Crider JY, Wilhm J, Harmon HJ. 1982. Effects of naphthalene on the hemoglobin concentration and oxygen uptake of *Daphnia magna*. *Bull Environ Contam Toxicol* 28: 52-57.
- Crouau Y, Chenon P, Gisclard C. 1999. The use of *Folsomia candida* (Collembola, Isotomidae) for the bioassay of xenobiotic substances and soil pollutants. *Appl Soil Ecol* 12: 103-111.
- Dange AD, Masurekar VB. 1982. Naphthalene-induced changes in carbohydrate metabolism in *Sarotherodon mossambicus* Peters (Pisces: Cichlidae). *Hydrobiologia* 94: 163-172.
- Dangé A. 1986. Metabolic effects of naphthalene, toluene or phenol intoxication in the cichlid fish tilapia, *Oreochromis mossambicus*: Changes in aminotransferase activities. *Environ Pollut Ser A* 42: 311-323.
- Darville RG, Wilhm JL. 1984. The effect of naphthalene on oxygen consumption and hemoglobin concentration in *Chironomus attenuatus* and on oxygen consumption and life cycle of *Tanytarsus dissimilis*. *Environ Toxicol Chem* 3: 135-141.
- DeGraeve GM, Elder RG, Woods DC, Bergman HL. 1982. Effect of naphthalene and benzene on fathead minnows and rainbow trout. *Arch Environ Contam Toxicol* 11: 487-490.

- Deshmukh NV, Deshmukh VD, Masurekar VB. 1985. Naphthalene toxicity to the speckled prawn, *Metapenaeus monoceros* (FAB): Seasonal variation. *Geobios* 12: 263-265.
- DeWitt TH, Ozretich RJ, Swartz RC, Lamberson JO, Schults DW, Ditsworth GR, Jones JKP, Hoselton L, Smith LM. 1992. The influence of organic matter quality on the toxicity and partitioning of sediment-associated fluoranthene. *Environ Toxicol Chem* 11: 197-208.
- Diamond SA, Oris JT, Guttman SI. 1995. Adaptation to fluoranthene exposure in a laboratory population of fathead minnows. *Environ Toxicol Chem* 14: 1393-1400.
- DiMichele L, Taylor MH. 1978. Histopathological and physiological responses of *Fundulus heteroclitus* to naphthalene exposure. *J Fish Res Board Can* 35: 1060-1066.
- Djomo JE, Dauta A, Ferrier V, Narbonne JF, Monkiedje A, Njine T, Garrigues P. 2004. Toxic effects of some major polycyclic aromatic hydrocarbons found in crude oil aquatic sediments on *Scenedesmus subspicatus*. *Water Res* 38: 1817-1821.
- Donkin P, Widdows J, Evans SV, Brinsley MD. 1991. QSARs for the sublethal responses of marine mussels (*Mytilus edulis*). *Sci Total Environ* 109/110: 461-476.
- Donkin P, Widdows J, Evans SV, Worrall CM, Carr M. 1989. Quantitative structure-activity relationships for the effects of hydrophobic organic chemicals on rate of feeding by mussels (*Mytilus edulis*). *Aquat Toxicol* 14: 277-294.
- Eastmond DA, Booth GM, Lee ML. 1984. Toxicity, accumulation, and elimination of polycyclic aromatic sulfur heterocycles in *Daphnia magna*. *Arch Environ Contam Toxicol* 13: 105-111.
- Edmisten GE, Bantle JA. 1982. Use of *Xenopus laevis* larvae in 96-hour, flow-through toxicity tests with naphthalene. *Bull Environ Contam Toxicol* 29: 392-399.
- Edsall CC. 1991. Acute toxicities to larval rainbow trout of representative compounds detected in Great Lakes fish. *Bull Environ Contam Toxicol* 46: 173-178.
- El-Alawi YS, Dixon DG, Greenberg BM. 2001. Effects of a pre-incubation period on the photoinduced toxicity of polycyclic aromatic hydrocarbons to the luminescent bacterium *Vibrio fischeri*. *Environ Toxicol* 16: 277-286.
- El-Alawi YS, Huang X-D, Dixon DG, Greenberg BM. 2002. Quantitative structure-activity relationship for the photoinduced toxicity of polycyclic aromatic hydrocarbons to the luminescent bacteria *Vibrio fischeri*. *Environ Toxicol Chem* 21: 2225-2232.
- Emery Jr. VL, Dillon TM. 1996. Chronic toxicity of phenanthrene to the marine polychaete worm, *Nereis (Neanthes) arenaceodentata*. *Bull Environ Contam Toxicol* 56: 265-270.
- Falk-Petersen I-B, Scthre LJ, Lönnig S. 1982. Toxic effects of naphthalene and methylnaphthalenes on marine plankton organisms. *Sarsia* 67: 171-178.
- Fernandez M, L'Haridon J. 1992. Influence of lighting conditions on toxicity and genotoxicity of various PAH in the newt *in vivo*. *Mutat Res* 298: 31-41.
- Fernandez M, L'Haridon J. 1994. Effects of light on the cytotoxicity and genotoxicity of benzo(a)pyrene and an oil refinery effluent in the newt. *Environ Molec Mutagen* 24: 124-136.
- Finger SE, Little EF, Henry MG, Fairchild JF, Boyle TP. 1985. Comparison of laboratory and field assessment of fluorene - Part I: Effects of fluorene on the survival, growth, reproduction, and behavior of aquatic organisms in laboratory tests. In: Boyle TP, ed. *Validation and predictability of laboratory methods for assessing the fate and effects of contaminants in aquatic ecosystems*. ASTM STP 865. Philadelphia, PA: American Society for Testing and Materials. pp. 120-133.
- Foran JA, Holst LL, Giesy JP. 1991. Effects of photoenhanced toxicity of anthracene on ecological and genetic fitness of *Daphnia magna*: A reappraisal. *Environ Toxicol Chem* 10: 425-427.

- Foster GD, Tullis RE. 1984. A quantitative structure-activity relationship between partition coefficients and the acute toxicity of naphthalene derivatives in *Artemia salina* nauplii. *Aquat Toxicol* 5: 245-254.
- Frumkin GT, Chuiko GM, Pavlov DF, Menzykova OV. 1992. New rapid method to evaluate the median effect concentrations of xenobiotics in hydrobionts. *Bull Environ Contam Toxicol* 49: 361-367.
- Gala WR, Giesy JP. 1992. Photo-induced toxicity of anthracene to the green alga, *Selenastrum capricornutum*. *Arch Environ Contam Toxicol* 23: 316-323.
- Gaur JP. 1988. Toxicity of some oil constituents to *Selenastrum capricornutum*. *Acta Hydrochim Hydrobiol* 16: 617-620.
- Geiger DL, Northcott CE, Call DJ, Brooke LT eds. 1985. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales Promelas*). Superior, WI, USA: Center for Lake Superior Environmental Studies, University of Wisconsin-Superior.
- Geiger JG, Buikema Jr. AL. 1982. Hydrocarbons depress growth and reproduction of *Daphnia pulex* (Cladocera). *Can J Fish Aquat Sci* 39: 830-836.
- Geiger JG, Buikema Jr. AL. 1981. Oxygen consumption and filtering rate of *Daphnia pulex* after exposure to water-soluble fractions of naphthalene, phenanthrene, No. 2 fuel oil, and coal-tar creosote. *Bull Environ Contam Toxicol* 27: 783-789.
- Gharrett JA, Rice SD. 1987. Influence of simulated tidal cycles on aromatic hydrocarbon uptake and elimination by the shore crab *Hemigrapsus nudus*. *Mar Biol* 95: 365-370.
- Hall AT, Oris JT. 1991. Anthracene reduces reproductive potential and is maternally transferred during long-term exposure in fathead minnows. *Aquat Toxicol* 19: 249-264.
- Halling-Sørensen B, Nyholm N, Baun A. 1996. Algal toxicity test with volatile and hazardous compounds in air-tight test flasks with CO<sub>2</sub> enriched headspace. *Chemosphere* 32: 1513-1526.
- Hannah JB, Hose JE, Landolt ML, Miller BS, Felton SP, Iwaoka WT. 1982. Benzo(a)pyrene-induced morphologic and developmental abnormalities in rainbow trout. *Arch Environ Contam Toxicol* 11: 727-734.
- Hatch AC, Burton Jr. GA. 1999. Photo-induced toxicity of PAHs to *Hyalella azteca* and *Chironomus tentans*: Effects of mixtures and behavior. *Environ Pollut* 106: 157-167.
- Hatch AC, Burton Jr. GA. 1998. Effects of photoinduced toxicity of fluoranthene on amphibian embryos and larvae. *Environ Toxicol Chem* 17: 1777-1785.
- Hawkins SA, Billiard SM, Tabash SP, Brown RS, Hodson PV. 2002. Altering cytochrome P4501A activity affects polycyclic aromatic hydrocarbon metabolism and toxicity in rainbow trout (*Oncorhynchus mykiss*). *Environ Toxicol Chem* 21: 1845-1853.
- Heitmuller PT, Hollister TA, Parrish PR. 1981. Acute toxicity of 54 industrial chemicals to sheepshead minnows (*Cyprinodon variegatus*). *Bull Environ Contam Toxicol* 27: 596-604.
- Heldal M, Norland S, Lien T, Knutsen G, Tjessem K, Aarberg A. 1984. Toxic responses of the green alga *Dunaliella bioculata* (Chlorophyceae, Volvocales) to selected oxidised hydrocarbons. *Environ Pollut Ser A* 34: 119-132.
- Herbert IN, Svendsen C, Hankard PK, Spurgeon DJ. 2004. Comparison of instantaneous rate of population increase and critical-effect estimates in *Folsomia candida* exposed to four toxicants. *Ecotoxicol Environ Saf* 57: 175-183.
- Holcombe GW, Phipps GL, Fiandt JT. 1983. Toxicity of selected priority pollutants to various aquatic organisms. *Ecotoxicol Environ Saf* 7: 400-409.

- Holcombe GW, Phipps GL, Knuth ML, Felhaber T. 1984. The acute toxicity of selected substituted phenols, benzenes and benzoic acid esters to fathead minnows *Pimephales promelas*. Environ Pollut Ser A 35: 367-381.
- Holst LL, Giesy JP. 1989. Chronic effects of the photoenhanced toxicity of anthracene on *Daphnia magna* reproduction. Environ Toxicol Chem 8: 933-942.
- Hooftman RN. 1991. Ecotoxicological testing of polycyclic aromatic hydrocarbons. Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-P91-026.
- Hooftman RN, Evers-de Ruiter A. 1992. The toxicity and uptake of benzo(k)fluoranthene using *Brachydanio rerio* in an early life stage test (draft OECD guideline). Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-R 92/218.
- Hooftman RN, Evers-de Ruiter A. 1992. The toxicity and uptake of fluoranthene in *Brachydanio rerio* in an early life stage test (draft OECD guideline). Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-R 92/207.
- Hooftman RN, Evers-de Ruiter A. 1992. Early life stage tests with *Brachydanio rerio* and several polycyclic aromatic hydrocarbons using an intermittent flow-through system (draft OECD guideline). Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report IMW-R 92/210.
- Hooftman RN, Evers-de Ruiter A. 1992. Investigations into the aquatic toxicity of phenanthrene (cover-report for reproduction tests with the waterflea *Daphnia magna* and an Early Life Stage (ELS) test with the zebra fish *Brachydanio rerio*). Delft, the Netherlands: TNO Environmental and Energy Research, TNO Institute of Environmental Sciences. TNO-report R 92/290.
- Hose JE, Hannah JB, DiJulio D, Landolt ML, Miller BS, Iwaoka WT, Felton SP. 1982. Effects of benzo(a)pyrene on early development of flatfish. Arch Environ Contam Toxicol 11: 167-171.
- Hose JE, Puffer HW, Oshida PS, Bay SM. 1983. Developmental and cytogenic abnormalities induced in the purple sea urchin by environmental levels of benzo(a)pyrene. Arch Environ Contam Toxicol 12: 319-325.
- Huang X-D, Dixon DG, Greenberg BM. 1993. Impacts of UV radiation and photomodification on the toxicity of PAHs to the higher plant *Lemna gibba* (duckweed). Environ Toxicol Chem 12: 1067-1077.
- Huang X-D, Dixon DG, Greenberg BM. 1995. Increased polycyclic aromatic hydrocarbon toxicity following their photomodification in natural sunlight: Impacts on the duckweed *Lemna gibba* L. G-3. Ecotoxicol Environ Saf 32: 194-200.
- Huang X-D, Krylov SN, Ren L, McConkey BJ, Dixon DG, Greenberg BM. 1997. Mechanistic quantitative structure-activity relationship model for the photoinduced toxicity of polycyclic aromatic hydrocarbons: II. An empirical model for the toxicity of 16 polycyclic aromatic hydrocarbons to the duckweed *Lemna gibba* L. G-3. Environ Toxicol Chem 16: 2296-2303.
- Huang X-D, McConkey BJ, Babu TS, Greenberg BM. 1997. Mechanisms of photoinduced toxicity of photomodified anthracene to plants: Inhibition of photosynthesis in the aquatic higher plant *Lemna gibba* (duckweed). Environ Toxicol Chem 16: 1707-1715.
- Hulzebos EM. unpublished data. Phytotoxicity studies with *Lactuca sativa* in soil and nutrient solution: IV. Miscellaneous compounds.
- Hulzebos EM, Adema DMM, Dirven-van Breemen EM, Henzen L, van Dis WA, Herbold HA, Hoekstra JA, Baerselman R, van Gestel CAM. 1993. Phytotoxicity studies with *Lactuca sativa* in soil and nutrient solution. Environ Toxicol Chem 12: 1079-1094.
- Hutchinson TC, Hellebust JA, Tam D, Mackay D, Mascarenhas RA, Shiu WY. 1980. The correlation of the toxicity to algae of hydrocarbons and halogenated hydrocarbons with their physico-chemical properties. In:

Afghan BK, Mackay D. Hydrocarbons and halogenated hydrocarbons in the aquatic environment. New York, NY, USA: Plenum Press. pp. 577-586.

Jamroz T, Ledakowicz S, Miller JS, Sencio B. 2003. Microbiological evaluation of toxicity of three polycyclic aromatic hydrocarbons and their decomposition products formed by advanced oxidation processes. Environ Toxicol 18: 187-191.

Johnson BT, Long ER. 1998. Rapid toxicity assessment of sediment from estuarine ecosystems: A new tandem *in vitro* testing approach. Environ Toxicol Chem 17: 1099-1106.

Kagan J, Kagan ED. 1986. The toxicity of benzo[a]pyrene and pyrene in the mosquito *Aedes aegypti*, in the dark and in the presence of ultraviolet light. Chemosphere 15: 243-251.

Kagan J, Kagan ED, Kagan IA, Kagan PA. 1987. Do polycyclic aromatic hydrocarbons, acting as photosensitizers, participate in the toxic effects of acid rain? In: Zika RG, Cooper WJ, eds. Photochemistry of environmental aquatic systems. ACS Symposium Series 327. Washington, DC: American Chemical Society. pp. 191-204.

Kagan J, Kagan ED, Kagan IA, Kagan PA, Quigley S. 1985. The phototoxicity of non-carcinogenic polycyclic aromatic hydrocarbons in aquatic organisms. Chemosphere 14: 1829-1834.

Kagan J, Kagan PA, Buhse Jr. HE. 1984. Light-dependent toxicity of  $\alpha$ -terthienyl and anthracene toward late embryonic stages of *Rana pipiens*. J Chem Ecol 10: 1115-1122.

Kane Driscoll S, Harkey GA, Landrum PF. 1997. Accumulation and toxicokinetics of fluoranthene in sediment bioassays with freshwater amphipods. Environ Toxicol Chem 16: 742-753.

Kane Driscoll S, Landrum PF. 1997. A comparison of equilibrium partitioning and critical body residue approaches for predicting toxicity of sediment-associated fluoranthene to freshwater amphipods. Environ Toxicol Chem 16: 2179-2186.

Kane Driscoll S, Landrum PF, Tigue E. 1997. Accumulation and toxicokinetics of fluoranthene in water-only exposures with freshwater amphipods. Environ Toxicol Chem 16: 754-761.

Kauss PB, Hutchinson TC. 1975. The effects of water-soluble petroleum components on the growth of *Chlorella vulgaris* Beijerinck. Environ Pollut 9: 157-174.

Kirchmann H, Lström H, Jönsäll G. 1991. Organic pollutants in sewage sludge 1. Effect of toluene, naphthalene, 2-methylnaphthalene, 4-n-nonylphenol and di-2-ethylhexyl phthalate on soil biological processes and their deomposition in soil. Swed J Agric Res 21: 107-113.

Korn S, Moles A, Rice SD. 1979. Effects of temperature on the median tolerance limit of pink salmon and shrimp exposed to toluene, naphthalene, and Cook Inlet crude oil. Bull Environ Contam Toxicol 21: 521-525.

Kukkonen J, Landrum PF. 1994. Toxicokinetics and toxicity of sediment-associated pyrene to *Lumbriculus variegatus* (oligochaeta). Environ Toxicol Chem 13: 1457-1468.

Landrum PF, Giesy JP, Oris JT, Allred PM. 1987. Photoinduced toxicity of polycyclic aromatic hydrocarbons to aquatic organisms. In: Vandermeulen JH, Hruday SE, eds. Oil in freshwater: chemistry, biology, countermeasure technology. New York: Pergamon Press. pp. 304-318.

Landrum PF, Lotufo GR, Gossiaux DC, Gedeon ML, Lee J-H. 2003. Bioaccumulation and critical body residue of PAHs in the amphipod, *Diporeia* spp.: Additional evidence to support toxicity additivity for PAH mixtures. Chemosphere 51: 481-489.

Laughlin Jr. RB, Neff JM. 1979. Interactive effects of salinity, temperature and polycyclic aromatic hydrocarbons on the survival and development rate of larvae of the mud crab *Rhithropanopeus harrisii*. Mar Biol 53: 281-291.

LeBlanc GA. 1980. Acute toxicity of priority pollutants to water flea (*Daphnia magna*). Bull Environ Contam Toxicol 24: 684-691.

Lee J-H, Landrum PF, Field LJ, Koh C-H. 2001. Application of a Σpolycyclic aromatic hydrocarbon model and a logistic regression model to sediment toxicity data based on a species-specific, water-only LC50 toxic unit for *Hyalella azteca*. Environ Toxicol Chem 20: 2102-2113.

Lee WY, Nicol JAC. 1978. The effect of naphthalene on survival and activity of the amphipod *Parhyale*. Bull Environ Contam Toxicol 20: 233-240.

Lee WY, Nicol JAC. 1978. Individual and combined toxicity of some petroleum aromatics to the marine amphipod *Elasmpus pectenicrus*. Mar Biol 48: 215-222.

Leyval C, Binet P. 1998. Effect of polycyclic aromatic hydrocarbons in soil on arbuscular mycorrhizal plants. J Environ Qual 27: 402-407.

Lotufo GR. 1997. Toxicity of sediment-associated PAHs to an estuarine copepod: Effects on survival, feeding, reproduction and behavior. Mar Environ Res 44: 149-166.

Lotufo GR. 1998. Bioaccumulation of sediment-associated fluoranthene in benthic copepods: uptake, elimination and biotransformation. Aquat Toxicol 44: 1-15.

Lotufo GR. 1998. Lethal and sublethal toxicity of sediment-associated fluoranthene to benthic copepods: application of the critical-body-residue approach. Aquat Toxicol 44: 17-30.

Lotufo GR, Fleeger JW. 1996. Toxicity of sediment-associated pyrene and phenanthrene to *Limnodrilus hoffmeisteri* (oligochaeta: tubificidae). Environ Toxicol Chem 15: 1508-1516.

Lyons BP, Pascoe CK, McFadzen IRB. 2002. Phototoxicity of pyrene and benzo[a]pyrene to embryo-larval stages of the pacific oyster *Crassostrea gigas*. Mar Environ Res 54: 627-631.

Mallakin A, Babu TS, Dixon DG, Greenberg BM. 2002. Sites of toxicity of specific photooxidation products of anthracene to higher plants: Inhibition of photosynthetic activity and electron transport in *Lemna gibba* L. G-3 (duckweed). Environ Toxicol 17: 462-471.

Mallakin A, McConkey BJ, Miao G, McKibben B, Snieckus V, Dixon DG, Greenberg BM. 1999. Impacts of structural photomodification on the toxicity of environmental contaminants: Anthracene photooxidation products. Ecotoxicol Environ Saf 43: 204-212.

Mayer Jr. FL, Ellersieck MR. 1986. Manual of acute toxicity: Interpretation and data base for 410 chemicals and 66 species of freshwater animals. Washington, DC, USA: United States Department of the interior fish and wildlife service. Resource Publication 160.

McCloskey JT, Oris JT. 1991. Effect of water temperature and dissolved oxygen concentration on the photo-induced toxicity of anthracene to juvenile bluegill sunfish (*Lepomis macrochirus*). Aquat Toxicol 21: 145-156.

McConkey BJ, Duxbury CL, Dixon DG, Greenberg BM. 1997. Toxicity of PAH photooxidation product to the bacteria *Photobacterium phosphoreum* and the duckweed *Lemna gibba*: Effects of phenanthrene and its primary photoproduct, phenanthrenequinone. Environ Toxicol Chem 16: 892-899.

Milleman RE, Birge WJ, Black JA, Cushman RM, Daniels KL, Franco PJ, Giddings JM, McCarthy JF, Stewart AJ. 1984. Comparative acute toxicity to aquatic organisms of components of coal-derived synthetic fuels. Trans Am Fisher Soc 113: 74-85.

Mitchell RL, Burchett MD, Pulkownik A, McCluskey L. 1988. Effects of environmentally hazardous chemicals on the emergence and early growth of selected Australian plants. Plant Soil 112: 195-199.

Moles A. 1980. Sensitivity of parasitized Coho salmon fry to crude oil, toluene and naphthalene. Trans Am Fisher Soc 109: 293-297.

- Moles A, Bates S, Rice SD, Korn S. 1981. Reduced growth in Coho salmon fry exposed to two petroleum components, toluene and naphthalene, in fresh water. *Trans Am Fisher Soc* 110: 430-436.
- Moles A, Rice SD. 1983. Effects of crude oil and naphthalene on growth, caloric content, and fat content of pink salmon juveniles in seawater. *Trans Am Fisher Soc* 112: 205-211.
- Monson PD, Call DJ, Cox DA, Liber K, Ankley GT. 1999. Photoinduced toxicity of fluoranthene to northern leopard frogs (*Rana pipiens*). *Environ Toxicol Chem* 18: 308-312.
- Moreau CJ, Klerks PL, Haas CN. 1999. Interaction between phenanthrene and zinc in their toxicity to the sheepshead minnow (*Cyprinodon variegatus*). *Arch Environ Contam Toxicol* 37: 251-257.
- Muñoz MJ, Tarazona JV. 1993. Synergistic effect of two- and four-component combinations of the polycyclic hydrocarbons: Phenanthrene, anthracene, naphthalene and acenaphthene on *Daphnia magna*. *Bull Environ Contam Toxicol* 50: 363-368.
- Nałęcz-Jawecki G, Sawicki J. 1999. Spirotox - A new tool for testing the toxicity of volatile compounds. *Chemosphere* 38: 3211-3218.
- Neuhauser EF, Loehr RC, Malecki MR, Milligan DL, Durkin PR. 1985. The toxicity of selected organic chemicals to the earthworm *Eisenia fetida*. *J Environ Qual* 14: 383-388.
- Neuhauser EF, Callahan CA. 1990. Growth and reproduction of the earthworm *Eisenia fetida* exposed to sublethal concentrations of organic chemicals. *Soil Biol. Biochem.* 22: 175-179.
- Neuhauser EF, Durkin PR, Malecki MR, Anatra M. 1986. Comparative toxicity of ten organic chemicals to four earthworm species. *Comp Biochem Physiol, C: Comp Pharmacol Toxicol* 83: 197-200.
- Neuhauser EF, Loehr RC, Malecki MR. 1986. Contact and artificial soil tests using earthworms to evaluate the impact of wastes in soil. In: Petros Jr. JK, Lacy WJ, Conway RA, eds. *Hazardous and Industrial Solid Waste Testing: Fourth Symposium*. ASTM STP 886. Philadelphia, PA: American Society for Testing and Materials. pp. 192-203.
- Newsted JL, Giesy JP. 1987. Predictive models for photoinduced acute toxicity of polycyclic aromatic hydrocarbons to *Daphnia magna*, Strauss (Cladocera, crustacea). *Environ Toxicol Chem* 6: 445-461.
- Nikkilä A, Penttinen S, Kukkonen JVK. 1999. UV-B induced acute toxicity of pyrene to the waterflea *Daphnia magna* in natural freshwaters. *Ecotoxicol Environ Saf* 44: 271-279.
- Oris JT, Giesy JP, Allred PM, Grant DF, Landrum PF. 1984. Photoinduced toxicity of anthracene in aquatic organisms: An environmental perspective. In: Veziroğlu TN, ed. *The biosphere: Problems and solutions*. Amsterdam, The Netherlands: Elsevier Science Publishers B.V. pp. 639-658.
- Oris JT, Giesy Jr. JP. 1985. The photoenhanced toxicity of anthracene to juvenile sunfish (*Lepomis* spp.). *Aquat Toxicol* 6: 133-146.
- Oris JT, Giesy Jr. JP. 1986. Photoinduced toxicity of anthracene to juvenile bluegill sunfish (*Lepomis macrochirus rafinesque*): Photoperiod effects and predictive hazard evaluation. *Environ Toxicol Chem* 5: 761-768.
- Oris JT, Giesy Jr. JP. 1987. The photo-induced toxicity of polycyclic aromatic hydrocarbons to larvae of the fathead minnow (*Pimephales promelas*). *Chemosphere* 16: 1395-1404.
- Oris JT, Winner RW, Moore MV. 1991. A four-day survival and reproduction test for *Ceriodaphnia dubia*. *Environ Toxicol Chem* 10: 217-224.
- Ott FS, Harris RP, O'Hara SCM. 1978. Acute and sublethal toxicity of naphthalene and three methylated derivatives to the estuarine copepod, *Eurytemora affinis*. *Mar Environ Res* 1: 49-58.

Parkhurst BR, Bradshaw AS, Forte JL, Wright GP. 1981. The chronic toxicity to *Daphnia magna* of acridine, a representative azaarene present in synthetic fossil fuel products and wastewaters. Environ Pollut Ser A 24: 21-30.

Passino DRM, Smith SB. 1987. Acute bioassays and hazard evaluation of representative contaminants detected in Great Lakes fish. Environ Toxicol Chem 6: 901-907.

Passino-Reader DR, Berlin WH, Hickey JP. 1995. Chronic bioassays of rainbow trout fry with compounds representative of contaminants in Great Lakes fish. J Great Lakes Res 21: 373-383.

Pauli W, Berger S, Jaskulka L, Schmitz S. 1993. A case for the inclusion of a protozoan test in aquatic toxicity assessment using Tetrahymena. Sci Total Environ Supplement: 779-786.

Peachey RL, Crosby DG. 1996. Phototoxicity in tropical reef animals. Mar Environ Res 42: 359-362.

Pelletier MC, Burgess RM, Ho KT, Kuhn A, McKinney RA, Ryba SA. 1997. Phototoxicity of individual polycyclic aromatic hydrocarbons and petroleum to marine invertebrate larvae and juveniles. Environ Toxicol Chem 16: 2190-2199.

Propst TL, Fort DJ, Stover EL, Schrock B, Bantle JA. 1997. Evaluation of the developmental toxicity of benzo[ $\alpha$ ]pyrene and 2-acetylaminofluorene using *Xenopus*: Modes of biotransformation. Drug Chem Toxicol 20: 45-61.

Randall TL, Knopp PV. 1980. Detoxification of specific organic substances by wet oxydation. J Wat Pollut Control Fed 52: 2117-2130.

Ren L, Huang X-D, McConkey BJ, Dixon DG, Greenberg BM. 1994. Photoinduced toxicity of three polycyclic aromatic hydrocarbons (fluoranthene, pyrene, and naphthalene) to the duckweed *Lemna gibba* L. G-3. Ecotoxicol Environ Saf 28: 160-171.

Ren L, Zeiler LF, Dixon DG, Greenberg BM. 1996. Photoinduced effects of polycyclic aromatic hydrocarbons on *Brassica napus* (Canola) during germination and early seedling development. Ecotoxicol Environ Saf 33: 73-80.

Rice SD, Thomas RE. 1989. Effect of pre-treatment exposures of toluene or naphthalene on the tolerance of pink salmon (*Oncorhynchus gorbuscha*) and kelp shrimp (*Eualis suckleyi*). Comp Biochem Physiol, C: Comp Pharmacol Toxicol 94C: 289-293.

Rogerson A, Shiu WY, Huang GL, Mackay D, Berger J. 1983. Determination and interpretation of hydrocarbon toxicity to ciliate protozoa. Aquat Toxicol 3: 215-228.

Rossi SS, Neff JM. 1978. Toxicity of polynuclear aromatic hydrocarbons to the polychaete *Neanthes arenaceodentata*. Mar Pollut Bull 9: 220-223.

Sabourin TD. 1982. Respiratory and circulatory responses of the blue crab to naphthalene and the effect of acclimation salinity. Aquat Toxicol 2: 301-318.

Sanborn HR, Malins DC. 1977. Toxicity and metabolism of naphthalene: A study with marine larval invertebrates. Proc. Soc. Exp. Biol. Med. 154: 151-155.

Savino JF, Tanabe LL. 1989. Sublethal effects of phenanthrene, nicotine, and pinane on *Daphnia pulex*. Bull Environ Contam Toxicol 42: 778-784.

Schoeny R, Cody T, Warshawsky D, Radike M. 1988. Metabolism of mutagenic polycyclic aromatic hydrocarbons by photosynthetic algal species. Mutat Res 197: 289-302.

Sjursen H, Sverdrup LE, Krogh PH. 2001. Effects of polycyclic aromatic compounds on the drought tolerance of *Folsomia fimetaria* (Collembola, isotomidae). Environ Toxicol Chem 20: 2899-2902.

- Smith RL, Hargreaves BR. 1983. A simple toxicity apparatus for continuous flow with small volumes: Demonstration with mysids and naphthalene. Bull Environ Contam Toxicol 30: 406-412.
- Smith SB, Savino JF, Blouin MA. 1988. Acute toxicity to *Daphnia pulex* of six classes of chemical compounds potentially hazardous to Great Lakes aquatic biota. J Great Lakes Res 14: 394-404.
- Spehar RL, Poucher S, Brooke LT, Hansen DJ, Champlin D, Cox DA. 1999. Comparative toxicity of fluoranthene to freshwater and saltwater species under fluorescent light. Arch Environ Contam Toxicol 37: 496-502.
- Stewart KM, Thompson RS. 1995. Fluoranthene as a model toxicant in sediment studies with *Chironomus riparius*. J Aquat Ecosystem Health 4: 231-238.
- Suedel BC, Rodgers Jr. JH. 1996. Toxicity of fluoranthene to *Daphnia magna*, *Hyalella azteca*, *Chironomus tentans*, and *Stylaria lacustris* in water-only and whole sediment exposures. Bull Environ Contam Toxicol 57: 132-138.
- Suedel BC, Rodgers Jr. JH, Clifford PA. 1993. Bioavailability of fluoranthene in freshwater sediment toxicity tests. Environ Toxicol Chem 12: 155-165.
- Sverdrup LE, Jensen J, Kelley AE, Krogh PH, Stenersen J. 2002. Effects of eight polycyclic aromatic compounds on the survival and reproduction of *Enchytraeus crypticus* (Oligochaeta, clitellata). Environ Toxicol Chem 21: 109-114.
- Sverdrup LE, Jensen J, Krogh PH, Stenersen J. 2002. Studies on the effect of soil aging on the toxicity of pyrene and phenanthrene to a soil-dwelling springtail. Environ Toxicol Chem 21: 489-492.
- Sverdrup LE, Kelley AE, Krogh PH, Nielsen T, Jensen J, Scott-Fordsmand JJ, Stenersen J. 2001. Effects of eight polycyclic aromatic compounds on the survival and reproduction of the springtail *Folsomia fimetaria* L. (Collembola, isotomidae). Environ Toxicol Chem 20: 1332-1338.
- Sverdrup LE, Krogh PH, Nielsen T, Kjér C, Stenersen J. 2003. Toxicity of eight polycyclic aromatic compounds to red clover (*Trifolium pratense*), ryegrass (*Lolium perenne*), and mustard (*Sinapis alba*). Chemosphere 53: 993-1003.
- Sverdrup LE, Krogh PH, Nielsen T, Stenersen J. 2002. Relative sensitivity of three terrestrial invertebrate tests to polycyclic aromatic compounds. Environ Toxicol Chem 21: 1927-1933.
- Sverdrup LE, Nielsen T, Krogh PH. 2002. Soil ecotoxicity of polycyclic aromatic hydrocarbons in relation to soil sorption, lipophilicity, and water solubility. Environ Sci Technol 36: 2429-2435.
- Sverdrup LE, Ekelund F, Krogh PH, Nielsen T, Johnson K. 2002. Soil microbial toxicity of eight polycyclic aromatic compounds: Effects on nitrification, the genetic diversity of bacteria, and the total number of protozoans. Environ Toxicol Chem 21: 1644-1650.
- Swartz RC, Kemp PF, Schults DW, Lamberson JO. 1988. Effects of mixtures of sediment contaminants on the marine infaunal amphipod, *Rhepoxynius abronius*. Environ Toxicol Chem 7: 1013-1020.
- Swartz RC, Ferraro SP, Lamberson JO, Cole FA, Ozretich RJ, Boese BL, Schults DW, Behrenfeld M, Ankley GT. 1997. Photoactivation and toxicity of mixtures of polycyclic aromatic hydrocarbon compounds in marine sediment. Environ Toxicol Chem 16: 2151-2157.
- Swartz RC, Schults DW, Dewitt TH, Ditsworth GR, Lamberson JO. 1990. Toxicity of fluoranthene in sediment to marine amphipods: A test of the equilibrium partitioning approach to sediment quality criteria. Environ Toxicol Chem 9: 1071-1080.
- Séthre LJ, Falk-Petersen I-B, Sydnes LK, Lřnnig S, Naley AM. 1984. Toxicity and chemical reactivity of naphthalene and methylnaphthalenes. Aquat Toxicol 5: 291-306.

Tatem HE, Anderson JW. 1973. The toxicity of four oils to *Palaemonetes pugio* (Holthuis) in relation to uptake and retention of specific petroleum hydrocarbons. Am Zool 13: 1307-1308.

Tatem HE, Cox BA, Anderson JW. 1978. The toxicity of oils and petroleum hydrocarbons to estuarine crustaceans. Estuar Coastal Mar Sci 6: 365-373.

Thomas RE, Rice SD. 1979. The effect of exposure temperature on oxygen consumption and opercular breathing rates of pink salmon fry exposed to toluene, naphthalene, and water-soluble fractions of Cook Inlet crude oil and No. 2 fuel oil. In: Vernberg WB, Calabrese A, Thurberg FP, Vernberg FJ, eds. Marine Pollution: Functional Responses. New York: Academic Press, Inc. pp. 39-52.

Thursby GB, Steele RL, Kane ME. 1985. Effect of organic chemicals on growth and reproduction in the marine red alga *Champia parvula*. Environ Toxicol Chem 4: 797-805.

Trucco RG, Engelhardt FR, Stacey B. 1983. Toxicity, accumulation and clearance of aromatic hydrocarbons in *Daphnia pulex*. Environ Pollut Ser A 31: 191-202.

van Brummelen TC, Stuijffzand SC. 1993. Effects of benzo[a]pyrene on survival, growth and energy reserves in the terrestrial isopods *Oniscus asellus* and *Porcellio scaber*. Sci Total Environ Supplement: 921-930.

Van Brummelen TC, Van Gestel CAM, Verweij RA. 1996. Long-term toxicity of five polycyclic aromatic hydrocarbons for the terrestrial isopods *Oniscus asellus* and *Porcellio scaber*. Environ Toxicol Chem 15: 1199-1210.

van Straalen NM, Verweij RA. 1991. Effects of benzo(a)pyrene on food assimilation and growth efficiency in *Porcellio scaber* (Isopoda). Bull Environ Contam Toxicol 46: 134-140.

Verrhiest G, Clément B, Blake G. 2001. Single and combined effects of sediment-associated PAHs on three species of freshwater macroinvertebrates. Ecotoxicology 10: 363-372.

Ward GS, Parrish PR, Rigby RA. 1981. Early life stage toxicity test with a saltwater fish: Effects of eight chemicals on survival, growth, and development of sheepshead minnows (*Cyprinodon variegatus*). J Toxicol Environ Health 8: 225-240.

Wassenberg DM, Swails EE, Di Giulio RT. 2002. Effects of single and combined exposures to benzo(a)pyrene and 3,3'4,4'5-pentachlorobiphenyl on EROD activity and development in *Fundulus heteroclitus*. Mar Environ Res 54: 279-283.

Weinstein JE, Polk KD. 2001. Phototoxicity of anthracene and pyrene to glochidia of the freshwater mussel *Utterbackia imbecilis*. Environ Toxicol Chem 20: 2021-2028.

Weinstein JE, Sanger DM, Holland FA. 2003. Bioaccumulation and toxicity of fluoranthene in the estuarine oligochaete *Monopylephorus rubroniveus*. Ecotoxicol Environ Saf 55: 278-286.

Werner I, Nagel R. 1997. Stress proteins HSP60 and HSP70 in three species of amphipods exposed to cadmium, diazinon, dieldrin and fluoranthene. Environ Toxicol Chem 16: 2393-2403.

Wernersson A-S, Dave G. 1997. Phototoxicity identification by solid phase extraction and photoinduced toxicity to *Daphnia magna*. Arch Environ Contam Toxicol 32: 268-273.

Wernersson A-S. 2003. Predicting petroleum phototoxicity. Ecotoxicol Environ Saf 54: 355-365.

Wilcoxen SE, Meier PG, Landrum PF. 2003. The toxicity of fluoranthene to *Hyalella azteca* in sediment and water-only exposures under varying light spectra. Ecotoxicol Environ Saf 54: 105-117.

Yoshioka Y, Nagase H, Ose Y, Sato T. 1986. Evaluation of the test method "Activated sludge, respiration inhibition test" proposed by the OECD. Ecotoxicol Environ Saf 12: 206-212.

Yoshioka Y, Ose Y. 1993. A quantitative structure-activity relationship study and ecotoxicological risk quotient for the protection from chemical pollution. Environ. Toxicol. Water Qual. 8: 87-101.

Šepič E, Bricelj M, Leskovšek H. 2003. Toxicity of fluoranthene and its biodegradation metabolites to aquatic organisms. Chemosphere 52: 1125-1133.