

# Summary of product characteristics for a biocidal product family

**Family name:** Evans' Iodine-based surface disinfection biocidal product family

**Product type(s):** PT03 - Veterinary hygiene (Disinfectants)

**Authorisation number:** 2019-09-24-B02

**R4BP 3 asset reference number:** MT-0021574-0000

## Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II.- Second information level - meta SPC(s)	3
1. Meta SPC administrative information - <b>meta SPC FAM</b>	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	4
4. Authorised use(s) of the meta SPC	5
5. General directions for use of the meta SPC	14
6. Other information	15
7. Third information level: individual products in the meta SPC	15
1. Meta SPC administrative information - <b>meta SPC FAM 30</b>	16
2. Meta SPC composition	16
3. Hazard and precautionary statements of the meta SPC	17
4. Authorised use(s) of the meta SPC	18
5. General directions for use of the meta SPC	27
6. Other information	28
7. Third information level: individual products in the meta SPC	28

## Part I.- First information level

### 1. Administrative information

#### 1.1. Family name

Evans' Iodine-based surface disinfection biocidal product family

#### 1.2. Product type(s)

PT03 - Veterinary hygiene (Disinfectants)

#### 1.3. Authorisation holder

##### Name and address of the authorisation holder

Name	Evans Vanodine Europe
Address	6-9 Trinity Street D02 EY47 Dublin 2 Ireland

##### Authorisation number

2019-09-24-B02

##### R4BP 3 asset reference number

MT-0021574-0000

##### Date of the authorisation

24/09/2019

##### Expiry date of the authorisation

06/03/2029

#### 1.4. Manufacturer(s) of the biocidal products

##### Name of the manufacturer

Evans Vanodine International

##### Address of the manufacturer

Brierley Road, Walton Summit PR58AH Preston, Lancashire United Kingdom

##### Location of manufacturing sites

Brierley Road, Walton Summit PR58AH Preston, Lancashire United Kingdom

## 1.5. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	ACF Minera S.A.
<b>Address of the manufacturer</b>	San Martin No 499 None Iquique Chile
<b>Location of manufacturing sites</b>	Lagunas mine None Pozo Almonte Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	SQM S.A.
<b>Address of the manufacturer</b>	Los Militares 4290, Piso 4, Las Condes None Santiago Chile
<b>Location of manufacturing sites</b>	Nueva Victoria plant, Pedro de Valdivia plant None None Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	Cosayach Nitratos S.A.
<b>Address of the manufacturer</b>	Hnos Amunátegui 178 None Santiago Chile
<b>Location of manufacturing sites</b>	CosayA. Compania de Salitre y Yodo None Not reported Chile

<b>Active substance</b>	1319 - Iodine
<b>Name of the manufacturer</b>	ISE Chemicals Corporation
<b>Address of the manufacturer</b>	3-1, Kyobshi 1-Chrome, Chuo-ku, None Tokyo Japan
<b>Location of manufacturing sites</b>	Shirasato Plant, 3695 Kitaimaizumi None Oamishirasato City Japan

## 2. Product family composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active Substance	7553-56-2	231-442-4	1,8 - 2,84
Alcohol Ethoxylate	C9-11 Alcohol Ethoxylate (8EO)		68439-46-3	614-482-0	18 - 24,9
Sulphuric Acid	Sulphuric Acid		7664-93-9	231-639-5	7 - 10
Phosphoric Acid	Trihydroxidooxido-phosphorus		7664-38-2	231-633-2	9 - 13

## 2.2. Type(s) of formulation

SL - Soluble concentrate

## Part II.- Second information level - meta SPC(s)

### 1. Meta SPC administrative information

#### 1.1. Meta SPC identifier

meta SPC FAM

#### 1.2. Suffix to the authorisation number

1-1

#### 1.3 Product type(s)

PT03 - Veterinary hygiene (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active Substance	7553-56-2	231-442-4	1,8 - 2,49
Alcohol Ethoxylate	C9-11 Alcohol Ethoxylate (8EO)		68439-46-3	614-482-0	18 - 18,575
Sulphuric Acid	Sulphuric Acid		7664-93-9	231-639-5	7 - 7,995
Phosphoric Acid	Trihydroxidooxido-phosphorus		7664-38-2	231-633-2	9 - 12,495

## 2.2. Type(s) of formulation of the meta SPC

### Formulation(s)

SL - Soluble concentrate

## 3. Hazard and precautionary statements of the meta SPC

### Hazard statements

Causes severe skin burns and eye damage.  
Harmful to aquatic life with long lasting effects.  
May be corrosive to metals.

### Precautionary statements

If medical advice is needed, have product container or label at hand.  
Store locked up.  
Keep out of reach of children.  
Do not breathe mist.  
Avoid release to the environment.  
Wear protective gloves.  
Wear protective clothing.  
Wear eye protection.  
Wear face protection.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Wash contaminated clothing before reuse.

Dispose of contents to in accordance with local regulations.

Dispose of container to in accordance with local regulations..

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Use # 1 (FAM) – animal accommodation surface disinfection – spray or foam application

<b>Product type</b>	PT03 - Veterinary hygiene (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Products used to disinfect the materials and surfaces associated with the housing of animals.
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage: All  Scientific name: Other Viruses Common name: Viruses Development stage: All  Scientific name: Yeast Common name: Yeast Development stage: All  Scientific name: Mycobacteria Common name: Mycobacteria Development stage: All
<b>Field(s) of use</b>	Indoor  Indoor
<b>Application method(s)</b>	Spraying - Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate.  Foaming - The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled into the reservoir of a knapsack sprayer (low pressure foam).
<b>Application rate(s) and frequencies</b>	300 mL/m <sup>2</sup> (dilute solution) - Dilution ratios – FAM 1:75 - The disinfection of animal housing takes places as follows:

- Dairy cattle: Once per year
- Veal calves: Every 17-19 weeks
- Fattening pigs: Twice per year
- Laying hens: Once per 12 -18 months
- Broiler: Every 7 weeks
- Turkeys: Twice per year
- Ducks: Every 8 weeks
- Geese: Twice per year
- Sheep: Once per year
- Goats: Once per year

300 mL/m<sup>2</sup> (dilute solution) - Dilution ratios – FAM 1:75 -  
 The disinfection of animal housing takes places as follows:

- Dairy cattle: Once per year
- Veal calves: Every 17-19 weeks
- Fattening pigs: Twice per year
- Laying hens: Once per 12 -18 months
- Broiler: Every 7 weeks
- Turkeys: Twice per year
- Ducks: Every 8 weeks
- Geese: Twice per year
- Sheep: Once per year
- Goats: Once per year

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

**4.1.1 Use-specific instructions for use**

Clean and rinse surfaces prior to disinfection  
 Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate. Spray the disinfectant making sure surfaces are thoroughly wetted and leave to dry for 30-minutes, porous surfaces should be allowed to dried for a minimum of 4 hours. After disinfection, empty and clean the reservoir and the spray equipment by rinsing with water.  
 Dilution ratios – FAM 1:75

**4.1.2 Use-specific risk mitigation measures**

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
 A protective coverall (at least type 4, EN 14605) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).  
 The use of eye protection during handling of the product is mandatory.  
 Feed and water troughs are to be covered during biocidal treatment



**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See Directions for use.

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See Directions for use.

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See Directions for use.

**4.2 Use description**

**Use 2 - Use # 2 (FAM) – animal accommodation equipment disinfection – immersion**

**Product type**

PT03 - Veterinary hygiene (Disinfectants)

**Where relevant, an exact description of the authorised use**

Products used to disinfect the materials and surfaces associated with the housing of animals.

**Target organism(s) (including development stage)**

Scientific name: Other: Bacteria  
Common name: bacteria  
Development stage: All

Scientific name: other yeast  
Common name: Yeasts  
Development stage: all

Scientific name: Viruses  
Common name: Viruses  
Development stage: all

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage: All

**Field(s) of use**

Indoor

Outdoor

Indoor and outdoor

**Application method(s)**

Open system: immersion -  
The concentrated products are diluted by decanting or by dispensing (using dispensing

	equipment). The diluted concentrate is filled in a clean container and the equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) is placed in the solution. The equipment is left for at least 30 minutes before removing and allowing equipment to drain and dry.
<b>Application rate(s) and frequencies</b>	Immersere for 30-minutes in 100 litres of diluted solution - Dilution ratios – FAM 1:75 - The equipment disinfection in animal accomodation by immersion takes place indoor or outdoor by professional workers as follows: - Broiler: Every 7 weeks - Ducks: Every 8 weeks
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 -1 000 Litres

#### 4.2.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill a clean container with the diluted concentrate and place equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) in the solution, leave for at least 30 minutes before removing and allowing equipment to drain and dry. Dispose the disinfection solution into STP.  
Dilution ratios – FAM 1:75

#### 4.2.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 6, EN 13034) shall be worn.  
The use of eye protection during handling of the product is mandatory.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

### 4.3 Use description

#### Use 3 - Use # 3 (FAM) – disinfection of vehicles for transporting animals – spray application

##### Product type

PT03 - Veterinary hygiene (Disinfectants)

##### Where relevant, an exact description of the authorised use

Products used to disinfect the materials and surfaces associated with transportation of animals.

##### Target organism(s) (including development stage)

Scientific name: bacteria  
Common name: bacteria  
Development stage: all

Scientific name: Viruses  
Common name: Viruses  
Development stage: all

Scientific name: yeast  
Common name: Yeasts  
Development stage: all

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage: All

##### Field(s) of use

Outdoor

Outdoor

##### Application method(s)

Spraying -  
The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled into the reservoir of a knapsack sprayer (low pressure spray). The surfaces are sprayed with the disinfectant making sure that the surfaces are thoroughly wetted. The product is left on the surfaces until it has dried (porous surfaces should be dried for a minimum of 4 hours).

##### Application rate(s) and frequencies

300mL/m<sup>2</sup> diluted solution - Dilution ratios – FAM 1:75 -  
Generally, the vehicles for transporting animals are cleaned and disinfected with products which are not iodine-based. Only in case of disease, the disinfection is done

	with iodine-based products.
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

#### 4.3.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate. First, apply the disinfectant solution to the outside of the vehicle including wheel arches, tyres, mudguards and underside of the vehicle, starting at the top and working down. Thereafter, spray on the inside of the vehicle, starting at the top and working down to the bottom, ensuring that all surfaces including the floor are covered. After disinfection (at least 30-minutes), empty and clean the reservoir and the spray equipment by rinsing with water.  
Dilution ratios – FAM 1:75

#### 4.3.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 4, EN 14605) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).  
The use of eye protection during handling of the product is mandatory.

#### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

#### 4.4 Use description

##### Use 4 - Use # 4 (FAM) – disinfection of fish farm equipment – immersion

**Product type**

PT03 - Veterinary hygiene (Disinfectants)

**Where relevant, an exact description of the authorised use**

Products used to disinfect the materials and surfaces associated with the housing of animals.

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage: all

Scientific name: Viruses  
Common name: Viruses  
Development stage: all

Scientific name: Yeast  
Common name: Yeasts  
Development stage: all

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage: All

**Field(s) of use**

Outdoor

Outdoor.

**Application method(s)**

Open system: immersion -  
The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled a clean container and the equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) is placed in the solution. The equipment is left for at least 30 minutes before removing and allowing equipment to drain and dry. For larger pieces of equipment such as fish holding tanks, the cleaned containers are filled with the disinfectant. The disinfectant is left for a minimum of 30 minutes, drained, rinsed with clean water and allowed to dry.

**Application rate(s) and frequencies**

500 L of diluted solution. - Dilution ratios – FAM 1:75 -  
The disinfection of equipment in fish farming takes places once a week.

**Category(ies) of users**

Professional

**Pack sizes and packaging material**

Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

#### 4.4.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection

Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill a clean container with the diluted concentrate and place equipment (e.g. buckets, trays, fish nets, crates) in the solution, leave for at least 30 minutes before removing, drain, rinse the equipment with clean potable water and allow to dry. For larger pieces of equipment such as fish holding tanks, fill cleaned containers with disinfection solution, leave for a minimum of 30 minutes, drain, rinse with clean water and allow to dry.

Dilution ratios – FAM 1:75

#### 4.4.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).

A protective coverall (at least type 6, EN 13034) shall be worn.

The use of eye protection during handling of the product is mandatory.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

#### 4.5 Use description

##### Use 5 - Use # 5 (FAM) – boot and wheel disinfection - dipping

###### Product type

PT03 - Veterinary hygiene (Disinfectants)

###### Where relevant, an exact description of the authorised use

Products used to disinfect the materials and surfaces associated with the housing or transportation of animals.

Scientific name: Bacteria

<b>Target organism(s) (including development stage)</b>	Common name: Bacteria Development stage: all
<b>Field(s) of use</b>	Outdoor  Outdoor
<b>Application method(s)</b>	Open system: dip treatment - The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The foot and wheel baths are filled with the diluted concentrate and placed at the entrances or exits. A two-minute contact time is to be ensured before moving from one area to another.
<b>Application rate(s) and frequencies</b>	Wheel bath (250 litres) – once per week (based upon the risk assessment up to 400 litres may be used). Boot bath (10 litres) – every day - Dilution ratios – FAM 1:75 - Wheel bath (250 litres) – once per week (based upon the risk assessment up to 400 litres may be used) Boot bath (10 litres) – every day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Container, Plastic: HDPE , 5-1000 L

#### 4.5.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill foot/wheel bath with the diluted concentrate and place at the entrances/ exits and ensure a two minute contact time before moving from one area to another.  
Dispose of used solutions to wastewater.  
Empty, clean and refill wheel baths, up to a maximum volume of 400L  
Footbath must be kept indoors/under roof in order to prevent dilution by rain.  
Dilution ratios – FAM 1:75

#### 4.5.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 6, EN 13034) shall be worn.

The use of eye protection during handling of the product is mandatory.

#### **4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

See Directions for use.

#### **4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

See Directions for use.

#### **4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

See Directions for use.

### **5. General directions for use of the meta SPC**

#### **5.1. Instructions for use**

See Authorised uses.

#### **5.2. Risk mitigation measures**

See Authorised uses.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

##### **Description of first aid measures**

Inhalation: Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion: Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

Skin contact: Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact: Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

##### **Most important symptoms and effects, both acute and delayed**

Inhalation: Irritation of nose, throat and airway.

Ingestion: May cause chemical burns in mouth and throat.

Skin contact: Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

Eye contact: Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.



**Stability and reactivity:**

Reactivity: Reacts with alkalis and generates heat.

Chemical stability: No particular stability concerns.

Conditions to avoid: Avoid exposure to high temperatures or direct sunlight.

Incompatible materials: Materials to avoid: Aluminium, Tin, Zinc and their alloys. Concentrated alkaline materials. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as Iodine vapour may be evolved.

Hazardous decomposition products: When heated, vapours/gases hazardous to health may be formed.

**Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

Flush away spillage with plenty of water. Small Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

**5.4. Instructions for safe disposal of the product and its packaging**

At the end of the treatment used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site waste water treatment plant.

Dispose unused product and the packaging in accordance with local and/or national requirements.

**5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

36 months shelf-life

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.

Avoid exposure to high temperatures or direct sunlight.

**6. Other information**

None.

**7. Third information level: individual products in the meta SPC**

**7.1 Trade name(s), authorisation number and specific composition of each individual product**

<b>Trade name(s)</b>	FAM	Market area: MT
<b>Authorisation number</b>  (R4BP 3 asset reference number - National Authorisation)	MT-0021574-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active Substance	7553-56-2	231-442-4	2,179
Alcohol Ethoxylate	C9-11 Alcohol Ethoxylate (8EO)		68439-46-3	614-482-0	18,575
Sulphuric Acid	Sulphuric Acid		7664-93-9	231-639-5	7,995
Phosphoric Acid	Trihydroxidooxido-phosphorus		7664-38-2	231-633-2	12,495

## 1. Meta SPC administrative information

### 1.1. Meta SPC identifier

meta SPC FAM 30

### 1.2. Suffix to the authorisation number

1-2

### 1.3 Product type(s)

PT03 - Veterinary hygiene (Disinfectants)

## 2. Meta SPC composition

### 2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Iodine		Active Substance	7553-56-2	231-442-4	2,5 - 2,84
Alcohol Ethoxylate	C9-11 Alcohol Ethoxylate (8EO)		68439-46-3	614-482-0	18 - 24,9

Sulphuric Acid	Sulphuric Acid	7664-93-9	231-639-5	7 - 10
Phosphoric Acid	Trihydroxidooxido-phosphorus	7664-38-2	231-633-2	9,536 - 13

## 2.2. Type(s) of formulation of the meta SPC

### Formulation(s)

SL - Soluble concentrate

## 3. Hazard and precautionary statements of the meta SPC

### Hazard statements

Causes severe skin burns and eye damage.

Toxic to aquatic life with long lasting effects.

May be corrosive to metals.

### Precautionary statements

If medical advice is needed, have product container or label at hand.

Store locked up.

Keep out of reach of children.

Do not breathe mist.

Avoid release to the environment.

Wear protective gloves.

Wear protective clothing.

Wear eye protection.

Wear face protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER /doctor.

Wash contaminated clothing before reuse.

Collect spillage.

Dispose of contents to in accordance with local regulations.

Dispose of container to in accordance with local regulations.

## 4. Authorised use(s) of the meta SPC

### 4.1 Use description

#### Use 1 - Use # 1 (FAM 30) – animal accommodation surface disinfection – spray or foam application

<b>Product type</b>	PT03 - Veterinary hygiene (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Products used to disinfect the materials and surfaces associated with the housing of animals.
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Bacteria Common name: Bacteria Development stage: All</p> <p>Scientific name: Other Viruses Common name: Viruses Development stage: All</p> <p>Scientific name: Yeast Common name: Yeast Development stage: All</p> <p>Scientific name: Mycobacteria Common name: Mycobacteria Development stage: All</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>Indoor</p>
<b>Application method(s)</b>	<p>Spraying - Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate.</p> <p>Foaming - The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled into the reservoir of a knapsacksprayer (low pressure foam).</p>
<b>Application rate(s) and frequencies</b>	<p>300 mL/m<sup>2</sup> (dilute solution) - Dilution ratios – FAM 30 1:100 - The disinfection of animal housing takes places as follows:</p> <ul style="list-style-type: none"> <li>- Dairy cattle: Once per year</li> <li>- Veal calves: Every 17-19 weeks</li> <li>- Fattening pigs: Twice per year</li> <li>- Laying hens: Once per 12 -18 months</li> <li>- Broiler: Every 7 weeks</li> <li>- Turkeys: Twice per year</li> <li>- Ducks: Every 8 weeks</li> </ul>

	<ul style="list-style-type: none"> <li>- Geese: Twice per year</li> <li>- Sheep: Once per year</li> <li>- Goats: Once per year</li> </ul> <p>300 mL/m<sup>2</sup> (dilute solution) - Dilution ratios – FAM 30 1:100 - The disinfection of animal housing takes places as follows:</p> <ul style="list-style-type: none"> <li>- Dairy cattle: Once per year</li> <li>- Veal calves: Every 17-19 weeks</li> <li>- Fattening pigs: Twice per year</li> <li>- Laying hens: Once per 12 -18 months</li> <li>- Broiler: Every 7 weeks</li> <li>- Turkeys: Twice per year</li> <li>- Ducks: Every 8 weeks</li> <li>- Geese: Twice per year</li> <li>- Sheep: Once per year</li> <li>- Goats: Once per year</li> </ul>
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

#### 4.1.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate. Spray the disinfectant making sure surfaces are thoroughly wetted and leave to dry for 30-minutes, porous surfaces should be allowed to dried for a minimum of 4 hours. After disinfection, empty and clean the reservoir and the spray equipment by rinsing with water.  
Dilution ratios – FAM 30 1:100

#### 4.1.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 4, EN 14605) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).  
The use of eye protection during handling of the product is mandatory.  
Feed and water troughs are to be covered during biocidal treatment

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

### 4.2 Use description

#### Use 2 - Use # 2 (FAM 30) – animal accommodation equipment disinfection – immersion

##### Product type

PT03 - Veterinary hygiene (Disinfectants)

##### Where relevant, an exact description of the authorised use

Products used to disinfect the materials and surfaces associated with the housing of animals.

##### Target organism(s) (including development stage)

Scientific name: Other: Bacteria  
Common name: bacteria  
Development stage: All

Scientific name: other yeast  
Common name: Yeasts  
Development stage: all

Scientific name: Viruses  
Common name: Viruses  
Development stage: all

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage: All

##### Field(s) of use

Indoor

Outdoor

Indoor and outdoor

##### Application method(s)

Open system: immersion -

The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled in a clean container and the equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) is placed in the solution. The equipment is left for at least 30 minutes before removing and allowing equipment to drain and dry.

##### Application rate(s) and frequencies

100 litres of diluted solution - Dilution ratios – FAM 30 1:100 -

	The equipment disinfection in animal accommodation by immersion takes place indoor or outdoor by professional workers as follows: - Broiler: Every 7 weeks - Ducks: Every 8 weeks
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 -1 000 Litres

#### 4.2.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill a clean container with the diluted concentrate and place equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) in the solution, leave for at least 30 minutes before removing and allowing equipment to drain and dry. Dispose the disinfection solution into STP.  
Dilution ratios – FAM 30 1:100

#### 4.2.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 6, EN 13034) shall be worn.  
The use of eye protection during handling of the product is mandatory.

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

#### 4.3 Use description

##### Use 3 - Use # 3 (FAM 30) – disinfection of vehicles for transporting animals – spray application

##### Product type

PT03 - Veterinary hygiene (Disinfectants)

##### Where relevant, an exact description of the authorised use

Products used to disinfect the materials and surfaces associated with transportation of animals.

##### Target organism(s) (including development stage)

Scientific name: bacteria  
Common name: bacteria  
Development stage: all

Scientific name: Viruses  
Common name: Viruses  
Development stage: all

Scientific name: yeast  
Common name: Yeasts  
Development stage: all

Scientific name: Mycobacteria  
Common name: Mycobacteria  
Development stage: All

##### Field(s) of use

Outdoor

Outdoor

##### Application method(s)

Spraying -  
The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled into the reservoir of a knapsack sprayer (low pressure spray). The surfaces are sprayed with the disinfectant making sure that the surfaces are thoroughly wetted. The product is left on the surfaces until it has dried (porous surfaces should be dried for a minimum of 4 hours).

##### Application rate(s) and frequencies

300mL/m<sup>2</sup> diluted solution - Dilution ratios – FAM 30 1:100 -  
Generally, the vehicles for transporting animals are cleaned and disinfected with products which are not iodine-based. Only in in case of disease, the disinfection is done with iodine-based products.

##### Category(ies) of users

Professional



## Pack sizes and packaging material

Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

### 4.3.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection

Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill the reservoir of the knapsack sprayer (low pressure spray) with the diluted concentrate. First, apply the disinfectant solution to the outside of the vehicle including wheel arches, tyres, mudguards and underside of the vehicle, starting at the top and working down. Thereafter, spray on the inside of the vehicle, starting at the top and working down to the bottom, ensuring that all surfaces including the floor are covered. After disinfection (at least 30-minutes), empty and clean the reservoir and the spray equipment by rinsing with water.

Dilution ratios – FAM 30 1:100

### 4.3.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).

A protective coverall (at least type 4, EN 14605) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

The use of eye protection during handling of the product is mandatory.

### 4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

### 4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

### 4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

## 4.4 Use description

#### Use 4 - Use # 4 (FAM 30) – disinfection of fish farm equipment – immersion

<b>Product type</b>	PT03 - Veterinary hygiene (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Products used to disinfect the materials and surfaces associated with the housing of animals.
<b>Target organism(s) (including development stage)</b>	Scientific name: Bacteria Common name: Bacteria Development stage: all  Scientific name: Viruses Common name: Viruses Development stage: all  Scientific name: Yeast Common name: Yeasts Development stage: all  Scientific name: Mycobacteria Common name: Mycobacteria Development stage: All
<b>Field(s) of use</b>	Outdoor  Outdoor.
<b>Application method(s)</b>	Open system: immersion - The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The diluted concentrate is filled a clean container and the equipment (e.g. buckets, cages, hatchery trays, drinkers, crates) is placed in the solution. The equipment is left for at least 30 minutes before removing and allowing equipment to drain and dry. For larger pieces of equipment such as fish holding tanks, the cleaned containers are filled with the disinfectant. The disinfectant is left for a minimum of 30 minutes, drained, rinsed with clean water and allowed to dry.
<b>Application rate(s) and frequencies</b>	500 L of diluted solution. - Dilution ratios – FAM 30 1:100 - The disinfection of equipment in fish farming takes places once a week.
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Containers such as (bottles, jerry cans, drums, IBC) made from HDPE - 1 - 1000 Litres

#### 4.4.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill a clean container with the diluted concentrate and place equipment (e.g. buckets, trays, fish nets, crates) in the solution, leave for at least 30 minutes before removing, drain, rinse the equipment with clean potable water and allow to dry. For larger pieces of equipment such as fish holding tanks, fill cleaned containers with disinfection solution, leave for a minimum of 30 minutes, drain, rinse with clean water and allow to dry.  
Dilution ratios – FAM 30 1:100

#### 4.4.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 6, EN 13034) shall be worn.  
The use of eye protection during handling of the product is mandatory.

#### 4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

#### 4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

#### 4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

#### 4.5 Use description

##### Use 5 - Use # 5 (FAM 30) – boot and wheel disinfection - dipping

**Product type**

PT03 - Veterinary hygiene (Disinfectants)

**Where relevant, an exact description of the authorised use**

Products used to disinfect the materials and surfaces associated with the housing or transportation of animals.

**Target organism(s) (including development stage)**

Scientific name: Bacteria  
Common name: Bacteria  
Development stage: all

<b>Field(s) of use</b>	Outdoor  Outdoor
<b>Application method(s)</b>	Open system: dip treatment - The concentrated products are diluted by decanting or by dispensing (using dispensing equipment). The foot and wheel baths are filled with the diluted concentrate and placed at the entrances or exits. A two-minute contact time is to be ensured before moving from one area to another.
<b>Application rate(s) and frequencies</b>	Wheel bath (250 litres) – once per week (based upon the risk assessment up to 400 litres may be used). Boot bath (10 litres) – every day - Dilution ratios – FAM 30 1:100 - Wheel bath (250 litres) – once per week (based upon the risk assessment up to 400 litres may be used) Boot bath (10 litres) – every day
<b>Category(ies) of users</b>	Professional
<b>Pack sizes and packaging material</b>	Container, Plastic: HDPE , 5-1000 L

#### 4.5.1 Use-specific instructions for use

Clean and rinse surfaces prior to disinfection  
Decant or dispense (using dispensing equipment) the concentrated product and dilute with water. Fill foot/wheel bath with the diluted concentrate and place at the entrances/ exits and ensure a two minute contact time before moving from one area to another.  
Dispose of used solutions to wastewater.  
Empty, clean and refill wheel baths, up to a maximum volume of 400L  
Footbath must be kept indoors/under roof in order to prevent dilution by rain.  
Dilution ratios - FAM 30 1:100

#### 4.5.2 Use-specific risk mitigation measures

Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information).  
A protective coverall (at least type 6, EN 13034) shall be worn.  
The use of eye protection during handling of the product is mandatory.

### 4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Directions for use.

### 4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See Directions for use.

### 4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See Directions for use.

## 5. General directions for use of the meta SPC

### 5.1. Instructions for use

See Authorised uses.

### 5.2. Risk mitigation measures

See Authorised uses.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

#### Description of first aid measures

Inhalation: Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion: Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

Skin contact: Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact: Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.

#### Most important symptoms and effects, both acute and delayed

Inhalation: Irritation of nose, throat and airway.

Ingestion: May cause chemical burns in mouth and throat.

Skin contact: Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

Eye contact: Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

#### Stability and reactivity:

Reactivity: Reacts with alkalis and generates heat.

Chemical stability: No particular stability concerns.

Conditions to avoid: Avoid exposure to high temperatures or direct sunlight.  
 Incompatible materials: Materials to avoid: Aluminium, Tin, Zinc and their alloys. Concentrated alkaline materials. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as Iodine vapour may be evolved.  
 Hazardous decomposition products: When heated, vapours/gases hazardous to health may be formed.  
 Environmental precautions  
 Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.  
 Flush away spillage with plenty of water. Small Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

#### 5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment used solutions can be flushed to the municipal sewer or disposed to the manure deposit depending on local requirements. Avoid release to an on-site waste water treatment plant.  
 Dispose unused product and the packaging in accordance with local and/or national requirements.

#### 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

36 months shelf-life  
 Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.  
 Avoid exposure to high temperatures or direct sunlight.

#### 6. Other information

None.

#### 7. Third information level: individual products in the meta SPC

##### 7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

FAM 30	Market area: MT
R62	Market area: MT
V18	Market area: MT

Authorisation number

(R4BP 3 asset reference number - National  
Authorisation)

MT-0021574-0002 1-2

---

<b>Common name</b>	<b>IUPAC name</b>	<b>Function</b>	<b>CAS number</b>	<b>EC number</b>	<b>Content (%)</b>
Iodine		Active Substance	7553-56-2	231-442-4	2,84
Alcohol Ethoxylate	C9-11 Alcohol Ethoxylate (8EO)		68439-46-3	614-482-0	24,203
Sulphuric Acid	Sulphuric Acid		7664-93-9	231-639-5	9,55
Phosphoric Acid	Trihydroxidooxido- phosphorus		7664-38-2	231-633-2	9,536

---