

EN

*ANNEX*

**SUMMARY OF PRODUCT CHARACTERISTICS  
FOR A BIOCIDAL PRODUCT FAMILY**

CHIMIGET\_CYPER

**Product type(s)**

PT18: Insecticides, acaricides and products to control other arthropods

**Authorisation number** FR-2023-0068

**R4BP asset number** FR-0025027-0000

---

**Part I.**  
**FIRST INFORMATION LEVEL**

## 1. ADMINISTRATIVE INFORMATION

### 1.1. Family name

Name	CHIMIGET_CYPER
------	----------------

### 1.2. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

### 1.3. Authorisation holder

Name and address of the authorisation holder	Name	CHIMIGET
	Address	Lien-Dit Sibilot CD 6 13480 CABRIES France
Authorisation number		FR-2023-0068
<i>R4BP asset number</i>		FR-0025027-0000
Date of the authorisation		06/12/2023
Expiry date of the authorisation		05/12/2033

### 1.4. Manufacturer(s) of the product

Name of manufacturer	BFC
Address of manufacturer	11, rue de l'Huisne 61110 Rémalard-en-Perche France
Location of manufacturing sites	BFC site 1 11, rue de l'Huisne 61110 Rémalard-en-Perche France

Name of manufacturer	IGET CHIMIE
Address of manufacturer	Lieu-dit Sibilot - CD6 13480 Cabriès France
Location of manufacturing sites	IGET CHIMIE site 1 Lieu-dit Sibilot - CD6 13480 Cabriès France

### 1.5. Manufacturer(s) of the active substance(s)

Active substance	(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of manufacturer	Tagros Chemicals India Private Limited
Address of manufacturer	Jhaver Centre, Raja Annamalai Building IVth Floor, 7 2 Marshall Road, Egmore 6000 008 Chennai India
Location of manufacturing sites	Tagros Chemicals India Private Limited site 1 A-4/1&2, Sipcot Industrial Complex, Pachayankuppam, Cuddalore 607 005 Tamilnadu India

---

## 2. PRODUCT FAMILY COMPOSITION AND FORMULATION

### 2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 - 10,87 % (w/w)
Ethanol		Non-Active substance	64-17-5		0 - 29,78 % (w/w)

### 2.2. Type(s) of formulation

Formulation type(s)	AE Aerosol dispenser AL Any other liquid SL Soluble concentrate
---------------------	---

---

**Part II.**  
**SECOND INFORMATION LEVEL - META SPC(S)**

---

## 1. META SPC 1 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 1 identifier

Identifier	Meta SPC: Meta SPC1_AE WH
------------	---------------------------

### 1.2. Suffix to the authorisation number

Number	1-1
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

---

## 2. META SPC 1 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,54 - 0,54 % (w /w)
Ethanol		Non-Active substance	64-17-5		29,46 - 29,46 % ( w/w)

### 2.2. Type(s) of formulation of the meta SPC 1

Formulation type(s)	AE Aerosol dispenser
---------------------	----------------------

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 1

Hazard statements	H222 : Extremely flammable aerosol, H229 : Pressurised container: May burst if heated  H229: Pressurised container: May burst if heated  H319: Causes serious eye irritation.  H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P101: If medical advice is needed, have product container or label at hand.  P102: Keep out of reach of children.  P103: Read carefully and follow all instructions.  P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P211: Do not spray on an open flame or other ignition source.  P251: Do not pierce or burn, even after use.  P264: Wash les mains thoroughly after handling.  P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P337+P313: If eye irritation persists: Get medical advice/attention.  P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.  P273: Avoid release to the environment.  P391: Collect spillage.  P403: Store in a well-ventilated place.  P501: Dispose of according to local regulation.



---

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Wasps and hornets aerosol –non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: <i>Vespula</i> spp. Common name: wasps Development stage: adults  Scientific name: <i>Vespa crabro</i> (VESPCC) Common name: European hornet Development stage: adults  Scientific name: <i>Vespa velutina</i> (VESPVE) Common name: Asian hornet Development stage: adults
Field(s) of use	outdoor use  -
Application method(s)	Method: spraying  Detailed description: Direct spraying on insects
Application rate(s) and frequency	Application rate: 17.5 g  Dilution (%): -  Number and timing of application: 17.5 g of product (1 second spraying)
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve type FL from 500 to 750 mL

#### 4.1.1. Use-specific instructions

-

#### 4.1.2. Use-specific risk mitigation measures

-

---

**4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 1**

### **5.1. Instructions for use**

- Comply with the instructions for use.
- The user should be aware that a delay of up to 1 hour may be encountered before death.
- Inform the registration holder if the treatment is ineffective.

### **5.2. Risk mitigation measures**

- Wash hands after use.
- Do not spray towards people and non target animals.
- Do not use on bare soil.
- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have product container or label at hand.
- **IF IN EYES:** Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- **IF ON SKIN:** Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- **IF INHALED:** If symptoms occur call a POISON CENTRE or a doctor.
- **IF SWALLOWED:** Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice

### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- 
- Keep the container tightly closed in a dry and well-ventilated room.
  - Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.
  - Do not store at temperature  $> 40^{\circ}\text{C}$ .
  - Keep packaging away from sources of heat, sparks and open flame.
  - Shelf-life: 24 months.
  - Keep out of reach of children and non-target animals/pets.

---

## **6. OTHER INFORMATION**

This biocidal product contains cypermethrin which is dangerous to bees.

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 1

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	AE WH	Market area: FR
	PARASEC T TORNAD E C	Market area: FR
	IG AEROJE T C	Market area: FR
	VESPA TU RBO	Market area: FR
	CIT VESPA TURBO	Market area: FR
	L'ELFE INS ECTICIDE GUÊPES FR ELONS	Market area: FR
	INSECTICI DE ANTI G UÊPES-FRE LONS	Market area: FR
	BLASTOR INSECTICI DE GUÊPE S & FRELO NS	Market area: FR
	F-A97 INS	Market area: FR
	ALGI-INSE CT	Market area: FR
	ANTI GUE PES/FRELO NS CY	Market area: FR
	CONTROL AEROSOL CY	Market area: FR
	ACTO / MO RTIS GUÊP ES - FRELO NS	Market area: FR
	SUBITO GU EPES ET FR ELONS CH OC	Market area: FR
SUBITO A EROSOL A NTI GUEPE S ET FREL ONS	Market area: FR	
SUBITO AN TI-GUEPES	Market area: FR	

	ET FRELO NS LONGU E PORTEE	
	SUBITO AN TI-GUEPES ET FRELO NS JET 6 M ETRES	Market area: FR
	123 MOUST IQUES AER OSOL ANTI -GUEPES E T FRELONS	Market area: FR
	1015VGB	Market area: FR
	INSECTICH OC DP CYP	Market area: FR
	INSECTI-S HOT CYP	Market area: FR
	KAP4HOM E TORNAD E	Market area: FR
Authorisation number	FR-0025027-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,54 % (w/w)
Ethanol		Non-Active substance	64-17-5		29,46 % (w/w)

---

## 1. META SPC 2 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 2 identifier

Identifier	Meta SPC: Meta SPC2_AE FC
------------	---------------------------

### 1.2. Suffix to the authorisation number

Number	1-2
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---



---

## 2. META SPC 2 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 2

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,54 - 0,87 % (w /w)
Ethanol		Non-Active substance	64-17-5		29,13 - 29,46 % ( w/w)

### 2.2. Type(s) of formulation of the meta SPC 2

Formulation type(s)	AE Aerosol dispenser
---------------------	----------------------

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 2

Hazard statements	<p>H222 : Extremely flammable aerosol, H229 : Pressurised container: May burst if heated</p> <p>H229: Pressurised container: May burst if heated</p> <p>H319: Causes serious eye irritation.</p> <p>H410: Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P101: If medical advice is needed, have product container or label at hand.</p> <p>P102: Keep out of reach of children.</p> <p>P103: Read carefully and follow all instructions.</p> <p>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P211: Do not spray on an open flame or other ignition source.</p> <p>P251: Do not pierce or burn, even after use.</p> <p>P264: Wash hands thoroughly after handling.</p> <p>P273: Avoid release to the environment.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313: If eye irritation persists: Get medical advice/attention.</p> <p>P391: Collect spillage.</p> <p>P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.</p> <p>P403: Store in a well-ventilated place.</p> <p>P501: Dispose of according to local regulation.</p>

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Flying and crawling insects - direct spray – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: - no data Common name: crawling insects Development stage: adults</p> <p>Scientific name: Blattella germanica Common name: blattes Development stage: adults</p> <p>Scientific name: Periplaneta americana Common name: blattes Development stage: adults</p> <p>Scientific name: no data Common name: flying insects Development stage: adults</p> <p>Scientific name: Culex sp Common name: mosquitoes Development stage: adults</p> <p>Scientific name: Musca domestica Common name: house fly Development stage: adults</p> <p>Scientific name: Vespula spp. Common name: wasps Development stage: adults</p>
Field(s) of use	<p>outdoor use</p> <p>-</p>
Application method(s)	<p>Method: spraying</p> <p>Detailed description: Direct spraying on insects</p>
Application rate(s) and frequency	<p>Application rate: 2.5 g</p> <p>Dilution (%): -</p> <p>Number and timing of application: 2.5 g of product (1 second spraying)</p>
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve VP 195 150 to 750 mL

---

--	--

**4.1.1. Use-specific instructions**

-

**4.1.2. Use-specific risk mitigation measures**

-

**4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 2**

### **5.1. Instructions for use**

- Comply with the instructions for use.
- The user should be aware that a delay of up to 1 hour may be encountered before death.
- Inform the registration holder if the treatment is ineffective.

### **5.2. Risk mitigation measures**

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Wash hands after use.
- Do not use on bare soil.
- Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Keep the container tightly closed in a dry and well-ventilated room.

- 
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight .
  - Do not store at temperature  $> 40^{\circ}\text{C}$ .
  - Keep packaging away from sources of heat, sparks and open flame.
  - Shelf-life: 24 months.
  - Keep out of reach of children and non-target animals/pets.

---

## **6. OTHER INFORMATION**

This biocidal product contains cypermethrin which is dangerous to bees.

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 2

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	AE FC2	Market area: FR
	PARASECT AC5	Market area: FR
	L'ELFE INSECTICIDE SPÉCIAL RAMPANTS +	Market area: FR
	L'ELFE INSECTICIDE SPÉCIAL VOLANTS - RAMPANTS +	Market area: FR
	L'ELFE INSECTICIDE SPÉCIAL VOLANTS +	Market area: FR
	BLASTOR INSECTICIDE SPÉCIAL RAMPANTS +	Market area: FR
	BLASTOR INSECTICIDE VOLANTS - RAMPANTS +	Market area: FR
	BLASTOR INSECTICIDE SPÉCIAL VOLANTS +	Market area: FR
	INSECTICIDE ANTI-RAMPANTS +	Market area: FR
	INSECTICIDE ANTI-VOLANTS +	Market area: FR
	F-A87 INS	Market area: FR
	ACTO / MORTIS RAMPANTS	Market area: FR
	ACTO / MORTIS ARAIGNÉES	Market area: FR



	ACTO / MO RTIS FOUR MIS	Market area: FR
	ACTO / MO RTIS MOU CHES	Market area: FR
	SUBITO A NTI INSEC TES VOLA NTS	Market area: FR
	SUBITO AN TI INSECT ES RAMPA NTS	Market area: FR
	1014E	Market area: FR
	KAP4HOM E AC5	Market area: FR
Authorisation number	FR-0025027-0002 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,54 % (w/w)
Ethanol		Non-Active substance	64-17-5		29,46 % (w/w)

## 7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	AE FC3	Market area: FR
	PARASECT AC8	Market area: FR
	ACTO / MO RTIS VOLA NTS RAMP ANTS	Market area: FR
	SUBITO SP ECIAL INS ECTES RES ISTANTS	Market area: FR
	SUBITO AE ROSOL SPE ECIAL INSE CTES RESI STANTS	Market area: FR
	SUBITO A EROSOL A	Market area: FR

	NTI CAFAR DS	
	1014C	Market area: FR
	INSECTICHOCA CYP	Market area: FR
	NETINSECT CYP	Market area: FR
	RAYO-INSECTE PLUS	Market area: FR
	KAP4HOME AC8	Market area: FR
Authorisation number	FR-0025027-0003 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	active substance	52315-07-8	257-842-9	0,87 % (w/w)
Ethanol		Non-Active substance	64-17-5		29,13 % (w/w)

---

## 1. META SPC 3 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 3 identifier

Identifier	Meta SPC: Meta SPC3_OS
------------	------------------------

### 1.2. Suffix to the authorisation number

Number	1-3
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

---

## 2. META SPC 3 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,54 - 0,87 % (w /w)
Ethanol		Non-Active substance	64-17-5		19,13 - 19,46 % ( w/w)

### 2.2. Type(s) of formulation of the meta SPC 3

Formulation type(s)	AE Aerosol dispenser
---------------------	----------------------

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 3

Hazard statements	H222 : Extremely flammable aerosol, H229 : Pressurised container: May burst if heated  H229: Pressurised container: May burst if heated  H319: Causes serious eye irritation.  H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P101: If medical advice is needed, have product container or label at hand.  P102: Keep out of reach of children.  P103: Read carefully and follow all instructions.  P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P211: Do not spray on an open flame or other ignition source.  P251: Do not pierce or burn, even after use.  P264: Wash hands thoroughly after handling.  P273: Avoid release to the environment.  P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P337+P313: If eye irritation persists: Get medical advice/attention.  P391: Collect spillage.  P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.  P403: Store in a well-ventilated place.  P501: Dispose of according to local regulation.

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Flying and crawling insects – one-shot aerosol – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	One-shot aerosol insecticide against flying and crawling insects Use in cellars, basements, crawl spaces, garages, boxes, attics, barns, sheds or any other premises which are not wet-cleaned.
Target organism(s) (including development stage)	<p>Scientific name: no data Common name: crawling insects Development stage: adults</p> <p>Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults</p> <p>Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults</p> <p>Scientific name: no data Common name: flying insects Development stage: adults</p> <p>Scientific name: <i>Culex</i> sp Common name: house mosquito Development stage: adults</p> <p>Scientific name: <i>Musca domestica</i> Common name: house fly Development stage: adults</p> <p>Scientific name: <i>Vespula</i> spp. Common name: wasps Development stage: adults</p>
Field(s) of use	indoor use -
Application method(s)	Method: fogging ; fumigation - Fogging with a one-shot aerosol Detailed description: Fumigation
Application rate(s) and frequency	Application rate: 1 mL/m <sup>3</sup> Dilution (%): - Number and timing of application: 1 mL /m <sup>3</sup> (e.g. a can of 50 mL in a room up to 50 m <sup>3</sup> ) Exposure time: 4 hours
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve PV 50 to 750 mL

---

--	--

**4.1.1. Use-specific instructions**

-

**4.1.2. Use-specific risk mitigation measures**

-

**4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 3**

### **5.1. Instructions for use**

- Comply with the instructions for use.
- Apply only on infested area.
- Avoid continuous use of the product.
- Inform the registration holder if the treatment is ineffective.
- Ventilate after re-entering the room.

### **5.2. Risk mitigation measures**

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Do not use in places where food or feed is stored, prepared or eaten.
- Wash hands after use.
- Leave the room directly after spraying process is triggered.
- Do not enter the room before a waiting time of 4h.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.
- The product must be applied at the claimed application rate of 1 ml/m<sup>3</sup>.
- The product is only for indoor use and to be strictly applied in non wet-cleaned premises (cellars, basements, crawl spaces, garages, boxes, attics, barns, sheds)
- Do not use where release to drains (sewer) and/or surface water cannot be prevented.
- Do not use where the biocidal product can be discharged to municipal sewage treatment plant.
- Dry clean (broom or vacuum cleaner) treated area and dispose of residues to hazardous solid waste in order to prevent releases to water.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have product container or label at hand.
- **IF IN EYES:** Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- **IF ON SKIN:** Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- **IF INHALED:** If symptoms occur call a POISON CENTRE or a doctor.
- **IF SWALLOWED:** Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- **IF SWALLOWED:** Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.



---

#### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

#### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Keep the container tightly closed in a dry and well-ventilated room.
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.
- Do not store at temperature  $> 40^{\circ}\text{C}$ .
- Keep packaging away from sources of heat, sparks and open flame.
- Shelf-life: 24 months.
- Keep out of reach of children and non-target animals/pets.

---

## **6. OTHER INFORMATION**

-

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 3

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	OS1	Market area: FR
	ANTISECT C5	Market area: FR
	IG CYP OS5	Market area: FR
	L'ELFE INS ECTICIDE ONE-SHOT RAMPANT S & VOLA NTS	Market area: FR
	BLASTOR I NSECTICID E ONE-SHO T RAMPAN TS & VOLA NTS	Market area: FR
	INSECTICI DE RAMP ANTS ET VO LANTS ON E-SHOT	Market area: FR
	F-A56 INS	Market area: FR
	AEROSOL OS CY	Market area: FR
	INSTANTA NE OS CY	Market area: FR
	ACTO / MO RTIS VOLA NTS - RAM PANTS	Market area: FR
	SUBITO IN SECTICIDE CHOC VOL ANTS RAM PANTS	Market area: FR
	SUBITO IN SECTICIDE CHOC VOL ANTS	Market area: FR
	SUBITO IN SECTICIDE CHOC RAM PANTS	Market area: FR
	1014OSP	Market area: FR
KAP4HOM E OS5	Market area: FR	
Authorisation number	FR-0025027-0004 1-3	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichlorovinyl)- 2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichlorovinyl)- 2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	active substance	52315-07-8	257-842-9	0,54 % (w/w)
Ethanol		Non-Active substance	64-17-5		19,46 % (w/w)

## 7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	OS2	Market area: FR
	ANTISECT C8	Market area: FR
	IG CYP OS8	Market area: FR
	AEROSOL ONE SHOT CY	Market area: FR
	INSTANTANE CHOC CY	Market area: FR
	ACTO / MORTIS SPÉCIAL VOLANTS - RAMPANTS	Market area: FR
	SUBITO INSECTICIDE FLASH VOLANTS	Market area: FR
	SUBITO INSECTICIDE FLASH RAMPANTS	Market area: FR
	SUBITO TUT INSECTES CHOC	Market area: FR
	1014OSP2	Market area: FR
	INSECTICIDE ONE SHOT	Market area: FR
	NETINSECT ONESHOT	Market area: FR
	KAP4HOME OS8	Market area: FR
CYPER OS	Market area: FR	

Authorisation number

FR-0025027-0005 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	active substance	52315-07-8	257-842-9	0,87 % (w/w)
Ethanol		Non-Active substance	64-17-5		19,13 % (w/w)

---

## 1. META SPC 4 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 4 identifier

Identifier	Meta SPC: -
------------	-------------

### 1.2. Suffix to the authorisation number

Number	1-4
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

---

## 2. META SPC 4 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	ca.0,22 - 0,22 % (w/w)

### 2.2. Type(s) of formulation of the meta SPC 4

Formulation type(s)	AE Aerosol dispenser
---------------------	----------------------

---

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 4

Hazard statements	
Precautionary statements	



---

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1.** -

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: - Common name: - Development stage: no data
Field(s) of use	outdoor use -
Application method(s)	Method: - Detailed description: -
Application rate(s) and frequency	Application rate: - Dilution (%): - Number and timing of application: -
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	-

#### 4.1.1. Use-specific instructions

-

#### 4.1.2. Use-specific risk mitigation measures

-

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

---

**4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 4**

### **5.1. Instructions for use**

-

### **5.2. Risk mitigation measures**

-

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

### **5.4. Instructions for safe disposal of the product and its packaging**

-

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **6. OTHER INFORMATION**

-

---

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 4

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	-	Market area: FR
Authorisation number	FR-0025027-0006 1-4	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 % (w/w)

### 7.2. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	-	Market area: FR
Authorisation number	FR-0025027-0007 1-4	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 % (w/w)

---

## 1. META SPC 5 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 5 identifier

Identifier	Meta SPC: Meta SPC5_EC
------------	------------------------

### 1.2. Suffix to the authorisation number

Number	1-5
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

---

## 2. META SPC 5 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	10,87 - 10,87 % (w/w)

### 2.2. Type(s) of formulation of the meta SPC 5

Formulation type(s)	SL Soluble concentrate
---------------------	------------------------

---

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 5

Hazard statements	H373: May cause damage to organs (nervous system) through prolonged or repeated exposure -.  H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P101: If medical advice is needed, have product container or label at hand.  P102: Keep out of reach of children.  P103: Read carefully and follow all instructions.  P260: Do not breathe spray.  P273: Avoid release to the environment.  P314: Get medical advice/attention if you feel unwell.  P391: Collect spillage.  P501: Dispose of according to local regulation.



---

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Flying and crawling insects - surface spray under buildings – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: not specified Development stage: not specified
Field(s) of use	outdoor use  Under buildings
Application method(s)	Method: spraying  Detailed description: -
Application rate(s) and frequency	Number and timing of application: -
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	-

#### 4.1.1. Use-specific instructions

-

#### 4.1.2. Use-specific risk mitigation measures

-

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

**4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

**4.2. Use description**

**Table 2. Flying and crawling insects – one-shot aerosol – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Trigger spray insecticide against flying and crawling insects
Target organism(s) (including development stage)	<p>Scientific name: no data Common name: crawling insects Development stage: adults</p> <p>Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults</p> <p>Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults</p> <p>Scientific name: no data Common name: flying insects Development stage: adults</p> <p>Scientific name: <i>Culex</i> sp Common name: house mosquito Development stage: adults</p> <p>Scientific name: <i>Musca domestica</i> Common name: house fly Development stage: adults</p> <p>Scientific name: <i>Vespula</i> spp. Common name: wasps Development stage: adults</p>
Field(s) of use	<p>outdoor use</p> <p>Outdoor. under buildings</p>
Application method(s)	<p>Method: spraying</p> <p>Detailed description: Surface spraying</p>
Application rate(s) and frequency	<p>Dilution (%): The product should be diluted to 2% in water</p> <p>Number and timing of application: The product should be diluted to 2% in water before use according to the level of infestation.</p>

	20 mL of diluted product /m <sup>2</sup> Residual effect up to 4 months.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Fluorinated HDPE bottle/jerrycan, 0.25, 0.5 and 1L

**4.2.1. Use-specific instructions**

-

**4.2.2. Use-specific risk mitigation measures**

-

**4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 5**

### **5.1. Instructions for use**

- Spray the product under buildings (i.e. crawlspaces).
- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- Inform the registration holder if the treatment is ineffective.
- The diluted product must be shaken before each use and during application.

### **5.2. Risk mitigation measures**

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have container or label at hand.
- IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- 
- Keep the container tightly closed in a dry and well-ventilated room.
  - Protect from sunlight.
  - Protect from frost.
  - Do not store at temperature  $> 40^{\circ}\text{C}$ .
  - Shelf-life: 24 months.
  - Keep out of reach of children and non-target animals/pets.

---

## **6. OTHER INFORMATION**

This biocidal product contains cypermethrin which is dangerous to bees.

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 5

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	EC	Market area: FR
	PARASECT CYP10	Market area: FR
	IG SECTIC HOC CYP10	Market area: FR
	INSECTICY P 10	Market area: FR
	F-28 INS	Market area: FR
	ACTO / MORTIS LIQUIDE CONCENTRÉ VOLANTS - RAMPANTS	Market area: FR
	SUBITO INSECTICIDE CONCENTRE VOLANTS RAMPANTS	Market area: FR
	SUBITO CONCEN CENTRE ANTI-INSECTES	Market area: FR
	1015C	Market area: FR
	PIPEROCIDE CYP	Market area: FR
	AQUASECT CYP	Market area: FR
	KAP4HOME CYP10	Market area: FR
	CYPER KILL	Market area: FR
Authorisation number	FR-0025027-0008 1-5	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	active substance	52315-07-8	257-842-9	10,87 % (w/w)

---

## 1. META SPC 6 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 6 identifier

Identifier	Meta SPC: Meta SPC6
------------	---------------------

### 1.2. Suffix to the authorisation number

Number	1-6
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---



---

## 2. META SPC 6 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 - 0,22 % (w /w)
Ethanol		Non-Active substance	64-17-5		29,78 - 29,78 % ( w/w)

### 2.2. Type(s) of formulation of the meta SPC 6

Formulation type(s)	AE Aerosol dispenser
---------------------	----------------------

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 6

Hazard statements	<p>H222 : Extremely flammable aerosol, H229 : Pressurised container: May burst if heated</p> <p>H229: Pressurised container: May burst if heated</p> <p>H319: Causes serious eye irritation.</p> <p>H410: Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P101: If medical advice is needed, have product container or label at hand.</p> <p>P102: Keep out of reach of children.</p> <p>P103: Read carefully and follow all instructions.</p> <p>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P211: Do not spray on an open flame or other ignition source.</p> <p>P251: Do not pierce or burn, even after use.</p> <p>P264: Wash hands thoroughly after handling.</p> <p>P273: Avoid release to the environment.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313: If eye irritation persists: Get medical advice/attention.</p> <p>P391: Collect spillage.</p> <p>P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.</p> <p>P403: Store in a well-ventilated place.</p> <p>P501: Dispose of according to local regulation.</p>

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Flying and crawling insects - direct spray – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	<p>Scientific name: no data Common name: crawling insects Development stage: adults</p> <p>Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults</p> <p>Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults</p> <p>Scientific name: no data Common name: flying insects Development stage: adults</p> <p>Scientific name: <i>Culex</i> sp Common name: house mosquito Development stage: adults</p> <p>Scientific name: <i>Musca domestica</i> Common name: house fly Development stage: adults</p> <p>Scientific name: <i>Vespula</i> spp. Common name: wasps Development stage: adults</p>
Field(s) of use	<p>outdoor use</p> <p>-</p>
Application method(s)	<p>Method: spraying</p> <p>Detailed description: Direct spraying</p>
Application rate(s) and frequency	<p>Application rate: 2.5 g</p> <p>Dilution (%): -</p> <p>Number and timing of application: 2.5g of product (1 second spraying)</p>
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Aerosol metal can without internal varnish valve VP 195 150 to 750 mL

---

#### 4.1.1. Use-specific instructions

The user should be aware that a delay of up to 1 hour may be encountered before death

#### 4.1.2. Use-specific risk mitigation measures

Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 4.2. Use description

**Table 2. Flying and crawling insects – target surface spray – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Trigger spray insecticide against flying and crawling insects
Target organism(s) (including development stage)	Scientific name: no data Common name: crawling insects Development stage: adults  Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults  Scientific name: no data

	<p>Common name: flying insects Development stage: adults</p> <p>Scientific name: Culex sp Common name: house mosquito Development stage: adults</p> <p>Scientific name: Musca domestica Common name: house fly Development stage: adults</p> <p>Scientific name: Vespula spp. Common name: wasps Development stage: adults</p>
Field(s) of use	<p>outdoor use</p> <p>-</p>
Application method(s)	<p>Method: spraying</p> <p>Detailed description: Target surface spraying as spots application (flying insects) or in cracks and crevices (crawling insects)</p>
Application rate(s) and frequency	<p>Application rate: 17.5 g/m<sup>2</sup></p> <p>Dilution (%): -</p> <p>Number and timing of application: Application rate: 17.5 g product/m<sup>2</sup> (7 seconds/m<sup>2</sup>) or 1.4 seconds/m</p> <p>Residual effect up to 4 months.</p>
Category(ies) of users	<p>general public (non-professional)</p>
Pack sizes and packaging material	<p>Aerosol metal can without internal varnish valve VP 195 150 to 750 mL</p>

#### 4.2.1. Use-specific instructions

- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- The product has to be applied only on restricted areas on surfaces not regularly cleaned and protected from the rain.

#### 4.2.2. Use-specific risk mitigation measures

- Apply outdoor only on hard surface under a roof, on areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

---

**4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

**4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

**4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 6**

### **5.1. Instructions for use**

- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Inform the registration holder if the treatment is ineffective.

### **5.2. Risk mitigation measures**

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Wash hands after use.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have product container or label at hand.
- **IF IN EYES:** Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing for 5 minutes. Call a POISON CENTRE or a doctor.
- **IF ON SKIN:** Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- **IF INHALED:** If symptoms occur call a POISON CENTRE or a doctor.
- **IF SWALLOWED:** Rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Keep the container tightly closed in a dry and well-ventilated room.
- Pressurized container: May burst if heated. Do not pierce or burn, even after use. Protect from sunlight.

- 
- Do not store at temperature  $> 40^{\circ}\text{C}$ .
  - Keep packaging away from sources of heat, sparks and open flame.
  - Shelf-life: 24 months.
  - Keep out of reach of children and non-target animals/pets.



---

## **6. OTHER INFORMATION**

This biocidal product contains cypermethrin which is dangerous to bees.

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 6

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	AE FC1	Market area: FR
	PARASECT AC2	Market area: FR
	L'ELFE INSECTICIDE SPECIAL RAMPANTS	Market area: FR
	L'ELFE INSECTICIDE SPECIAL VOLANTS-RAMPANTS	Market area: FR
	L'ELFE INSECTICIDE SPECIAL VOLANTS	Market area: FR
	BLASTOR INSECTICIDE SPECIAL RAMPANTS	Market area: FR
	BLASTOR INSECTICIDE VOLANTS-RAMPANTS	Market area: FR
	BLASTOR INSECTICIDE SPECIAL VOLANTS	Market area: FR
	INSECTICIDE ANTI-RAMPANTS	Market area: FR
	INSECTICIDE ANTI-VOLANTS	Market area: FR
	ACTO / MORTIS VOLANTS	Market area: FR
	SUBITO ANTIVOLANTS RAMPANTS	Market area: FR
	SUBITO ANTIFLASH ANTI VOLANTS	Market area: FR

	SUBITO A EROSOL F LASH ANT IRAMPAN TS	Market area: FR
	123 MOUS TIQUES IN SECTICIDE S VOLANT S RAMPAN TS	Market area: FR
	1014D	Market area: FR
	RAYO-INS ECTE VOL ANTS-RAM PANTS	Market area: FR
	KAP4HOM E AC2	Market area: FR
Authorisation number	FR-0025027-0009 1-6	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 % (w/w)
Ethanol		Non-Active substance	64-17-5		29,78 % (w/w)

---

## 1. META SPC 7 ADMINISTRATIVE INFORMATION

### 1.1. Meta SPC 7 identifier

Identifier	Meta SPC: Meta SPC7
------------	---------------------

### 1.2. Suffix to the authorisation number

Number	1-7
--------	-----

### 1.3. Product type(s)

Product type(s)	PT18: Insecticides, acaricides and products to control other arthropods
-----------------	---

---

## 2. META SPC 7 COMPOSITION

### 2.1. Qualitative and quantitative information on the composition of the meta SPC 7

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	(RS)- $\alpha$ -cyano-3p henoxybenzyl-(1 RS)-cis, trans-3-( 2,2-dichloroviny l)-2,2-dimethylc yclopropanecarb oxylate (Cyperm ethrin)	active substance	52315-07-8	257-842-9	0,22 - 0,22 % (w /w)

### 2.2. Type(s) of formulation of the meta SPC 7

Formulation type(s)	AL Any other liquid
---------------------	---------------------

---

### 3. HAZARD AND PRECAUTIONARY STATEMENTS OF THE META SPC 7

Hazard statements	H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P103: Read carefully and follow all instructions. P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of according to local regulation.

## 4. AUTHORISED USE(S) OF THE META SPC

### 4.1. Use description

**Table 1. Flying and crawling insects – target surface spray – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Target organism(s) (including development stage)	<p>Scientific name: aucune Common name: crawling insects Development stage: adults</p> <p>Scientific name: Blattella germanica Common name: German cockroach Development stage: adults</p> <p>Scientific name: Periplaneta americana Common name: American Cockroach Development stage: adults</p> <p>Scientific name: no data Common name: flying insects Development stage: adults</p> <p>Scientific name: Culex sp Common name: house mosquito Development stage: adults</p> <p>Scientific name: Musca domestica Common name: house fly Development stage: adults</p> <p>Scientific name: Vespula spp. Common name: wasps Development stage: adults</p>
Field(s) of use	<p>outdoor use</p> <p>Trigger spray insecticide against flying and crawling insects</p>
Application method(s)	<p>Method: spraying</p> <p>Detailed description: Target surface spraying as spots application (flying insects) or in cracks and crevices (crawling insects)</p>
Application rate(s) and frequency	<p>Application rate: 20 mL/m<sup>2</sup></p> <p>Dilution (%): -</p> <p>Number and timing of application: 20 mL/m<sup>2</sup> (equal to 4 mL/m)</p> <p>Residual effect up to 4 months</p>
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	HDPE trigger spray (reference: Versaplast EU), 0.5, 0.75 and 1 L.

#### 4.1.1. Use-specific instructions

The product has to be applied only on restricted areas on surfaces not regularly cleaned and protected from the rain.

---

#### 4.1.2. Use-specific risk mitigation measures

Apply outdoor only on hard surface under a roof, on areas that are not liable to submersion or becoming wet, i.e. protected from rain, floods and cleaning water.

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 4.2. Use description

**Table 2. Flying and crawling insects - surface spray under buildings – non professional users**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Trigger spray insecticide against flying and crawling insects
Target organism(s) (including development stage)	Scientific name: aucune donnée Common name: flying insects Development stage: adults  Scientific name: Culex sp Common name: house mosquito Development stage: adults  Scientific name: Musca domestica Common name: house fly Development stage: adults  Scientific name: Vespula spp. Common name: wasps Development stage: adults  Scientific name: aucune donnée Common name: crawling insects



	Development stage: adults  Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults
Field(s) of use	outdoor use  Outdoor (under buldings)
Application method(s)	Method: spraying  Detailed description: -
Application rate(s) and frequency	Application rate: 20 mL/m <sup>2</sup>  Dilution (%): -  Number and timing of application: 20 mL of product /m <sup>2</sup> Residual effect up to 4 months.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	HDPE trigger spray (reference: Versaplast EU), 0.5, 0.75 and 1 L. 5 L HDPE jerrycan for refill.

#### **4.2.1. Use-specific instructions**

Spray the product under buildings (i.e. crawlspaces).

#### **4.2.2. Use-specific risk mitigation measures**

-

#### **4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

-

#### **4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

-

#### **4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

-

---

---

## **5. GENERAL DIRECTIONS FOR USE OF THE META SPC 7**

### **5.1. Instructions for use**

- Comply with the instructions for use.
- Avoid continuous use of the product.
- Apply only on infested area.
- Contact time is 24 H to 72H with regards to the kind of surfaces and species.
- Inform the registration holder if the treatment is ineffective.

### **5.2. Risk mitigation measures**

- Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and livestock.
- Keep cats away from treated surfaces. Due to their particular sensitivity to pyrethroids toxicity, the product can cause severe adverse reactions in cats.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

- If medical advice is needed, have product container or label at hand.
- IF IN EYES: If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.
- IF ON SKIN: Wash skin with water. If symptoms occur call a POISON CENTRE or a doctor.
- IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
- IF SWALLOWED: If symptoms occur call a POISON CENTRE or a doctor.
- Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

### **5.4. Instructions for safe disposal of the product and its packaging**

- Do not discharge unused product on the ground, into watercourses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste, in accordance with local regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

- Keep the container tightly closed in a dry and well-ventilated place.

- 
- Protect from sunlight.
  - Do not store at temperature  $> 40^{\circ}\text{C}$ .
  - Shelf-life: 12 months.
  - Keep out of reach of children and non-target animals/pets.

---

## **6. OTHER INFORMATION**

This biocidal product contains cypermethrin which is dangerous to bees.

## 7. THIRD INFORMATION LEVEL: INDIVIDUAL PRODUCTS IN THE META SPC 7

### 7.1. Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	RTU1	Market area: FR
	PARACHOC C2	Market area: FR
	IG SECTISTOP CYP2	Market area: FR
	L'ELFE INSECTICIDE	Market area: FR
	BLASTOR INSECTICIDE	Market area: FR
	INSECTICIDE	Market area: FR
	ACTO / MORTIS VOLANTS LIQUIDE	Market area: FR
	SUBITO INSECTICIDE PAL VOLANTS RAMPANTS	Market area: FR
	SUBITO INSECTICIDE VOLANTS PRÊT À L'EMPLOI	Market area: FR
	SUBITO INSECTICIDE RAMPANTS PRÊT À L'EMPLOI	Market area: FR
	1015VGE	Market area: FR
KAP4HOME CYP2	Market area: FR	
Authorisation number	FR-0025027-0010 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	(RS)- $\alpha$ -cyano-3-phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)	active substance	52315-07-8	257-842-9	0,22 % (w/w)