

# Product Assessment Report

## DIPHOX – BLOCCHETTI PARAFFINATI FORATI (now DIPHOX BLOCK)

November 2011

Internal registration/file no:	I.5.i.d.2/2010/175
Authorisation/Registration no:	IT/2012/00012/AUT
Granting date/entry into force of authorisation/ registration:	20/04/2012
Expiry date of authorisation/ registration:	31/03/2015
Active ingredient:	Difenacoum
Product type:	PT14: Rodenticides
Applicant:	REA Srl

---

## Biocidal Product Assessment Report (PAR) related to Product Authorisation under Directive 98/8/EC.

### Contents

1. APPLICANT, ACTIVE INGREDIENT MANUFACTURER, PRODUCT FORMULATOR AND AUTHORISATION HOLDER .....	3
1.1. Applicant .....	3
1.2. Active Ingredient supplier .....	3
1.3. Manufacturer/formulator of product.....	3
1.4. Authorisation holder .....	3
2. GENERAL PRODUCT INFORMATION .....	4
2.1. Identity of the Biocidal Product .....	4
2.2. Statement of technical equivalence .....	4
2.3. Product Type .....	4
2.4. Classification and Labelling .....	4
2.5. Intended Use .....	5
2.6. Documentation .....	6
3. PHYSICOCHEMICAL PROPERTIES.....	6
4. HUMAN HEALTH RISK ASSESSMENT .....	6
5. ENVIRONMENTAL RISK ASSESSMENT.....	6
6. EFFICACY .....	6
7. MEASURES TO PROTECT MAN, ANIMALS AND THE ENVIRONMENT	6
8. DECISION .....	7
8.1. Necessary issues accounted for in the product label .....	7

ANNEX A: ACTIBLOCK DIFE Product Assessment Report

ANNEX B: Summary of Product Characteristics (SPC)

## **1. APPLICANT, ACTIVE INGREDIENT MANUFACTURER, PRODUCT FORMULATOR AND AUTHORISATION HOLDER**

### **1.1. APPLICANT**

REA S.r.l.  
S.S. 87 – Km 20.700  
81025 – Marcianise (CE)  
Italy

#### **Contact person**

Mr. Giuseppe REA (Managing Director)  
Telephone: + 39 0823 821210  
Fax: + 39 0823 821552  
E-mail: info@rea.it

### **1.2. ACTIVE INGREDIENT SUPPLIER**

ACTIVA S.R.L.  
Via Feltre, 32  
20132 Milano  
Italy

### **1.3. MANUFACTURER/FORMULATOR OF PRODUCT**

REA INDUSTRIA CHIMICA S.r.l.  
S.S. 87 – Km 20.700  
81025 – Marcianise (CE)  
Italy

### **1.4. AUTHORISATION HOLDER**

As in 1.1.

## 2. GENERAL PRODUCT INFORMATION

### 2.1. IDENTITY OF THE BIOCIDAL PRODUCT

<b>Trade name</b>	DIPHOX - BLOCCHETTI PARAFFINATI FORATI	
<b>Ingredients of preparation</b>	<b>Function</b>	<b>Content (%w/w)</b>
Difenacoum (CAS 56073-07-5)	Active ingredient	0.005
Denatonium Benzoate (CAS 3734-33-6)	Human taste deterrent	0.001
Other Components	Confidential information <sup>a</sup>	Up to 100
<sup>a</sup> please, refer to confidential information in Annex B (Summary of Product Characteristics)		

### 2.2. STATEMENT OF TECHNICAL EQUIVALENCE

The applicant provided a Letter of Access (LoA) from Activa S.r.l..

The LoA refers to Annex I dossier of the active substance Difenacoum. Activa supported Difenacoum inclusion into Annex I of BPD in a Task Force with PelGar. Since the manufacturer of the active substance used in DIPHOX - BLOCCHETTI PARAFFINATI FORATI is the same, technical equivalence should not to be addressed.

### 2.3. PRODUCT TYPE

Rodenticide (PT14)

### 2.4. CLASSIFICATION AND LABELLING

The current classification and labelling according to Directive 99/45/EC and Regulation (EC) 1272/2008, are provided in the tables below.

Not classified in accordance with the Directive 1999/45/EC.

<b>Symbol(s):</b>	None
<b>Indication(s) of danger:</b>	None
<b>Risk phrases:</b>	None
<b>Safety phrases:</b>	S 2: Keep out of reach of children. S 13: Keep away from food, drink and animal feeding stuffs. S 20/21: When using, do not eat, drink or smoke S 24: Avoid contact with skin S 46: If swallowed, seek medical advice immediately (show the label where possible). S 61: Avoid release to the environment. Refer to special instructions/Safety data sheet.

Further, the content of the label should be updated with the additional safety phrases recommended in the Assessment Report (2009):

- Baits must be securely deposited in a way so as to minimize the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away.
- Search for and remove dead rodents at frequent intervals during treatment (unless used in sewers), at least as often as when baits are checked and/or replenished. Dispose of dead rodents in accordance with local requirements.
- Unless under the supervision of a pest control operator or other competent person, do not use anticoagulant rodenticides as permanent baits.
- Remove all baits after treatment and dispose of them in accordance with local requirements

Not classified in accordance with the Regulation EC 1272/2008.

<b>Pictogram(s):</b>	None
<b>Signal word(s):</b>	None
<b>Hazard statements:</b>	None
<b>Precautionary statements</b>	P102: Keep out of reach of children. P103: Read label before use. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P301+310: IF SWALLOWED: Immediately call a poison centre or doctor/physician. P501: Dispose of contents/container to hazardous waste facilities in accordance with national regulations.

DIPHOX - BLOCCHETTI PARAFFINATI FORATI labels for professional use and non professional use should be revised accordingly.

## 2.5. INTENDED USE

The formulation DIPHOX - BLOCCHETTI PARAFFINATI FORATI is intended for both professional and non-professional use to control rodent pests in and around industrial, commercial and residential buildings and open areas. The formulation is a ready to use block bait containing 0.005 % w/w of the anticoagulant active ingredient difenacoum.

The treatment frequency is 2-4 applications per year, 3-6 month apart and lasts maximum 6 weeks. The amount of used product per application is 2-5 blocks (40-100 g) per 10 square meters in and around buildings. Bait points are placed typically every 5-10 m.

The professional use of DIPHOX - BLOCCHETTI PARAFFINATI FORATI involves placing the baits in bait boxes or fixing them to a structure such that rats and mice can eat them, but non-target species cannot reach them. In situations where bait boxes cannot be used, the bait is covered such that non-target organisms cannot reach them. Baiting points are inspected weekly and replenished when bait has been eaten. Dead rodents are removed for disposal daily or as soon as possible in order to prevent them being eaten by non-target animals and birds. When no more bait is

eaten and rodent activity stops, the remains of all bait are removed for disposal. Instead, the non professional use of DIPHOX - BLOCCHETTI PARAFFINATI FORATI involves placing of tamper-resistant baits such that children and infants should not come into contact with the baits.

## **2.6. DOCUMENTATION**

The applicant provided two LoAs from Activa: one LoA referred to the Annex I dossier of active substance difenacoum and the other one to the dossier data of the formulated product ACTIBLOCK-DIFE.

Activa is owner of all the data on the active substance difenacoum as it was part of the “Activa/Pelgar Difenacoum Task Force”, which submitted the Annex II complete dossier to RMS Finland.

Activa authorises IT Competent Authority to use data on biocidal product ACTIBLOCK DIFE for the authorisation of the biocidal product DIPHOX - BLOCCHETTI PARAFFINATI FORATI. Activa states that DIPHOX - BLOCCHETTI PARAFFINATI FORATI and ACTIBLOCK DIFE compositions are identical.

Activa is owner of all the data on the biocidal product ACTIBLOCK-DIFE and submitted the complete dossier to RMS Italy.

The ACTIBLOCK-DIFE Product Assessment Report (PAR) is attached (Annex A).

## **3. PHYSICOCHEMICAL PROPERTIES**

Refer to section 3 of Annex A.

## **4. HUMAN HEALTH RISK ASSESSMENT**

Refer to section 4 of Annex A.

## **5. ENVIRONMENTAL RISK ASSESSMENT**

Refer to section 5 of Annex A.

## **6. EFFICACY**

Refer to section 6 of Annex A.

## **7. MEASURES TO PROTECT MAN, ANIMALS AND THE ENVIRONMENT**

Refer to section 7 of Annex A.

## 8. DECISION

### 8.1. NECESSARY ISSUES ACCOUNTED FOR IN THE PRODUCT LABEL

The following elements have been taken into account when authorising DIPHOX - BLOCCHETTI PARAFFINATI FORATI:

- The use of appropriate personal protective equipment should be guided in the use instructions.
- Exposure assessment shows that professional and non professional exposure is acceptable.
- The restriction of product to specific areas and manners of use has been considered.
- The size of the package placed on the public market should be limited to 500g.
- Product design and use restrictions should be optimised in order to ensure sufficient efficient rodent control while at the same time minimizing the risk for primary poisoning. This includes the use of tamper resistant bait boxes and the need to secure the baits so that rodents cannot remove the bait from the bait box.
- When tamper-resistant bait stations are used, they should be clearly marked to show that they contain rodenticides and that they should not be disturbed.
- Difenacoum baits should not be placed where food, feedingstuffs or drinking water could be contaminated.
- In case no standard safety phrases are required on the product label, adequate safety instructions should be provided in the use instructions.
- Baits must be securely deposited in a way so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away.
- Search for and remove dead rodents at frequent intervals during treatment (unless used in sewers), at least as often as when baits are checked and/or replenished. Dispose of dead rodents in accordance with local requirements.
- Unless under the supervision of a pest control operator or other competent person, do not use anticoagulant rodenticides as permanent baits.
- Remove all baits after treatment and dispose of them in accordance with local requirements.
- Keep out of the reach of children.

- The population size of the target rodent should be evaluated before a control campaign. The number of baits and the timing of the control campaign should be in proportion to the size of the infestation.
- A complete elimination of rodents in the infested area should be achieved.
- Resistant management strategies should be developed, and difenacoum should not be used in an area where resistance to this substance is suspected.
- The authorisation holder shall report any observed resistance incidents to the Competent Authorities or other appointed bodies involved in resistance management.
- When the product is being used in public areas, the areas treated must be marked during the treatment period and a notice explaining the risk of primary or secondary poisoning by the anticoagulant as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits.

DIPHOX - BLOCCHETTI PARAFFINATI FORATI labels for professional use and non professional use should be revised accordingly.