## **ANNEX**

## SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

## PRODUCT 6-1 - Soprodis

## **Product type(s)**

PT02: Disinfectants and algaecides not intended for direct application to humans or animals

PT04: Food and feed area

Authorisation number: FR-2023-0071 1-6

**R4BP asset number:** FR-0021510-0038

## 1. ADMINISTRATIVE INFORMATION

## 1.1. Trade name(s) of the product

Trade name(s) PRO	OUCT 6-1 - Soprodis
-------------------	---------------------

## 1.2. Authorisation holder

Name and address of the authorisation holder	Name	SOPRODIS
	Address	44 RUE DU LANGUEDOC 11200 LEZIGNAN CORBIERES France
Authorisation number		FR-2023-0071 1-6
R4BP asset number		FR-0021510-0038
Date of the authorisation		19/12/2023
Expiry date of the authorisation		18/12/2033

## 1.3. Manufacturer(s) of the product

Name of manufacturer	SOPRODIS
Address of manufacturer	44 Rue du LANGUEDOC 11200 LEZIGNAN CORB IERES France
6	SOPRODIS site 1 44 Rue du LANGUEDOC 11200 LEZIGNAN CORBIERES France

## **1.4.** Manufacturer(s) of the active substance(s)

Active substance	L-(+)-lactic acid
Name of manufacturer	Corbion Purac Bioquimica sa
Address of manufacturer	Gran Vial 19-25 08160 MONTMELÓ Spain
Location of manufacturing sites	Corbion Purac Bioquimica sa site 1 Gran Vial 19-25 E-08160 MONTMELÓ Spain
	Corbion Purac Bioquimica sa site 2 Arkelsedijk 46 NL-4200 GORINCHEM Netherlands (the)

Active substance	L-(+)-lactic acid
Name of manufacturer	Jungbunzlauer S.A
Address of manufacturer	ZI Portuaire - BP 32 F-67390 Marcklosheim France
Location of manufacturing sites	Jungbunzlauer S.A site 1 Jungbunzlauer S.A - ZI Portuaire - BP 32 F-67390 Marcklosheim France

## 2. PRODUCT COMPOSITION AND FORMULATION

## 2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		active substance	79-33-4	201-196-2	25,13 % (w/w)

## 2.2. Type(s) of formulation

SL Soluble concentrate

## 3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H290: May be corrosive to metals.
	H314: Causes severe skin burns and eye damage.
	EUH071: Corrosive to the respiratory tract.
Precautionary statements	P234: Keep only in original packaging.
	P260: Do not breathe spray.
	P264: Wash hands thoroughly after handling.
	P280: Wear protective gloves/ protective clothing/ eye protection.
	P301+P330+P331: IF SWALLOWED: rinse mouth. D o NOT induce vomiting.
	P303+P361+P353: IF ON SKIN (or hair): Take off im mediately all contaminated clothing. Rinse skin with w ater [or shower].
	P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if pr esent and easy to do. Continue rinsing.
	P310: Immediately call a POISON CENTER or docto r/physician.
	P321: Specific treatment (see on this label).
	P363: Wash contaminated clothing before reuse.
	P390: Absorb spillage to prevent material damage.
	P406: Store in a a corrosive resistant/ container with a resistant inner liner.

## 4. AUTHORISED USE(S)

## 4.1. Use description

 $\begin{tabular}{ll} Table 1. Disinfection of hard surfaces and equipment by manual liquid spraying - Professionals - PT2 - Soluble concentrate (Use 1) \end{tabular}$ 

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data
	Common name: Yeasts Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).
Application method(s)	Method: spraying
	Detailed description: Manual surface spraying.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

### 4.1.1. Use-specific instructions

- For healthcare settings: clean carefully the surfaces before application of the product.

## **4.1.2.** Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

For General public:

- Do not be present in the treatment area during disinfection process by compression sprayer.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

\_

### 4.2. Use description

Table 2. Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) – Professionals - PT2 – Soluble concentrate (Use 2)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development	
stage)	Common name: Bacteria Development stage: no data
	Scientific name: no data
	Common name: Yeasts
	Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).
Application method(s)	Method: Manual spraying with a mural cleaning station
	Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -

	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

### 4.2.1. Use-specific instructions

- For healthcare settings: clean carefully the surfaces before application of the product.

## 4.2.2. Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

- Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as the professional user.
- Do not touch the surface until it is completely dried.

### General public:

- Do not be present in the treatment area during disinfection process by spraying.

- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

## 4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

## 4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

## 4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

\_

### 4.3. Use description

Table 3. Disinfection of hard surfaces of equipment by manual dipping/soaking-Professionals - PT2 – Soluble concentrate (Use 3)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use  Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).
Application method(s)	Method: Dipping/Soaking

	Detailed description: Manual dipping/soaking.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
ack sizes and packaging material	ZOHIL I L-I LI Tous
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

4.3.1. Use-specific instructionsFor healthcare settings: clean carefully the surfaces before application of the product.

10

### 4.3.2. Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

## 4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

## 4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

## 4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

## 4.4. Use description

Table 4. Disinfection of hard surfaces by wiping / mopping / brushing / scrubbing – Professionals - PT2 – Soluble concentrate (Use 4)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data
	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	Indoor use  Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals).
Application method(s)	Method: Wiping / mopping / brushing / scrubbing  Detailed description: Wiping/mopping/brushing/scrubbing without mechanical action.

Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle
	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

## 4.4.1.

4.4.1. Use-specific instructionsFor healthcare settings: clean carefully the surfaces before application of the product.

4.5. Use description

13

Table 5. Disinfection of inner surfaces by CIP - Professionals - PT2 - Soluble concentrate (Use 7)

Product type	PT02: Disinfectants and algaecides not intended for direct application to humans or animals
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data
	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in industries (including cosmetic and pharmaceutical industries).
Application method(s)	Method: Cleaning-in-place
	Detailed description: -
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch

	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

### 4.5.1. Use-specific instructions

-

### 4.5.2. Use-specific risk mitigation measures

For professional user:

- Wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading and maintenance of the circuit system.
- Wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.
- 4.5.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.5.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

4.5.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

\_

## 4.6. Use description

 $Table\ 6.\ Disinfection\ of\ hard\ surfaces\ and\ equipment\ by\ manual\ liquid\ spraying\ -Professionals\ -PT4-Soluble\ concentrate\ (Use\ 9)$ 

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data
	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: spraying
	Detailed description: Manual surface spraying.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

#### 4.6.1. Use-specific instructions

\_

### **4.6.2.** Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

#### For professional bystander:

- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user."
- Do not touch the surface until it is completely dried.

#### General public:

- Do not be present in the treatment area during disinfection process by spraying.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

## 4.6.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

\_

## 4.6.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

## **4.6.5.** Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

## 4.7. Use description

Table 7. Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT4 - Soluble concentrate (Use 10)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use  Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Manual spraying with a mural cleaning station  Detailed description: Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.
Application rate(s) and frequency	Application rate: -  Dilution (%): -  Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.

18

Category(ies) of users	professional
Pack sizes and packaging material	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

### 4.7.1. Use-specific instructions

-

### **4.7.2.** Use-specific risk mitigation measures

For professional user :wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

#### For professional bystander:

- -Do not be present in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE as the professional user."
- -Do not touch the surface until it is completely dried

#### General public:

- -Do not be present in the treatment area during disinfection process by spraying.
- -Do not touch the surface until it is rinsed and completely dried;
- -Children should not be present during disinfection and until the surface is rinsed and dried.

## 4.7.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

\_

## 4.7.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

## 4.7.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

\_

## 4.8. Use description

Table~8.~Disinfection~of~hard~surfaces~and~equipment~by~manual~dipping/soaking-Professionals~-~PT4-Soluble~concentrate~(Use~11)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/Soaking
	Detailed description: Manual dipping/soaking.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle
1L HDPE Dosing bottle
1 to 5 L HDPE Pouch
5-10-20L LDPE/PET Bag in box (cubitainer)
5 to 30L HDPE Jerrican
60-220L HDPE Drum
1000L HDPE Bulk container (IBC)

## 4.8.1. Use-specific instructions

\_

## 4.8.2. Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

4.8.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

\_

4.8.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

4.8.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

\_

## 4.9. Use description

Table~9.~Disinfection~of~hard~surfaces~by~wiping~/~mopping~/~brushing~/~scrubbing~-~Professionals~-~PT4~-~Soluble~concentrate~(Use~12)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data
	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Wiping / mopping / brushing / scrubbing
	Detailed description: Wiping/mopping/brushing/scrubbing without mechanical action.
Application rate(s) and frequency	Application rate: -
	Dilution (%): -
	Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle
	20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

1000L HDPE Bulk container (IBC)

## 4.9.1. Use-specific instructions

-

### 4.9.2. Use-specific risk mitigation measures

For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and loading, application and rinsing.

For professional bystander:

-Do not touch the surface until it is completely dried

For general public:

- -Do not touch the surface until it is rinsed and completely dried
- -Children should not be present during disinfection and until the surface is rinsed and dried.

## 4.9.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

## 4.9.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

## 4.9.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

## 4.10. Use description

**Table 10. Disinfection of inner surfaces by CIP – Professionals - PT4 – Soluble concentrate (Use 15)** 

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use  Indoors disinfection in agri-food industries (excluding milk industries).
Application method(s)	Method: Cleaning in place  Detailed description: -
Application rate(s) and frequency	Application rate: -  Dilution (%): -  Number and timing of application: At a temperature of 20°C:  - Bacteria and yeasts: 9% v/v, 30 minutes.

	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET Pods
	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

## 4.10.1. Use-specific instructions

\_

## 4.10.2. Use-specific risk mitigation measures

#### For professional user:

-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and laoding and maintenance of the circuit system.

-wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.

25

## 4.10.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

## 4.10.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

\_

## 4.10.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

## 4.11. Use description

Table 11. Disinfection of the inner surfaces of small kitchen appliances without circulation – Professionals – PT4 – Soluble concentrate (Use 35)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data
	Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use  Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Inner surface without circulation  Detailed description: Disinfection of inner surfaces without circulation.
Application rate(s) and frequency	Application rate: -  Dilution (%): -  Number and timing of application: At a temperature of 20°C:

	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET pods
	20mL HDPE cartridges
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle

## 4.11.1. Use-specific instructions

-

### **4.11.2.** Use-specific risk mitigation measures

#### For professional user:

-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and laoding and maintenance of the circuit system.

-wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.

## 4.11.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

## 4.11.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

## 4.11.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

4.12. Use description

Table 12. Disinfection of the inner surfaces of small kitchen appliances by CIP – Professionals – PT4 – Soluble concentrate (Use 36)

Product type	PT04: Food and feed area
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: no data Common name: Bacteria Development stage: no data Scientific name: no data Common name: Yeasts Development stage: no data
Field(s) of use	indoor use  Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Inner surfaces by circulation  Detailed description: Disinfection of inner surfaces with circulation.
Application rate(s) and frequency	Application rate: -  Dilution (%): -  Number and timing of application: At a temperature of 20°C:  - Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:  - Bacteria and yeasts: 5% v/v, 15 minutes.

28

Category(ies) of users	professional
Pack sizes and packaging material	20mL PE+PET pods
	20mL HDPE cartridges
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle

#### 4.12.1. **Use-specific instructions**

#### 4.12.2. **Use-specific risk mitigation measures**

For professional user:

-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and laoding and maintenance of the circuit system. -wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.

4.12.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.12.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

### 5. GENERAL DIRECTIONS FOR USE<sup>1</sup>

#### **5.1.** Instructions for use

- Comply with the instructions for use.
- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and Listeria monocytogenes at 20°C and 40°C and Lactobacillus brevis at 40°C.

### **5.2.** Risk mitigation measures

\_

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

#### 5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.

<sup>&</sup>lt;sup>1</sup>Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

# 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Protect from frost.
- Keep away from direct sunlight.
- Shelf-life = 2 years.

## 6. OTHER INFORMATION

\_