Summary of product characteristics for a biocidal product

Product name: SALVESAFE G7

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT04 - Food and feed area (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Authorisation number: EU-0021241-0000

R4BP 3 asset reference number: EU-0021241-0007

Table Of Contents

Ad	Iministrative information	1
	1.1. Trade names of the product	1
	1.2. Authorisation holder	1
	1.3. Manufacturer(s) of the biocidal products	1
	1.4. Manufacturer(s) of the active substance(s)	2
2.	Product composition and formulation	2
	2.1. Qualitative and quantitative information on the composition of the biocidal product	2
	2.2. Type of formulation	3
3.	Hazard and precautionary statements	3
4.	Authorised use(s)	3
5.	General directions for use	7
	5.1. Instructions for use	, 7
	5.2. Risk mitigation measures	7
	5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to	
	protect the environment 5.4. Instructions for safe disposal of the product and its packaging	7
		7
	5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6.	Other information	7

Administrative information

1.1. Trade names of the product

SALVESAFE G7
OSANIS - Nettoyant désinfectant Sols et Surfaces
OSANIS - Desinfektionsreiniger Böden und Oberflächen
OSANIS - Ontsmettend reinigingsmiddel voor vloeren en oppervlakken
OSANIS - Detergente, disinfettante per Pavimenti e Superfici
OSANIS - Detergente desinfectante suelos y superficies
OSANIS - Floors and Surfaces Disinfectant and Cleaner

1.2. Authorisation holder

Name and address of the	Name	SALVECO S.A.S.	
authorisation holder	Address	Avenue Pierre Mendès-France Z.A. Hellieule 4 F 88100 SAINT DIE DES VOSGES France	
Authorisation number	EU-0021241-0000 1-1		
R4BP 3 asset reference number	EU-0021241-0007		
Date of the authorisation	28/10/2019		
Expiry date of the authorisation	28/10/2029		

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	SALVECO SAS	
Address of the manufacturer	Avenue Pierre Mendès-France, Z.I. Hellieule 4 F 88100 SAINT DIE DES VOSGES France	
Location of manufacturing sites	Avenue Pierre Mendès-France, Z.I. Hellieule 4 F 88100 SAINT DIE DES VOSGES France	
Name of the manufacturer	A2H SARL	
Address of the manufacturer	243 Route Esch 1471 LUXEMBOURG Luxembourg	
Location of manufacturing sites	243 Route Esch 1471 LUXEMBOURG Luxembourg	
Name of the manufacturer	GESTRA S.A.S	
Address of the manufacturer	Allée Robert Schumann 88110 RAON-L'ETAPE France	
Location of manufacturing sites	Allée Robert Schumann 88110 RAON-L'ETAPE France	

1.4. Manufacturer(s) of the active substance(s)

Active substance

Name of the manufacturer

Address of the manufacturer

Location of manufacturing sites

1421 - Lactic acid
JUNGBUNGZLAUER S.A
Z.I Portuaire BP 32 67390 Marckolsheim France
Z.I Portuaire BP 32 67390 Marckolsheim France

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Lactic acid		Active Substance		200-018-0	2,38

2.2. Type of formulation

Ready-to-use water based liquids

3. Hazard and precautionary statements

Hazard statements	
Precautionary statements	

4. Authorised use(s)

4.1 Use description

Use 1 - Disinfectants for all washable hard surfaces - Spraying or foaming application

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants) PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	Ready to use multi-purpose disinfectants with bactericidal efficacy, yeasticidal efficacy and virucidal efficacy only against enveloped viruses for non-porous hard surfaces in contact and without contact with food and feed in domestic, institutional and industrial area.
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: Bacteria Development stage:
	Scientific name: Yeasts Common name: Yeasts Development stage:
	Scientific name: Enveloped viruses Common name: Enveloped viruses Development stage:

	Indoor		
Field(s) of use	Outdoor		
Application method(s)	Method: spraying and foaming Detailed description: Trigger spray - Apply the product by spraying (apply approx.17 sprays/1m ²) and make sure to wet uniformly the surface by mopping or wiping.		
	Foaming - Apply the product by foaming and make sure to wet uniformly the surface by mopping or wiping.		
Application rate(s) and frequencies	Application Rate: Approximately 20 mL/m ² Dilution (%): Ready-to-use product Number and timing of application: Apply once. Repeat the application if necessary.		
Category(ies) of users	Industrial		
Calegory(ies) or users	Professional		
	General public (non-professional)		
Pack sizes and packaging	Bottle with spray/foam trigger (HDPE, LDPE, PET, PE, PP): 0.15-1 L		
material	Doypack (PE): 1L		

4.1.1 Use-specific instructions for use

Trigger spray - Apply the product by spraying (apply approx.17 sprays/1m²) and make sure to wet uniformly the surface by mopping or wiping. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

Foaming - Apply the product by foaming and make sure to wet uniformly the surface by mopping or wiping. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

In food and feed area – after disinfection rinse thoroughly with clean water.

4.1.2 Use-specific risk mitigation measures

Section 5.2

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Section 5.4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5

4.2 Use description

Use 2 - Disinfectants for all washable hard surfaces – pouring and mopping for product distribution

Product type	PT04 - Food and feed area (Disinfectants)
	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Ready to use multi-purpose disinfectants with bactericidal efficacy, yeasticidal efficacy and virucidal efficacy only against enveloped viruses for non-porous hard surfaces in contact and without contact with food and feed in domestic, institutional and industrial area
Target organism(s) (including development stage)	Scientific name: Bacteria Common name: Bacteria Development stage:
	Scientific name: Yeasts Common name: Yeasts Development stage:
	Scientific name: Enveloped viruses Common name: Enveloped viruses Development stage:
Field(s) of use	Indoor
	Outdoor
Application method(s)	Method: Pouring Detailed description: Pour directly on the surface, and ensure that the surface is fully wet by mopping or wiping.

Application rate(s) and frequencies	Application Rate: 20 mL/m2 Dilution (%): Ready-to-use product Number and timing of application: Apply once. Repeat the application if necessary.
Category(ies) of users	Industrial Professional General public (non-professional)
Pack sizes and packaging material	Bottle (HDPE, LDPE, PET, PE, PP): 0.1-2 L (industrial, professional, non-professional users) Doypack (PE): 1L (industrial, professional, non professional users) Can / Tin (HDPE, LDPE, PET, PE, PP): 0.1-1 L (industrial, professional, non- professional users) Jerry can (HDPE, LDPE): 1-80 L (industrial, professional) Drum (HDPE): 10-220 L (industrial, professional) IBC (HDPE): 1000L (industrial and professional)

4.2.1 Use-specific instructions for use

Pour product onto the surface to be disinfected. Uniform distribution of the biocidal product should be ensured by mopping or wiping. Ensure that surface is completely wet. Allow to take effect for at least 15 minutes. Rub and brush after the disinfection to remove dirt when necessary. Wipe or rinse to remove the excess of liquid.

In food and feed area - after disinfection rinse thoroughly with clean water.

4.2.2 Use-specific risk mitigation measures

Section 5.2

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Section 5.3

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Section 5.4

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Section 5.5

5. General directions for use

5.1. Instructions for use

Please see section "Use-specific instructions for use"

5.2. Risk mitigation measures

For non-professional users: If medical advice is needed, have product container or label at hand. Keep out of reach of children. For industrial and professional users: Safety data sheet available on request.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

In case of eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

In case of skin contact: Wash with plenty of water.

If swallowed: Rinse mouth. Do not induce vomiting. If symptoms occurs: Get medical advice/attention.

If inhaled: Get medical attention if symptoms occur.

5.4. Instructions for safe disposal of the product and its packaging

Dispose of contents/container to in accordance with national regulation.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Store in original container at room temperature. Protect from direct sun light. Protect from frost. Shelf-life: 2 years.

6. Other information

Not intended for medical area (PT2), milk and meat industry (PT4)