

Ministero dell'Economia
e delle Finanze

MARCA DA BOLLO
€16,00
SEDIC 1/98



agenzia
Entrata
00002783 00007445 01330001
00006228 18/01/2015 18:37:17
4578-00010 38E1AF896A3C673C
IDENTIFICATIVO K 01148503772629



0 1 14 030377 202 9

Ministero della Salute

DIREZIONE GENERALE DEI DISPOSITIVI MEDICI E DEL SERVIZIO FARMACEUTICO
UFFICIO VII ex DGFD - PRODOTTI DI INTERESSE SANITARIO DIVERSI DAI DISPOSITIVI MEDICI
D.G.D.F.S.C./ I.5.i.d.2/2015/300
IT/2013/00089/AUT

IL DIRETTORE

VISTO il Regolamento (UE) 528/2012 del Parlamento Europeo e del Consiglio del 22 maggio 2012 relativo alla messa a disposizione sul mercato e all'uso dei biocidi;

VISTO l'art.15 della legge n.97 del 06 agosto 2013 recante "Disposizioni per l'adempimento degli obblighi derivanti dall'appartenenza dell'Italia all'Unione Europea - Legge europea 2013";

VISTO il Regolamento di esecuzione del 18 aprile 2013 n.354/2013 recante il Regolamento sulle modifiche dei biocidi autorizzati a norma del Regolamento (UE) n.528/2012 del Parlamento Europeo e del Consiglio;

VISTA la direttiva 2009/92/CE della Commissione del 01 Agosto 2009 recante modifica della direttiva 98/8/CE del Parlamento europeo e del Consiglio al fine di iscrivere il **BROMADIOLONE** come principio attivo nell'allegato 1 della direttiva;

VISTO il D.M. del 14 Aprile 2011, recante ad oggetto "Attuazione della direttiva 2009/92/CE.. recante modifica della direttiva 98/8/CE del Parlamento europeo e del Consiglio del 16 febbraio 1998, relativa all'immissione sul mercato dei biocidi al fine di procedere all'inclusione della sostanza attiva **BROMADIOLONE** nell'allegato I della direttiva";

VISTO il decreto datato 20 marzo 2013 n.IT/2013/00089/AUT con il quale questa amministrazione ha autorizzato l'immissione in commercio del prodotto biocida denominato **ESCARAT PASTA** - esca rodenticida pronta all'uso in pasta fresca, per uso professionale e non professionale con validità fino a 24 mesi - prodotto presso le officine: Ferbi S.r.l. Mosciano S.Angelo (TE), Labiofarma Società Cooperativa Aprilia (LT), I.N.D.I.A. Industrie Chimiche S.p.A. (PD), Industrialchimica S.r.l. - Arre (PD) e l'officina Vebi Istituto Biochimico S.r.l. Borgoriccio (PD);

ATTESO che la titolarità del biocida predetto è attualmente attribuita alla società **CISA ADRIATICA S.a.s.** con sede legale in Viale della Libertà, 4 - 65010 Moscufo (PE) - Codice Fiscale 00455450684;

VISTA l'istanza registrata sul Registro Europeo R4BP3 - case number: BC-FX009491-21 e la nota acquisita al prot.0078844 del 11/11/2014 con cui la Società **CISA ADRIATICA S.a.s.** ha chiesto la modifica tecnica minore all'autorizzazione, relativa alla composizione del prodotto, riguardo le sostanze non attive: aggiunta di aroma alla ~~vaniglia~~ *mela* e sostituzione del colorante blu con colorante rosso;

VISTA la documentazione presentata dalla società istante a sostegno della suddetta istanza di modifica dell'autorizzazione;

RITENUTA espletata l'istruttoria effettuata dall'Ufficio competente, operante presso la Direzione Generale dei Dispositivi Medici e del Servizio Farmaceutico del Ministero della Salute;




DECRETA:

La Società **CISA ADRIATICA S.a.s.** con sede legale in Viale della Libertà, 4 – 65010 Moscufo (PE) – Codice Fiscale 00455450684 in qualità di titolare della registrazione **IT/2013/00089/AUT** del 20 marzo 2013 - relativa al prodotto biocida **ESCARAT PASTA** è autorizzata alla modifica tecnica minore relativa a sostanze non attive (**allegato 1** Summary of Product Characteristics).

Avverso il presente atto è ammesso ricorso giurisdizionale presso il Tribunale Amministrativo Regionale competente entro il termine di sessanta giorni, ovvero ricorso straordinario al Capo dello Stato entro il termine di centoventi giorni.

Il presente decreto viene redatto in duplice originale, di cui un esemplare è notificato in via amministrativa alla ditta interessata e l'altro è conservato agli atti.

Roma, li **13 GEN. 2015**



Il DIRETTORE UFFICIO VII
ssa Paola D'Alessandro

RP/ND



Italy Escarat Pasta Slovenia Ratino mehka vaba Croatia Ratino svježi mamac
 Ferbi S.r.l. Viale 1 Maggio - C.da Ripoli 64023 Mosciano S. Angelo (TE) Italy Viale 1 Maggio - C.da
 Ripoli 64023 Mosciano S. Angelo (TE) Italy
 Gamma international s.r.l. via nettunense km 23,40004011 Aprilia Italy via nettunense km
 23,40004011 Aprilia Italy
 I.N.D.I.A. INDUSTRIE CHIMICHE S.p.a. Nona Strada 53/5735100 Padova Italy Nona Strada
 53/5735100 Padova Italy
 INDUSTRIALCHIMICA S.r.l. Via Sorgaglia 2535020 Arret Italy Via Sorgaglia 2535020 Arret Italy
 VEBI ISTITUTO BIOCHIMICO S.r.l. Via Desman 4335010S. Eufemia di Borgoriccolt Italy Via Desman
 4335010S. Eufemia di Borgoriccolt Italy
 DR TEZZA S.r.l. Via tre ponti, 2287050 Santa Maria de Zevio (VR) Italy Via tre ponti, 2287050 Santa Maria de
 Zevio (VR) Italy
 12249-205-928772-56-7 Bromadiolone 3-[3-(4'-Bromo[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-
 hydroxy-2H-1-benzopyran-2-one Active Substance 0.005203-049-8102-71-6 Triethanol amine Triethanol
 amine (2,2,2-nitrioltriethanol) Emulsifier 0.3500-038-225322-68-3 Polyethylene glycol 200 Poly(oxy-1,2-
 ethanediy) Solvent 0.15200-338-057-55-6 Propylene glycol 1,2-Propanediol Solvent 1.85
 PA - Paste
 No classification
 Keep out of reach of children.
 Read label before use.
 Keep only in original container.
 Do not breathe *dust*.
 Do not get in eyes, on skin, or on clothing.
 Do not eat, drink or smoke when using this product.
 Avoid release to the environment.
 Get medical *advice* if you feel unwell.
 IF SWALLOWED:
 Immediately call a *POISON CENTER*.
 Dispose of *container* to in accordance with *local/regional/national/international regulation*.

use in and around buildings

PT14 - Rodenticides (Pest control) Use in and around buildings Indoor Indoor use General public (non-
 professional) Industrial Trained professional Professional Mus musculus House mouse Adults Rattus
 norvegicus Brown rat Adults Rattus rattus Roof rat Adults

In bait boxes Baits shall be placed in bait boxes Rats: 60-100g of pasta bait per 100m² of infested area;
 Mice: 40 g of pasta bait per 100m² of infested area 100 Inspect and refill the bait stations few days after the
 first application then once in a week as long as the bait is consumed.

Sachet Paper, cardboard 20g
 For non-professional use packs with 40-100-160-200-260-300-400-500g For professional use packs with
 0,740-1-2-3-5-10-20-25Kg

ESCARAT PASTA is applied via tamper resistant bait stations. Bait is deposited and fixed in the bait
 stations. The number of bait points employed is dependent on: the treatment site; the size and severity of
 the infestation; the user; and the user requirements and needs. Inspect and resupply the bait stations once
 a week as long as the bait is consumed. Remove all bait points after the end of treatment. The amount of
 bait per bait point and distances between bait points must be respected. Products have always to be used
 in accordance with the label.

The users should inform if the treatment is ineffective and report straightforward to the registration holder
 any alarming signals which could be assumed to be resistance development.

The active ingredient in the form of bait may be palatable to humans and non-target species in sufficient
 quantity to produce toxic effects. Effects result from the inhibition of blood coagulation as Bromadiolone
 interacts with vitamine K1 inducing hemorrhages over the course of several days. If large quantity are
 ingested, induce vomiting, perform gastric lavage and monitor prothrombine activity. Note to doctor: the
 product ESCARAT PASTA contains an anticoagulant-rodenticide, treatment with vitamin K1 could be
 needed for a long time. Emergency measures to protect the environment: In case of accidental
 contamination, avoid spreading in house drains, rainy waters and environment. In case of a release had
 already occurred, the competent authority has to be warned.

Always read the label before use and follow the instruction provided. Keep out of reach of children. Keep
 away from food, drink and animal feeding stuff. Avoid contact with skin. If swallowed, seek medical advice
 immediately (show the label when possible). Do not smoke, eat or drink while handling this product. Baits
 must be secured in tamper resistant bait boxes to minimize the risk of consumption and poisoning to
 children, companion animals and other non-target animals. Bait boxes must be placed in areas
 inaccessible to children, companion animals and non-target animals. Bait boxes must always be clearly
 labelled "Do Not Touch" and warn of the contents. In public areas (such as business premises, schools,
 hospitals etc) it must be clearly signed that rodenticide control is in operation. Signage must provide
 information on the risks of interfering with the product and dead rodents.

Store away from light. Keep container tightly closed in fresh and dry places. Keep out of the reach of

children. Keep away from food, drink and animal foodstuffs. Store in the original container. The product could be conserved 24 months since the manufacturing date. To be indicated on bait stations: Keep out of the reach of children. Keep away from food, drink and animal foodstuffs.

use in open areas

PT14 - Rodenticides (Pest control) Use in open areas Outdoor Trained professional Professional Industrial General public (non-professional) Mus musculus House mouse Adults Rattus norvegicus Brown rat Adults Rattus rattus Roof rat Adults

In bait boxes Baits shall be placed in bait boxes Rats: 60-100g of pasta bait per 100m² of infested area; Mice: 40 g of pasta bait per 100m² of infested area 100 Inspect and refill the bait stations few days after the first application then once in a week as long as the bait is consumed.

Sachet Paper, cardboard 20g

For non-professional use packs with 40-100-160-200-260-300-400-500g For professional use packs with 0,740-1-2-3-5-10-20-25Kg

ESCARAT PASTA is applied via tamper resistant bait stations. Bait is deposited and fixed in the bait stations. The number of bait points employed is dependent on: the treatment site; the size and severity of the infestation; the user; and the user requirements and needs. Inspect and resupply the bait stations once a week as long as the bait is consumed. Remove all bait points after the end of treatment. The amount of bait per bait point and distances between bait points must be respected. Products have always to be used in accordance with the label.

The users should inform if the treatment is ineffective and report straightforward to the registration holder any alarming signals which could be assumed to be resistance development.

The active ingredient in the form of bait may be palatable to humans and non-target species in sufficient quantity to produce toxic effects. Effects result from the inhibition of blood coagulation as Bromadiolone interacts with vitamine K1 inducing hemorrhages over the course of several days. If large quantity are ingested, induce vomiting, perform gastric lavage and monitor prothrombine activity. Note to doctor: the product ESCARAT PASTA contains an anticoagulant-rodenticide, treatment with vitamin K1 could be needed for a long time. Emergency measures to protect the environment: In case of accidental contamination, avoid spreading in house drains, rainy waters and environment. In case of a release had already occurred, the competent authority has to be warned.

Always read the label before use and follow the instruction provided. Keep out of reach of children. Keep away from food, drink and animal feeding stuff. Avoid contact with skin. If swallowed, seek medical advice immediately (show the label when possible). Do not smoke, eat or drink while handling this product. Baits must be secured in tamper resistant bait boxes to minimize the risk of consumption and poisoning to children, companion animals and other non-target animals. Bait boxes must be placed in areas inaccessible to children, companion animals and non-target animals. Bait boxes must always be clearly labelled "Do Not Touch" and warn of the contents. In public areas (such as business premises, schools, hospitals etc) it must be clearly signed that rodenticide control is in operation. Signage must provide information on the risks of interfering with the product and dead rodents.

Store away from light. Keep container tightly closed in fresh and dry places. Keep out of the reach of children. Keep away from food, drink and animal foodstuffs. Store in the original container. The product could be conserved 24 months since the manufacturing date. To be indicated on bait stations: Keep out of the reach of children. Keep away from food, drink and animal foodstuffs.

ESCARAT PASTA is applied via tamper resistant bait stations. Bait is deposited and fixed in the bait stations. The number of bait points employed is dependent on: the treatment site; the size and severity of the infestation; the user; and the user requirements and needs. Inspect and resupply the bait stations once a week as long as the bait is consumed. Remove all bait points after the end of treatment. The amount of bait per bait point and distances between bait points must be respected. Products have always to be used in accordance with the label.

The users should inform if the treatment is ineffective and report straightforward to the registration holder any alarming signals which could be assumed to be resistance development.

The active ingredient in the form of bait may be palatable to humans and non-target species in sufficient quantity to produce toxic effects. Effects result from the inhibition of blood coagulation as Bromadiolone interacts with vitamine K1 inducing hemorrhages over the course of several days. If large quantity are ingested, induce vomiting, perform gastric lavage and monitor prothrombine activity. Note to doctor: the product ESCARAT PASTA contains an anticoagulant-rodenticide, treatment with vitamin K1 could be needed for a long time. Emergency measures to protect the environment: In case of accidental contamination, avoid spreading in house drains, rainy waters and environment. In case of a release had already occurred, the competent authority has to be warned.

Always read the label before use and follow the instruction provided. Keep out of reach of children. Keep away from food, drink and animal feeding stuff. Avoid contact with skin. If swallowed, seek medical advice immediately (show the label when possible). Do not smoke, eat or drink while handling this product. Baits must be secured in tamper resistant bait boxes to minimize the risk of consumption and poisoning to children, companion animals and other non-target animals. Bait boxes must be placed in areas inaccessible to children, companion animals and non-target animals. Bait boxes must always be clearly labelled "Do Not Touch" and warn of the contents. In public areas (such as business premises, schools, hospitals etc) it must be clearly signed that rodenticide control is in operation. Signage must provide information on the risks of interfering with the product and dead rodents.

Store away from light. Keep container tightly closed in fresh and dry places. Keep out of the reach of



children.Keep away from food, drink and animal foodstuffs.Store in the original container.The product could be conserved 24 months since the manufacturing date.To be indicated on bait stations:Keep out of the reach of children.Keep away from food, drink and animal foodstuffs.

MINISTER

MINISTER

