Summary of product characteristics for a biocidal product

Product name: Raid Night&Day Tr
--

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number:

R4BP 3 asset reference number: NL-0016419-0002

Table Of Contents

Administrative information	
Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8

Administrative information

1.1. Trade names of the product

Raid Night&Day Trio		

1.2. Authorisation holder

Name and address of the authorisation holder

Name	SC Johnson Europe Sàrl	
Address	Z.A. la Piece 8 1180 Rolle Switzerland	

Authorisation number

1-1

R4BP 3 asset reference number

NL-0016419-0002

Date of the authorisation

04/12/2020

Expiry date of the authorisation

04/12/2030

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

SC Johnson Europe Sàrl

Address of the manufacturer

Z.A. la Piece 8 1180 Rolle Switzerland

Location of manufacturing sites

Zobele Holding S.p.A., Via Fersina, 4 38123 Trento Italy

1.4. Manufacturer(s) of the active substance(s)

Active substance	1404 - Transfluthrin		
Name of the manufacturer	Bayer SAS		
Address of the manufacturer	16 rue Jean-Marie Leclair CS 90106 69266 Lyon (Cedex 09) France		
Location of manufacturing sites	Bayer Vapi Private Limited, Plot No. 306/3, 2nd phase GIDC, 396 195 Vapi India		

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Transfluthrin		Active Substance	118712-89-3	405-060-5	13,4

2.2. Type of formulation

VP - Vapour releasing product

3. Hazard and precautionary statements

Hazard statements	Causes skin irritation. Very toxic to aquatic life with long lasting effects. Contains methenamine. May produce an allergic reaction.		
Precautionary statements	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wash hands thoroughly after handling. Dispose of contents to in accordance with local/regional/national/international legislation. Avoid release to the environment.		

4. Authorised use(s)

4.1 Use description

Use 1 - One heating setting

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Insecticide

Target organism(s) (including development stage)

Scientific name: Culicidae: Common name: Mosquitoes Development stage: Adults

Scientific name: Muscidae: Common name: Flies Development stage: Adults

Field(s) of use

Indoor

For use in households and other private areas indoors.

Application method(s)

Method: Electrically heated vaporiser with one heating setting. Detailed description:

The formulation consists of transfluthrin absorbed in an inert carrier matrix. The inert matrix is heated by an electrical heater unit which causes the transfluthrin to evaporate

in a controlled manner.

Application rate(s) and frequencies

Application Rate: One unit will treat an up 20 m3 room for 10 days (240 hours) if used 24 h/day.

Dilution (%): 0

Number and timing of application:

One unit will treat an up 20 m3 room for 10 days (240 hours) if used 24 h/day. In significantly larger rooms used 2 units.

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Solid fibreboard unit box containing:

- Night & Day™ + 1 refill

or

- two refills

Night & Day™ is an unfilled diffuser unit.

Assembly for a unit - PP - 4.75 g

Metalized pouch - Metalized (aluminium) PP and PET - 106 x 106 mm (containing 1 refill)

1 refill is a sandcore in assembly for diffuser unit.

4.1.1 Use-specific instructions for use

- Tear open the silver pouch and extract the refill holding it via triangular plastic shell.
- · Insert refill in the refill slot on the diffuser and twist it clockwise to lock.
- 2) To prepare use up indicator that tells you when product has finished:
- hold the tab and peel off the silver coloured foil from the top of the refill exposing the blue liquid use-up indicator.
- The liquid will evaporate during use only when the diffuser is plugged in.
- It is time to replace the refill when the liquid has dried up.
- 3) To activate the product and start anti-mosquito/fly protection plug into a 230V electrical outlet.
- Any orientation of plug is acceptable.
- A red light tells you that the product is working.
- For optimal efficacy, activate the device 1 hour in advance for mosquitoes and 1.5 hours in advance for flies.
- 4) Use it night and day for 24 hours a day:
- One refill lasts 10 days on medium setting (if used 24 hours a day).
- After 10 days the indicator will tell you it's time to replace the refill to renew anti-mosquito/fly protection. Use only RAID Night&Day refills in the diffuser.

To deactivate product at any time, simply unplug the diffuser from the power outlet.

For use in rooms up to 20 m3.

In significantly larger rooms use 2 units.

High ventilation and use of air conditioning may reduce product efficacy. For optimal efficacy the windows should be closed during use of this product

4.1.2 Use-specific risk mitigation measures

See general directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use

4.2 Use description

Use 2 - Three heating settings

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Insecticide

Target organism(s) (including development stage)

Scientific name: Culicidae: Common name: Mosquitoes Development stage: Adults

Scientific name: Muscidae: Common name: Flies Development stage: Adults

Field(s) of use

Indoor

For use in households and other private areas indoors.

Application method(s)

Method: Electrically heated vaporiser with three heating settings.

Detailed description:

The formulation consists of transfluthrin absorbed in an inert carrier matrix. The inert matrix is heated by an electrical heater unit which causes the transfluthrin to evaporate in a controlled manner.

Application rate(s) and frequencies

Application Rate: One unit will treat an up to 16 m3 room for 320 hours if used 24 h/day on low setting. One unit will treat an up to 20 m3 room for 240 hours if used 24 h/day on medium setting. One unit will treat an up to 30 m3 room for 160 hours if used 24 h/day on high setting.

Dilution (%): 0

Number and timing of application:

One unit will treat an up to 16 m3 room for 320 hours if used 24 h/day on low setting. One unit will treat an up to 20 m3 room for 240 hours if used 24 h/day on medium setting.

One unit will treat an up to 30 m3 room for 160 hours if used 24 h/day on high setting.

In significantly larger rooms used 2 units.

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Solid fibreboard unit box containing:

- Night & Day™ + 1 refill

or

- Night & Day™ Trio + 1 refill

or

- two refills

Night & Day™ and Night & Day™ Trio are unfilled diffuser units.

Assembly for a unit - PP - 4.75 g

Metalized pouch - Metalized (aluminium) PP and PET - $106 \times 106 \text{ mm}$ (containing 1 refill)

1 refill is a sandcore in assembly for diffuser unit.

4.2.1 Use-specific instructions for use

1) To assemble product:

- Tear open the silver pouch and extract the refill holding it via triangular plastic shell.
- · Insert refill in the refill slot on the diffuser and twist it clockwise to lock.
- 2) To prepare use up indicator that tells you when product has finished:
- hold the tab and peel off the silver coloured foil from the top of the refill exposing the blue liquid use-up indicator.
- The liquid will evaporate during use only when the diffuser is plugged in.
- It is time to replace the refill when the liquid has dried up.
- 3) To activate the product and start anti-mosquito/fly protection plug into a 230V electrical outlet.
- · Any orientation of plug is acceptable.
- A red light tells you that the product is working.
- For optimal efficacy, activate the device 1 hour in advance for mosquitoes and 1.5 hours in advance for flies.
- 4) Use it night and/or day for 24 hours a day:
- One refill lasts 10 days on medium setting (if used 24 hours a day on medium setting)
- The indicator will tell you it's time to replace the refill to renew anti-mosquito/fly protection. Use only RAID Night&Day refills in the diffuser

To deactivate product at any time, simply unplug the diffuser from the power outlet.

Press the button to change from "low" to "medium" to "high" to "off". OR Press the button to change from "low" to "medium" to "high".

Refill will last for ~

- 320 hours on low setting for small rooms approx 16m3
- 240 hours on medium setting for medium size rooms approx 20m3 and
- 160 hours on high, suitable for large rooms, 30m3

light - off

1 light = low - 16m3 rooms 2 light = medium - 20m3 rooms 3 light = high - 30m3 rooms

In significantly larger rooms use 2 units.

High ventilation and use of air conditioning may reduce product efficacy.

For optimal efficacy the windows should be closed during use of this product

4.2.2 Use-specific risk mitigation measures
Please take care that the device is used in the correct setting depending on the size of the room based on potential risks for human health
4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
See general directions for use
4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
See general directions for use
4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage
See general directions for use
5. General directions for use
5.1. Instructions for use
see Use-specific instruction for use
5.2. Risk mitigation measures

Tactile Warning of Danger (EN/ISO 11683)

Application should be done in accordance with the instructions for use regarding room size, do not use in a confined area.

If skin contact with refill should occur, wash immediately with soap and water.

Do not allow materials of any kind to cover the device while it is in use.

Do not touch device with metal instruments or wet hands.

Remove or cover terrariums, aquariums and animal cages before application.

Turn off aquarium air-filter during use.

Do not use directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and animals. Do not use in kitchens.

Do not store near food, drink and animal feedingstuff.

Contains transfluthrin (pyrethroids), may be lethal to cats. Prevent cats from coming into contact with the treated area.

Keep out of reach of children and pets.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Transfluthrin may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice. **Description of first aid measures**

Inhalation: No special requirements

Skin contact: Take off all contaminated clothing immediately. Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.

Eye contact: Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion: Do NOT induce vomiting. Rinse mouth with water. Get medical attention immediately. Never give anything by mouth to an unconscious person.

If medical advice is needed, have product container or label at hand.

In case of incident, call a poison centre [insert national phone number]

Emergency measures to protect the environment

Do not flush into surface water or sanitary sewer system.

5.4. Instructions for safe disposal of the product and its packaging

Disposal should be in accordance with local, state or national legislation.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

This product has a shelf-life of 4 years.

6. Other information

The product contains 300 mg pure transfluthrin per unit.