


Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products

**PRODUCT ASSESSMENT REPORT OF A
BIOCIDAL PRODUCT FAMILY FOR NATIONAL
AUTHORISATION APPLICATIONS**

(submitted by the evaluating Competent Authority)



Anti-moths products

Product type 18

Transfluthrin as included in the Union list of approved active substances

Case Number in R4BP: BC-AQ020830-45

Evaluating Competent Authority: eCA Austria

Date: 02/05/2022 (FINAL)

Table of Contents

1	CONCLUSION.....	4
2	ASSESSMENT REPORT	7
2.1	SUMMARY OF THE PRODUCT ASSESSMENT	7
2.1.1	<i>Administrative information.....</i>	7
2.1.1.1	Identifier of the product / product family.....	7
2.1.1.2	Authorisation holder	7
2.1.1.3	Manufacturer(s) of the products of the family	7
2.1.1.4	Manufacturer(s) of the active substance(s)	7
2.1.2	<i>Product (family) composition and formulation.....</i>	8
2.1.2.1	Identity of the active substance	8
2.1.2.2	Candidate(s) for substitution	8
2.1.2.3	Qualitative and quantitative information on the composition of the biocidal product family.....	8
2.1.2.4	Information on technical equivalence	19
2.1.2.5	Information on the substance(s) of concern.....	19
2.1.2.6	Type of formulation	21
2.1.3	<i>Hazard and precautionary statements</i>	21
2.1.4	<i>Authorised use(s)</i>	24
2.1.4.1	Use description	24
2.1.4.2	Use-specific instructions for use	25
2.1.4.3	Use-specific risk mitigation measures.....	26
2.1.4.4	Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment.....	26
2.1.4.5	Where specific to the use, the instructions for safe disposal of the product and its packaging.....	26
2.1.4.6	Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage 26	26
2.1.4.7	Use description	26
2.1.4.8	Use-specific instructions for use	27
2.1.4.9	Use-specific risk mitigation measures.....	28
2.1.4.10	Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment.....	28
2.1.4.11	Where specific to the use, the instructions for safe disposal of the product and its packaging	28
2.1.4.12	Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	28
2.1.4.13	Use description	28
2.1.4.14	Use-specific instructions for use.....	29
2.1.4.15	Use-specific risk mitigation measures	30
2.1.4.16	Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment.....	30
2.1.4.17	Where specific to the use, the instructions for safe disposal of the product and its packaging	30
2.1.4.18	Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage.....	30
2.1.5	<i>General directions for use.....</i>	31
2.1.5.1	Instructions for use	31
2.1.5.2	Risk mitigation measures	31
2.1.5.3	Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment.....	31
2.1.5.4	Instructions for safe disposal of the product and its packaging.....	31
2.1.5.5	Conditions of storage and shelf-life of the product under normal conditions of storage.....	31
2.1.6	<i>Other information.....</i>	32
2.1.7	<i>Packaging of the biocidal product</i>	32
2.1.8	<i>Documentation</i>	33
2.1.8.1	Data submitted in relation to product application	33

2.1.8.2	Access to documentation.....	33
2.2	ASSESSMENT OF THE BIOCIDAL PRODUCT (FAMILY)	34
2.2.1	<i>Intended use(s) as applied for by the applicant</i>	34
2.2.2	<i>Physical, chemical and technical properties</i>	35
2.2.3	<i>Physical hazards and respective characteristics</i>	67
2.2.4	<i>Methods for detection and identification</i>	83
2.2.5	<i>Efficacy against target organisms</i>	89
2.2.5.1	Function and field of use.....	89
2.2.5.2	Organisms to be controlled and products, organisms or objects to be protected	89
2.2.5.3	Effects on target organisms, including unacceptable suffering	89
2.2.5.4	Mode of action, including time delay	89
2.2.5.5	Efficacy data.....	89
2.2.5.6	Occurrence of resistance and resistance management	99
2.2.5.7	Known limitations	99
2.2.5.8	Evaluation of the label claims	100
2.2.5.9	Relevant information if the product is intended to be authorised for use with other biocidal product(s).....	101
2.2.6	<i>Risk assessment for human health</i>	102
2.2.6.1	Assessment of effects on Human Health	102
2.2.6.2	Exposure assessment.....	112
2.2.6.3	Risk characterisation for human health	124
2.2.7	<i>Risk assessment for animal health</i>	132
2.2.8	<i>Risk assessment for the environment</i>	132
2.2.8.1	Effects assessment on the environment.....	132
2.2.8.2	Exposure assessment.....	137
2.2.8.3	Risk characterisation.....	154
2.2.9	<i>Measures to protect man, animals and the environment</i>	158
2.2.10	<i>Assessment of a combination of biocidal products</i>	162
2.2.11	<i>Comparative assessment</i>	162
3	ANNEXES	163
3.1	LIST OF STUDIES FOR THE BIOCIDAL PRODUCT FAMILY	163
3.2	OUTPUT TABLES FROM EXPOSURE ASSESSMENT TOOLS	176
3.2.1	<i>Human and animal exposure</i>	176
3.2.2	<i>ENVIRONMENTAL EXPOSURE</i>	179
3.3	NEW INFORMATION ON THE ACTIVE SUBSTANCE	179
3.4	RESIDUE BEHAVIOUR	179
3.5	SUMMARIES OF THE EFFICACY STUDIES (B.5.10.1-xx)	179
3.6	CONFIDENTIAL ANNEX.....	179
3.7	OTHER.....	179
3.7.1	<i>Reference list (excluding list of studies, cf. to chapter 3.1)</i>	179

Note: Editorial (formatting) changes have been done compared to the previous version dated 20/01/2022. In addition, the packaging size in the use specific sections was stated more clearly.

1 CONCLUSION

Austria was the Competent Authority responsible for evaluation of the biocidal product family Anti-moths products. The ready-to-use products from the product family Antimoths products contain the active substance transfluthrin (1.01 – 100% (w/w)). Identified substances of concern are Linalool (3,7-dimethylocta-1,6-dien-3-ol) at a concentration of 0-29.7% (w/w), Nopyl acetate (2-(6,6-dimethylbicyclo[3.1.1]-2-hepten-2-yl)ethyl acetate) at a concentration of 0-15.84% (w/w), Geraniol ((2E)-3,7-dimethylocta-2,6-dien-1-ol) at a concentration of 0-7.92% (w/w), alpha-iso-Methylionone ((3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one) at a concentration of 0-1.48% (w/w), Cineole (1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane) at a concentration of 0-1.98% (w/w), Hydrocarbons, C11-C13 (isoalkanes, <2% aromatics) at a concentration of 0-21.5 % (w/w), Hydrocarbons, C12-C16 (isoalkanes, cyclics, <2% aromatics (Isoparafins C12-C16)) at a concentration of 0-64.5% (w/w), Terpinyl acetate (2-(4-methylcyclohex-3-en-1-yl)propan-2-yl acetate) at a concentration of 0-9.90% (w/w), Nerol ((2E)-3,7-dimethylocta-2,6-dien-1-ol) at a concentration of 0-2.97% (w/w), Habanolide (A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one) at a concentration of 0-1.48% (w/w), alpha-hexylcinnamaldehyde ((2E)-2-(phenylmethylidene)octanal) at a concentration of 0-0.32% (w/w), Hexyl salicylate (hexyl 2-hydroxybenzoate) at a concentration of 0-0.32% (w/w).

The assessment considered:

- The conclusions and recommendations of the Assessment Report for the approval of the active substance Transfluthrin including the "elements to be taken into account by Member States when authorising products"
- The specific provisions from Inclusion Directive for the active substance Transfluthrin (The Netherlands, 2014)

Approval of the active substance:

The active substance Transfluthrin is included in the Union list of approved active substances and the specific provisions laid down there are fulfilled:

- The product assessment shall pay particular attention to the exposures, the risks and the efficacy linked to any uses covered by an application for authorisation, but not addressed in the Union level risk assessment of the active substance.
- Authorisations are subject to the following condition:
In view of the risks for water, sediment and soil compartments, transfluthrin shall not be used in vaporisers for indoor use or insecticidal coils unless it can be demonstrated in the application for product authorisation that risks can be reduced to an acceptable level.

The field of use is as follows:

Insecticide for indoor use

Tineidae: *Tineola bisselliella*, common name: clothes moth, development stage: adults and larvae

Dermestidae: *Anthrenus verbasci*, common name: carpet beetle, development stage: adults and larvae

General public (non-professional)

Identity and analytical methods were described in sufficient detail to meet the information requirements as laid down in annex II of regulation (EU) no. 528/2012. The physical-chemical properties and respective characteristics of the biocidal product have been evaluated and are deemed acceptable for the appropriate use, storage and transport of the biocidal products.

Based on the authorised use including the general directions of use and any possibly defined risk mitigation measures and provided that there will be no misuse, the following can be concluded:

- Data on the biocidal product have demonstrated sufficient efficacy against the target organisms. No resistance is expected.
- The risk characterisation for the biocidal product family indicated acceptable risks with the proposed risk mitigation measures for human health. The assessment of the biocidal product family was conducted according to the common principles set out in Annex VI of Regulation (EC) No 528/2012 and considered the maximum risks to human health. Concerning the ED assessment no definitive conclusion is possible at this stage in line with current guidance due to indications of ED properties of one co-formulant.
- Also for the environment, it could be demonstrated that the authorised uses are safe for all exposed environmental compartments and the assessment of secondary poisoning has shown that no adverse effects for birds and mammals are to be expected.

The product contains no active substances which are candidates for substitution.

It can be concluded that all conditions of article 19 of regulation (EU) no. 528/2012 are fulfilled and that the product may be authorised.

Composition and formulation

The biocidal products of the the biocidal product family contain the active substance Transfluthrin.

Please refer to chapter "Product family composition and formulation" in the confidential Annex.

Physical hazards and respective characteristics

No biocidal product within the biocidal product family is classified in regard of a physical hazard.

Methods for detection and identification

Information on the analytical methods for the active substance and respective substances of concern are provided. The evaluation is based on the residue definitions and action levels derived from the Assessment Report or Competent Authority Report.

Efficacy against target organisms

The product has been shown to be efficacious for the use appropriate for authorisation.

Risk assessment for human health

The risk characterisation for the biocidal product family indicated acceptable risks with the proposed risk mitigation measures for human health. However, no definitive conclusion concerning the ED assessment is possible at this stage in line with current guidance due to indications of ED properties of one co-formulant for Anti-moth Flavour Bags type 2 within meta SPC 3.

Risk assessment for the environment

The risk assessment for the environment for this product family is based on the active substance and the identified substances of concern.

A risk assessment for the environment has been carried out for non-professional use of the product.

Based on the risk assessment it is unlikely that the intended use cause any unacceptable risk for the environment if the directions for use according to chapter 2.1.5.1 and the RMMs according to chapter 2.1.5.2 are followed.

Comparative Assessment

A comparative assessment is not required since Transfluthrin is not considered a candidate for exclusion in accordance with Article 5(1) or substitution in accordance with Article 10(1) of EU Regulation 528/2012.

2 ASSESSMENT REPORT

2.1 Summary of the product assessment

2.1.1 Administrative information

2.1.1.1 Identifier of the product / product family

Identifier	Country (if relevant)
Anti-moths products	Austria cMS: CH, SL, SK, CZ, IE, HU, GE, FR, CY, GE, UK

2.1.1.2 Authorisation holder

Name and address of the authorisation holder	Name	ANnoWAttec GmbH
	Address	Münchener Str. 30, 85123 Karlskron, Germany
Authorisation number	Austria: AT-0014019-BPF for the BPF (authorisation numbers for the single products: See authorisation letter)	
Date of the authorisation	See authorisation letter	
Expiry date of the authorisation	See authorisation letter	

2.1.1.3 Manufacturer(s) of the products of the family

Name of manufacturer	Annowatec GmbH
Address of manufacturer	Münchener Straße 30 D-85123 Karlskron Germany
Location of manufacturing sites	Münchener Straße 30 D-85123 Karlskron Germany

2.1.1.4 Manufacturer(s) of the active substance(s)

Active substance	Transfluthrin
Name of manufacturer	Bayer Vapi Private Limited
Address of manufacturer	306/3, II Phase, GIDC Vapi-396195, Gujarat India
Location of manufacturing sites	306/3, II Phase, GIDC Vapi-396195, Gujarat India

2.1.2 Product (family) composition and formulation


NB: the full composition of the product family according to Annex III Title 1 should be provided in the confidential annex.

Does the product have the same identity and composition as the product evaluated in connection with the approval for listing of the active substance(s) on the Union list of approved active substances under Regulation No. 528/2012?

Yes

No

2.1.2.1 Identity of the active substance

Main constituent(s)	
ISO name	Transfluthrin
IUPAC or EC name	EC name: 2,3,5,6-tetrafluorobenzyl trans-2-(2,2-dichlorovinyl)-3,3-dimethylcyclopropanecarboxylate IUPAC names*: 2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate, or, 2,3,5,6-tetrafluorobenzyl (1R)-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate
EC number	405-060-5
CAS number	118712-89-3
Index number in Annex VI of CLP	607-223-00-8
Minimum purity / content	96.5%
Structural formula	

*according to the entry in the active substance dossier for Transfluthrin (The Netherlands, 2014)

2.1.2.2 Candidate(s) for substitution

On basis of the provided data the biocidal product family does not contain a candidate active substance for substitution according to Reg. (EU) No 528/2012 Article 10, 1(d).

2.1.2.3 Qualitative and quantitative information on the composition of the biocidal product family

Qualitative information on the biocidal product family

The biocidal product family comprises of a liquid formulation which is applied onto carrier materials (paper sheets or granules). The treated carrier materials that are supplied to the

user represent articles and not biocidal products. Subsequently the carrier materials are not part of the formulation but are part of the article and thus have not been stated in the tables below. The full composition of the biocidal product family and the individual products within the family is provided in the confidential annex. Full composition of the used mixtures is given in the confidential annex restricted for authorities.

The carrier material is further treated with dyes of which the tradenames are stated in the confidential annex. The amount of Transfluthrin per article protection paper ranges from 2.5 mg/strip – 30 mg/strip and the amount of Transfluthrin per article protection flavour bag ranges from 5.7 mg/bag – 15 mg/ bag. Please note that the strip sizes differ between the products, resulting in different a.s. concentrations on the moth paper, cf. to chapter 3.6.5.

Rationale for differentiation between article and biocidal product

The product description under the respective meta SPCs indicates that the protection paper strip and the granules from the protection flavour bags can be regarded as carrier for the active substance and co-formulants. Therefore it has to be decided if the paper strip or granules can be regarded as an article or not.

Applying the decision tree as given in chapter 2.3 of the Guidance on requirements for substances in articles (ECHA, 2017e) gives the following results:

Step 1	Identify the function of the object: The product is a passive diffuser for indoor use to protect clothes from moths and beetles. Released active substance: Transfluthrin.
Step 2	Are shape/surface/design more relevant for the function than the chemical composition? It is not possible to unambiguously conclude
Step 3	Does the object contain a substance/mixture that can be separated from the object? Yes
Question 4a	If the substance/mixture were to be removed or separated from the object and used independently from it, would the substance/mixture still be capable in principle (though perhaps without convenience or sophistication) of carrying out the function defined above? Yes
Question 4b	Does the object act mainly (i.e. according to the function defined under step 1) as a container or carrier for release or controlled delivery of the substance/mixture or its reaction products? Yes
Question 4c	Is the substance/mixture consumed (i.e. used up e.g. due to a chemical or physical modification) or eliminated (i.e. released from the object) during the use phase of the object, thereby rendering the object useless and leading to the end of its service life? Yes

Conclusion	Object consists of a substance or mixture and an article
-------------------	---

Following the definitions set out in document CA-Nov16-Doc.4.3 – Final, which describes how to handle “carrier” products the product can be seen as Type A product. For type A products it has been agreed that the carrier component should not be considered as a part of the composition of the biocidal product. Therefore it should not be considered for the calculation of the active substance concentration to be indicated in the SPC. Furthermore the hazard and precautionary statements, as well as any other labelling elements deriving from the CLP Regulation, are based on the classification of the active substance used in the product only.

LEVEL 1 - Biocidal product family

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
					Min	Max
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	1.01*	100*
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	0	29.70
Nopyl acetate	2 - (6,6 - dimethylbicyclo < 3.1.1. > - 2 hepten - 2 - yl) ethyl acetate	Perfume	128-51-8	204-891-9	0	15.84
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	0	7.92
Cineole	1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane	Perfume	470-82-6	207-431-5	0	1.98
alpha-iso-Methylionone	(3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)butan-2-one	Perfume	127-51-5	204-846-3	0	1.48

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
	lohex-2-en-1-yl)but-3-en-2-one					
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Solvent	246538-78-3	920-901-0	0	21.5
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Isoparafins C12-C16	Solvent	-	927-676-8	0	64.5
Terpinyl acetate	2-(4-methylcyclohex-3-en-1-yl)propan-2-yl acetate	Perfume	80-26-2	201-265-7	0	9.90
Nerol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-25-2	203-378-7	0	2.97
Habanolide	A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	Perfume	111879-80-2	422-320-3	0	1.48
α -hexylcinnamaldehyde	(2E)-2-(phenylmethylidene)octanal	Perfume	101-86-0	202-983-3	0	0.32
Hexyl salicylate	hexyl 2-hydroxybenzoate	Perfume	6259-76-3	228-408-6	0	0.32

*Amount of active substance without impurities (pure) 0.97 – 96.5 % (w/w)

LEVEL 2 – meta SPC 1 (Moth protection paper):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
					Min	Max
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	100*	100*

*Amount of active substance without impurities (pure) 96.5 – 96.5 % (w/w); Amount of Transfluthrin per article paper sheet: 2.5 mg/strip – 30 mg/strip.

LEVEL 2 – meta SPC 2 (Moth protection flavour bag type 1):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
					Min	Max
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	1.01*	3.2*
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	29.04	29.70
Nopyl acetate	2 - (6,6 - dimethylbicyclo < 3.1.1. > - 2 hepten - 2 - yl) ethyl acetate	Perfume	128-51-8	204-891-9	15.49	15.84
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	7.74	7.92
Cineole	1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane	Perfume	470-82-6	207-431-5	1.94	1.98
alpha-iso-Methylionone	(3E)-3-methyl-4-	Perfume	127-51-5	204-846-3	1.45	1.48

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
	(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one					
Terpinyl acetate	2-(4-methylcyclohex-3-en-1-yl)propan-2-yl acetate	Perfume	80-26-2	201-265-7	9.68	9.90
Nerol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-25-2	203-378-7	2.90	2.97
Habanolide	A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	Perfume	111879-80-2	422-320-3	1.45	1.48

*Amount of active substance without impurities (pure) 0.974 – 3.088 % (w/w); Amount of Transfluthrin per article: 5.7 mg/ bag.

LEVEL 2 – meta SPC 3 (Moth protection flavour bag type 2):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
					Min	Max
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	3.21*	3.21*
Habanolide	A mixture of: (E)-oxacyclohexa	Perfume	111879-80-2	422-320-3	0.54	0.54

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
	dec-12-en-2-one; (E)-oxacyclohexa dec-13-en-2-one; a) (Z)-oxacyclohexa dec-(12)-en-2-one and b) (Z)-oxacyclohexa dec-(13)-en-2-one					
α -hexylcinnamaldehyde	(2E)-2-(phenylmethylidene)octanal	Perfume	101-86-0	202-983-3	0.32	0.32
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	0.32	0.32
Hexyl salicylate	hexyl 2-hydroxybenzoate	Perfume	6259-76-3	228-408-6	0.32	0.32
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	0.22	0.22
alpha-iso-Methylionone	(3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one	Perfume	127-51-5	204-846-3	0.32	0.32
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Solvent	246538-78-3	920-901-0	21.5	21.5
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Isoparafins C12-C16	Solvent	-	927-676-8	64.5	64.5

*Amount of active substance without impurities (pure) 3.10 – 3.10 % (w/w); Amount of Transfluthrin per article: 15 mg/bag.

LEVEL 3 – meta SPC 1 (Moth Protection paper):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	100*	

*Amount of active substance without impurities (pure) 96.5 % (w/w); Amount of Transfluthrin per article paper sheet: 2.5 mg/strip – 30 mg/strip.

LEVEL 3 – meta SPC 2 (Moth Protection Flavour bag type 1):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)	
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	1.01*	
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	29.70	
Nopyl acetate	2 - (6,6 - dimethylbicyclo < 3.1.1. > - 2 hepten - 2 - yl) ethyl acetate	Perfume	128-51-8	204-891-9	15.84	
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	7.92	
Cineole	1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane	Perfume	470-82-6	207-431-5	1.98	
alpha-iso-Methylionone	(3E)-3-methyl-4-(2,6,6-trimethylcycl	n.a.	127-51-5	204-846-3	1.48	

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
	ohex-2-en-1-yl)but-3-en-2-one				
Nopyl acetate	2 - (6,6 - dimethylbicyclo < 3.1.1. > - 2 hepten - 2 - yl) ethyl acetate	n.a.	128-51-8	204-891-9	15.84
Terpinyl acetate	2-(4-methylcyclohex-3-en-1-yl)propan-2-yl acetate	n.a.	80-26-2	201-265-7	9.90
Nerol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	n.a.	106-25-2	203-378-7	2.97
Habanolide	A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	n.a.	111879-80-2	422-320-3	1.48

*Amount of active substance without impurities (pure) 0.97; Amount of Transfluthrin per article: 5.7 mg/bag.

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclo	Active substance	118712-89-3	405-060-5	3.20*

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
	propanecarboxylate				
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	29.04
Nopyl acetate	2 - (6,6 - dimethylbicyclo < 3.1.1. > - 2 hepten - 2 - yl) ethyl acetate	Perfume	128-51-8	204-891-9	15.49
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	7.74
Cineole	1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane	Perfume	470-82-6	207-431-5	1.94
alpha-iso-Methylionone	(3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one	n.a.	127-51-5	204-846-3	1.45
Terpinyl acetate	2-(4-methylcyclohex-3-en-1-yl)propan-2-yl acetate	n.a.	80-26-2	201-265-7	9.68
Nerol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	n.a.	106-25-2	203-378-7	2.90
Habanolide	A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-	n.a.	111879-80-2	422-320-3	1.45

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
	2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one				

*Amount of active substance without impurities (pure) 3.09 % (w/w); Amount of Transfluthrin per article: 15.0 mg/bag.

LEVEL 3 – meta SPC 3 (Moth Protection Flavour bag type 2):

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
Transfluthrin	2,3,5,6-tetrafluorobenzyl (1R,3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	Active substance	118712-89-3	405-060-5	3.21*
Habanolide	A mixture of: (E)-oxacyclohexadec-12-en-2-one; (E)-oxacyclohexadec-13-en-2-one; a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	Perfume	111879-80-2	422-320-3	0.54
α -hexylcinnamaldehyde	(2E)-2-(phenylmethylidene)octane	Perfume	101-86-0	202-983-3	0.32

Common name	IUPAC name	Function	CAS number	EC number	Content (% w/w)
	l				
Linalool	3,7-dimethylocta-1,6-dien-3-ol	Perfume	78-70-6	201-134-4	0.32
Hexyl salicylate	hexyl 2-hydroxybenzoate	Perfume	6259-76-3	228-408-6	0.32
Geraniol	(2E)-3,7-dimethylocta-2,6-dien-1-ol	Perfume	106-24-1	203-377-1	0.22
alpha-iso-Methylionone	(3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one	Perfume	127-51-5	204-846-3	0.32
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	Solvent	246538-78-3	920-901-0	21.5
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics	Isoparaffins C12-C16	Solvent	-	927-676-8	64.5

*Amount of active substance without impurities (pure) 3.10 – 3.10 % (w/w), Amount of Transfluthrin per article: 15 mg/bag.

2.1.2.4 Information on technical equivalence

The sources of the active substances are the same as the ones evaluated in connection with the approval for listing of the active substances on the Union list of approved active substances under Regulation No. 528/2012.

An assessment of technical equivalence of the active substances is therefore not required.

2.1.2.5 Information on the substance(s) of concern

Based on the classification as provided in the SDS submitted by the applicant and the concentrations of the co-formulants in the BPF Anti-moths products above the generic or specific concentration limits, the component listed below were identified as substances of concern in relation to human health (please see also confidential Annex restricted to authorities for detailed information):

Meta SPC 2

Linalool (3,7-dimethylocta-1,6-dien-3-ol)	CAS N° 78-70-6
Nopyl acetate (2-(6,6-dimethylbicyclo[3.1.1]-2-hepten-2-yl)ethyl acetate)	CAS N° 128-51-8
Geraniol ((2E)-3,7-dimethylocta-2,6-dien-1-ol)	CAS N° 106-24-1
alpha-iso-Methylionone ((3E)-3-methyl-4-(2,6,6-trimethylcyclohex-2-en-1-yl)but-3-en-2-one)	CAS N° 127-51-5
Cineole (1,3,3-trimethyl-2-oxabicyclo[2.2.2]octane)	CAS N° 470-82-6
Nerol ((2E)-3,7-dimethylocta-2,6-dien-1-ol)	CAS N° 106-25-2

Meta SPC 3

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CAS N° 246538-78-3
Hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics (Isoparafins C12-C16)	EC N° 927-676-8

The first six substances contribute to the classification of the biocidal product of meta SPC 2 (Moth protection Flavour Bag type 1) with Eye Dam 1, H318 (Geraniol), Skin Sens 1, H317 (alpha-iso-Methylionone, Cineole, Geraniol, Nopyl acetate, Linalool, Nerol) and Skin Irrit 2 H315 (Linalool).

In addition Geraniol is a biocidal active substance currently under review for PT18 and PT19 by France¹. By September 2019 no first Draft Competent Authority Report (dCAR) is available. However, the Risk Assessment Committee (RAC-46) discussed the harmonised classification and labelling of Geraniol in 2018 and concluded on Skin Sens. 1 (RAC, 2018). The concentrations of hydrocarbons, C11-C13, isoalkanes, <2% aromatics and hydrocarbons, C12-C16, isoalkanes, cyclics, <2% aromatics are above the generic concentration limits for meta SPC 3 products (Moth protection flavour Bag type 2) for Asp. Tox. 1 (H304). Based on the package type labelling for Asp. Tox. 1 (H304) for the products as marketed can be omitted (please see confidential Annex restricted to authorities).

According to the CA-Nov14-Doc.5.11 document "Substances of Concern – Proposed Human Health (Toxicology) Assessment Scheme for Authorisation of Biocidal Products", the SoCs can be assigned to both band A and B. If the SoC can be assigned to more than one band, the evaluation/risk management requirements of the higher band will apply (band B in this case based on Eye Dam 1 (H318) and Skin Sens 1 (H317)). According to the guidance document a qualitative risk assessment is performed in section 2.2.6. Risk mitigation measures in the form of precautionary statements triggered by hazards from these components are covered by the labelling of the products (please refer also to chapter 2.1.3).

The banding evaluation scheme for Asp. Tox. 1 hazard is A according to ECHA (ECHA, 2015a). The local risk considerations for meta SPC 2 are considered to cover also meta SPC 3 based on similar proposed risk mitigation measures.

¹ https://echa.europa.eu/de/information-on-chemicals/biocidal-active-substances?p_p_id=echarevbiocides_WAR_echarevbiocidesportlet&p_p_lifecycle=1&p_p_state=normal&p_p_mode=view&p_p_col_id=column-1&p_p_col_pos=1&p_p_col_count=2&echarevbiocides_WAR_echarevbiocidesportlet_javax.portlet.action=se archBiocidesAction

SoCs for the environment:

A SoC assessment for the co-formulants regarding the environment was performed according to the Risk Assessment Guidance Part B+C (ECHA, 2017). For the detailed assessment refer to the confidential Annex restricted to authorities. The following substances were identified for the environment and must be taken into account in the environmental risk assessment for the BPF Anti-moths products, however the eCA concluded in the detailed SoC assessment that qualitative risk assessments are sufficient.

- Nopylacetate (CAS 128-51-8)
- Terpinylacete (CAS 80-26-2)
- Habanolide (CAS 11879-80-2)
- α -Hexylcinnamaldehyde (CAS 101-86-0)
- Hexyl salicylate (CAS 6259-76-3)

2.1.2.6 Type of formulation

XX: Passive Diffuser (Impregnated paper, granules)

2.1.3 Hazard and precautionary statements**Classification and labelling of the products of the family according to the Regulation (EC) 1272/2008**



The Netherlands submitted a CLH Report for Transfluthrin in May 2018².

Please note that the biocidal product as supplied to the user is considered as a combination of an article and the biocidal product. Therefore only the active substance and respective co-formulants have to be considered for classification and labelling.




Level 2 – meta SPC 1 – Moth protection paper

Classification	
Hazard category	Acute Tox. 4 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1
Hazard statement	H302: Harmful if swallowed. H315 Causes skin irritation H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

² <https://echa.europa.eu/registry-of-clh-intentions-until-outcome/-/dislist/details/0b0236e180681922>


Labelling	
Pictograms	  GHS07, GHS09
Signal words	Warning
Hazard statements	H302: Harmful if swallowed. H315: Causes skin irritation. H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use. P264: Wash hands thoroughly after handling P273: Avoid release to the environment. P302 + P352: IF ON SKIN: Wash with plenty of water/... P332 + P313: If skin irritation occurs: Get medical advice/attention. P501: Dispose of contents/container to a special waste collection point in accordance with local/regional/national/international regulation (to be specified)

Level 2: meta SPC 2 – Moth protection flavour bag type 1 (perfume 1)

Classification	
Hazard category	Aquatic Acute 1, Aquatic Chronic 1, Skin Sens. 1, Eye Dam. 1, Skin Irrit. 2
Hazard statement	H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects.
Labelling	
Pictograms	   GHS05, GHS07, GHS09
Signal words	Danger
Hazard statements	H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements	<p>P101: If medical advice is needed, have product container or label at hand</p> <p>P102: Keep out of reach of children.</p> <p>P103: Read label before use.</p> <p>P264: Wash hands thoroughly after handling.</p> <p>P273: Avoid release to the environment.</p> <p>P302 + P352: IF ON SKIN: Wash with plenty of water/...</p> <p>P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310: Immediately call a POISON CENTER or doctor.</p> <p>P391: Collect spillage</p> <p>P501: Dispose of contents/container to a special waste collection point in accordance with local/regional/national/international regulation (to be specified)</p>
Additional labelling	EUH 208 Contains: Citronellol, Geranyl acetate, Eugenol, Coumarin, Benzofuran-2-yl methyl ketone, Piperonal. May produce an allergic reaction.

Level 2: meta SPC 3 – Moth protection flavour bag type 2 (Perfume 2)

Classification	
Hazard category	Aquatic Acute 1, Aquatic Chronic 1
Hazard statement	H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects.
Labelling	
Pictograms	 <p>GHS 09</p>
Signal words	Warning
Hazard statements	H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	<p>P102: Keep out of reach of children.</p> <p>P103: Read label before use.</p> <p>P273: Avoid release to the environment.</p> <p>P391: Collect spillage</p> <p>P501: Dispose of contents/container to a special waste collection point in accordance with local/regional/national/international regulation (to be specified)</p>
Additional labelling	EUH208: Contains α -Hexylcinnamaldehyde, Linalool, p-t-Butylcyclohexyl acetate, Hexyl salicylate, alpha-iso-Methylionone, Amberonne, Eugenol, Cyclamen aldehyde, Pentadecan-15-olide, Geraniol, Citronellol, Benzyl salicylate, Aldehyde C-12 MNA, Aldehyde C-12 lauric. May produce an allergic reaction.

2.1.4 Authorised use(s)

2.1.4.1 Use description

Table 1. Meta SPC 1 Use # 1 Insecticide – (adult and larvae) clothes moths and carpet beetles – non-professional users – passive diffuser – indoor – papers

Product Type	Product type 18: Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Insecticide
Target organism (including development stage)	Scientific name: Tineidae: <i>Tineola bisselliella</i> , common name: clothes moth, development stage: adults and larvae Scientific name: Dermestidae: <i>Anthrenus verbasci</i> , common name: carpet beetle, development stage: adults and larvae
Field of use	Insecticide for indoor use
Application method(s)	Impregnated paper (passive diffuser) to be used in wardrobes and drawers against clothes moths and carpet beetles (open system).
Application rate(s) and frequency	Application rate: 30 mg of active substance per m ³ of wardrobe or drawer Application frequency: Effective for 6 months, only if necessary repeat treatment after recommended time and maximal application 2 times per year.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	The strips are contained in multilayer foil with an EVOH- or a PVDC- barrier layer. Plastic: Biaxially oriented polypropylene (BOPP) film coated on both sides with an aqueous dispersion of polyvinylidene chloride (PVdC) copolymer or composite of biaxially oriented polyester with a coextruded sealing barrier layer made of polyethylene, EVOH, polyethylene The following products consist of 2 paper strips with a dimension of 960 x 130 mm: (The nominal content of Transfluthrin is 30 mg per paper strip.) acto Spécial Mites, 10 Feuilletts Kapo Expert Mites des vêtements, 2 bandes Aeroxon Moth Killer Strips FURY TUE MITES & LARVES Aeroxon Mottenpapier Protect Home Forminex Motten Papier Aeroxon Feuilletts Anti-Mites Kapo Expert Mites des vêtements, 1 bande Aeroxon Herrenausstatter Mottenpapier Aerona Moth Killer Strips

	<p>Motten-Papier Moth Paper Teza Moth Paper</p> <p>The following product consists of 2 paper strips with a dimension of 960 x 130 mm: (The nominal content of Transfluthrin is 25 mg per paper strip.) CAPITO MOTTEN PAPIER</p> <p>The following products consist of 2 paper strips with a dimension of 960 x 130 mm. (The nominal content of Transfluthrin is 30 mg per paper strip.) INSECTEX MOTTEN PAPIER PROFISSIMO MOTTENSCHUTZ PAPIER Profissimo ochranné pásky proti šatným molům, 2 ks PROFISSIMO ZASCITA PRED MOLIJ V LISTICIH PROFISSIMO MOLYIRTO LAP 2x10 LAP REINEX MOTTENPAPIER terrasan Home Mottenpapier Dr. Stähler Mottenpapier</p> <p>The following product consists of 20 paper strips with a dimension of 99 x 99 mm: (The nominal content of Transfluthrin is 2.5 mg per paper strip.) AROXOL MOTH PAPER</p> <p>The following products consist of 12 paper strips with a dimension of 85 x 150 mm: (The nominal content of Transfluthrin is 5 mg per paper strip.) GESAL PROTECT MOTTEN-PAPIER Gesal Barriere Kleidermotten-Papier</p>
--	--

2.1.4.2 Use-specific instructions for use

<p>Remove transparent foil and take out the product. : Where present, handle the paper strip on the white edge. The white edge is not impregnated with the active substance.</p> <p>acto Spécial Mites, 10 Feuilletts: Apply 1 strip per m³ wardrobe or drawer</p> <p>Kapo Expert Mites des vêtements, 2 bandes: Apply 1 strip per m³ wardrobe or drawer</p> <p>Aeraxon Moth Killer Strips: Apply 1 strip per m³ wardrobe or drawer</p> <p>FURY TUE MITES & LARVES: Apply 1 strip per m³ wardrobe or drawer</p> <p>Aeraxon Mottenpapier: Apply 1 strip per m³ wardrobe or drawer</p> <p>Protect Home Forminex Motten Papier: Apply 1 strip per m³ wardrobe or drawer</p> <p>Aeraxon Feuilletts Anti-Mites: Apply 1 strip per m³ wardrobe or drawer</p> <p>Kapo Expert Mites des vêtements, 1 bande: Apply 1 strip per m³ wardrobe or drawer</p> <p>Aeraxon Herrenausstatter Mottenpapier: Apply 1 strip per m³ wardrobe or drawer</p> <p>Aerona Moth Killer Strips: Apply 1 strip per m³ wardrobe or drawer</p> <p>Motten-Papier: Apply 1 strip per m³ wardrobe or drawer</p> <p>Moth Paper: Apply 1 strip per m³ wardrobe or drawer</p> <p>Teza Moth Paper: Apply 1 strip per m³ wardrobe or drawer</p> <p>CAPITO MOTTEN PAPIER: Apply 1 strip per m³ wardrobe or drawer</p> <p>INSECTEX MOTTEN PAPIER: Apply 1 strip per m³ wardrobe or drawer</p> <p>PROFISSIMO MOTTENSCHUTZ PAPIER: Apply 1 strip per m³ wardrobe or drawer</p> <p>Profissimo ochranné pásky proti šatným molům, 2 ks: Apply 1 strip per m³ wardrobe or</p>
--

drawer

PROFISSIMO ZASCITA PRED MOLIJ V LISTICH: Apply 1 strip per m³ wardrobe or drawer

PROFISSIMO MOLYIRTO LAP 2x10 LAP: Apply 1 strip per m³ wardrobe or drawer

REINEX MOTTENPAPIER: Apply 1 strip per m³ wardrobe or drawer

terrasan Home Mottenpapier: Apply 1 strip per m³ wardrobe or drawer

Dr. Stähler Mottenpapier: Apply 1 strip per m³ wardrobe or drawer

AROXOL MOTH PAPER: Apply 12 strips per m³ wardrobe or drawer

GESAL PROTECT MOTTEN PAPIER: Apply 6 strips per m³ wardrobe or drawer

Gesal Barriere Kleidermotten-Papier: Apply 6 strips per m³ wardrobe or drawer

Adapt the number of strips according to the volume of the treated wardrobe or drawer and cut it into pieces if needed (minimum one quarter of a strip).

Use the product for 6 months and repeat treatment only if necessary and maximal 2 times per year.

2.1.4.3 Use-specific risk mitigation measures

For use only in areas that are inaccessible to infants, children, companion animals (specifically cats) and non-target animals. (N114)

Do not store or use near food, drink and animal feedingstuffs.(N301+160)

No application in rooms, where fish tanks and terrariums are present.

2.1.4.4 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

2.1.4.5 Where specific to the use, the instructions for safe disposal of the product and its packaging

2.1.4.6 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Do not store above 40°C. Protect from frost.

2.1.4.7 Use description

Table 1. Meta SPC 2 Use # 1 – Insecticide – (adult and larvae) clothes moths and carpet beetles – non-professional users – passive diffuser – indoor – flavour bags

Product Type	Product type 18: Insecticides, acaricides and products to control other arthropods (Pest control)
---------------------	---

Where relevant, an exact description of the authorised use	Insecticide
Target organism (including development stage)	Scientific name: Tineidae: <i>Tineola bisselliella</i> , common name: clothes moth, development stage: adults and larvae Scientific name: Dermestidae: <i>Anthrenus verbasci</i> , common name: carpet beetle, development stage: adults and larvae
Field of use	Insecticide for indoor use
Application method(s)	Flavour bags with impregnated granules (passive diffuser) to be used in wardrobes and drawers against clothes moths and carpet beetles (open system).
Application rate(s) and frequency	Application rate: use number of bags until 15 mg of active substance per m ³ of wardrobe or drawer is reached Application frequency: Effective for 3 months, only if necessary repeat treatment after recommended time and maximal application 4 times per year.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Paper box that contains 3 products with its own primary packaging. Packaging material: plastic, LDPE The bag is made of 60 % PP and 40 % viscose with an average weight of 60 g/m ² and an average thickness of 0.65 mm. Foil: 85-90x135-140mm; Folding box: 105x162x38mm. Transfluthrin: 5,7 mg/bag; this applies to: OPTIMUM MOTTEN AKTIVPERLEN RUBIN DUFTENDE MOTTENSCHUTZ-SÄCKCHEN Sachet Anti Mites (Lavande) Duftendes Mottensäckchen Foil: 85-90x135-140mm; folding box: 105x162x38mm or 94x165x40mm. Transfluthrin: 15 mg/bag; this applies to: inseko Textilschutz-Säckchen

2.1.4.8 Use-specific instructions for use

Put the arrowhead of the enclosed hook through the hole at the border of the flavour bag- Don't open the bags.

OPTIMUM MOTTEN AKTIVPERLEN: Apply 3 bags per m³ wardrobe or drawer

RUBIN DUFTENDE MOTTENSCHUTZ-SÄCKCHEN: Apply 3 bags per m³ wardrobe or drawer

Sachet Anti Mites (Lavande): Apply 3 bags per m³ wardrobe or drawer

Duftendes Mottensäckchen: Apply 3 bags per m³ wardrobe or drawer

Inseko Textilschutz-Säckchen: Apply 1 bag per m³ wardrobe or drawer
 Adapt the number of flavour bags according to the volume of the treated wardrobe or drawer.
 Use the product for 3 months and repeat treatment only if necessary.

2.1.4.9 Use-specific risk mitigation measures

For use only in areas that are inaccessible to infants, children, companion animals (specifically cats) and non-target animals. (N114)
 Do not store or use near food, drink and animal feedingstuffs.(N301+160)
 No application in rooms, where fish tanks and terrariums are present.
 Avoid contact with eyes.
 During application, ventilate rooms on a regular basis.

2.1.4.10 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

2.1.4.11 Where specific to the use, the instructions for safe disposal of the product and its packaging

2.1.4.12 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Do not store above 40°C. Protect from frost.

2.1.4.13 Use description

Table 1. Meta SPC 3 Use # 1 – Insecticide – (adult and larvae) clothes moths and carpet beetles – non-professional users – passive diffuser – indoor – flavour bags

Product Type	Product type 18: Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Insecticide
Target organism (including development stage)	Scientific name: Tineidae: <i>Tineola bisselliella</i> , common name: clothes moth, development stage: adults and larvae

	Scientific name: Dermestidae: <i>Anthrenus verbasci</i> , common name: carpet beetle, development stage: adults and larvae
Field of use	Insecticide for indoor use
Application method(s)	Flavour bags with impregnated granules (passive diffuser) to be used in wardrobes and drawers against clothes moths and carpet beetles (open system).
Application rate(s) and frequency	Application rate: use number of bags until 15 mg of active substance per m ³ of wardrobe or drawer is reached Application frequency: Effective for 3 months, only if necessary repeat treatment after recommended time and maximal application 4 times per year.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Paper box that contains 3 products with its own primary packaging. Packaging material: plastic, LDPE The bag is made of 60 % PP and 40 % viscose with an average weight of 60 g/m ² and an average thickness of 0.65 mm. Foil: 85-90x135-140mm; folding box: 105x162x38mm or 94x165x40mm . Transfluthrin: 15 mg/bag; this applies to: PROFISSIMO MOTTENSCHUTZ-DUFTSÄCKCHEN AEROXON TEXTILSCHUTZ SÄCKCHEN Profissimo vonné vrecká na ochranu proti moliam Profissimo Vonne sáčky proti šatnim molům Profissimo molyirtó tasak terrasan Home Textilschutz-Säckchen Vandal Blütenfrisch-Mottenkissen Nexa Lotte Mottenschutz Kissen Sachet Anti Mites (Parfum frais) Textilschutz-Säckchen

2.1.4.14 Use-specific instructions for use

Put the arrowhead of the enclosed hook through the hole at the border of the flavour bag. Don't open the bags.

PROFISSIMO MOTTENSCHUTZ-DUFTSÄCKCHEN
AEROXON TEXTILSCHUTZ SÄCKCHEN
Profissimo vonné vrecká na ochranu proti moliam
Profissimo Vonne sáčky proti šatnim molům
Profissimo molyirtó tasak
terrasan Home Textilschutz-Säckchen
Vandal Blütenfrisch-Mottenkissen
Nexa Lotte Mottenschutz Kissen
Sachet Anti Mites (Parfum frais)
Textilschutz-Säckchen: Apply 1 bag per m³ wardrobe or drawer
Adapt the number of flavour bags according to the volume of the treated wardrobe or

drawer.

Use the product for 3 months and repeat treatment only if necessary.

2.1.4.15 Use-specific risk mitigation measures

For use only in areas that are inaccessible to infants, children, companion animals (specifically cats) and non-target animals. (N114)

Do not store or use near food, drink and animal feedingstuffs.(N301+160)

No application in rooms, where fish tanks and terrariums are present.

2.1.4.16 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

2.1.4.17 Where specific to the use, the instructions for safe disposal of the product and its packaging

2.1.4.18 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Do not store above 40°C. Protect from frost.

2.1.5 General directions for use

2.1.5.1 Instructions for use

Cf. to use-specific instructions for use.

2.1.5.2 Risk mitigation measures

Cf. to use-specific risk mitigation measures.

2.1.5.3 Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Likely direct or indirect effects:

Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

First aid instructions:

General: Seek medical advice if symptoms occur and show packing or label. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place and transport in recovery position.

In case of skin contact wash with soap and plenty of water.

In case of eye contact flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

In case of ingestion rinse mouth with cold water. Do not induce vomiting. If patient is conscious, give a glass of water.

Emergency measures to protect the environment:

Do not allow to enter into surface water or drains. In case of entry into waterways, soil or drains in larger quantities, inform the responsible authorities. Methods and material for containment and cleaning up: take up mechanically and collect in suitable container for disposal.

2.1.5.4 Instructions for safe disposal of the product and its packaging

The unused product must be disposed of as hazardous waste according to national regulations.

The empty packaging of the product and the product after 3 months of use can be disposed of with household waste according to national regulations.

Disposal of product and packaging: waste disposal key: EWC : 20 01 19

2.1.5.5 Conditions of storage and shelf-life of the product under normal conditions of storage

Store at dry and cool places. Protect from heat and direct sunlight. Protect from frost. The long term storage stability study shows that the Moth protection paper meta SPC1 products are stable at 25°C for 5 years; that the Moth protection flavour bag type 1 meta SPC 2 products are stable at 25°C for 4 years and the Moth protection flavour bag type 2 meta SPC 3 products are stable at 20°C for 3.5 years.

2.1.6 Other information

NA

2.1.7 Packaging of the biocidal product

Type of packaging	Size/volume of the packaging	Material of the packaging	Type and material of closure(s)	Intended user (e.g. professional, non-professional)	Compatibility of the product with the proposed packaging materials (Yes/No)
Moth protection paper meta SPC 1 (Impregnated paper)	See section 2.1.4.1	plastic: Biaxially oriented polypropylene (BOPP) film coated on both sides with an aqueous dispersion of polyvinylidene chloride (PVdC) copolymer or composite of biaxially oriented polyester with a coextruded sealing barrier layer made of polyethylene, EVOH, polyethylene	Not applicable	Non-professional	Yes
Moth protection flavour bag type 1 and 2 meta SPC 2 and 3	LDPE foil: 85-90 x 135-140 mm Paper box: 105 x 162 x 38 mm 94 x 165 x 40 mm	primary packaging: plastic: LDPE secondary packaging: paper box that contains 3 bags The bag is	Not applicable	Non-professional	Yes

		made of 60 % PP and 40 % viscose with an average weight of 60 g/m ² and an average thickness of 0.65 mm.			
--	--	---	--	--	--

2.1.8 Documentation

2.1.8.1 Data submitted in relation to product application

The applicant submitted new data (P. Blondaz, 2015) on relevant endpoints and PNEC derivation for environment and ecotoxicity. The data has been evaluated by NL, who is the refMS for Transfluthrin in collaboration with DE and FR. The new data was discussed at the BPC ENV WG-IV-2017 (item 6.6a and 6.6b) and new PNECs based on the results were agreed. For more details and a summary of the evaluation please see section 2.2.8.1.

2.1.8.2 Access to documentation

A letter of access concerning Transfluthrin as approved by Commission Implementing Regulation (EU) No. 1036/2013 as an existing substance for PT 18 has been submitted. The letter of access authorizes the competent authorities to use, refer to and rely on the proprietary data to assess the applicant's application for the authorization of Anti-moth products in accordance with Regulation (EU) No. 528/2012 in the product type 18.

2.2 Assessment of the biocidal product (family)

2.2.1 Intended use(s) as applied for by the applicant

Intended use # 1 – Impregnated paper

Product Type(s)	EU BPR Product type 18: Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	To be used in wardrobes and drawers against clothes moths and carpet beetles for Non-professional users.
Target organism (including development stage)	Scientific name: Tineidae: <i>Tineola bisselliella</i> , common name: cloth moth, development stage: adults and larvae Scientific name: Dermestidae: <i>Anthrenus verbasci</i> , common name: carpet beetle, development stage: adults and larvae
Field of use	Insecticide for indoor use
Application method(s)	Open system: diffusion. Put one strip of 12 papers for wardrobe or drawer
Application rate(s) and frequency	Every 6 months
Category(ies) of user(s)	General public (non-professional)
Pack sizes and packaging material	Pack size 85x 150 mm, ready to use product , and the packaging material is plastic: LDPE

Intended use # 2 – Flavour bags

Product Type(s)	EU BPR Product type 18: Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	To be used in wardrobes and drawers against clothes moths and carpet beetles for Non-professional users.
Target organism (including development stage)	Scientific name: Tineidae: <i>Tineola bisselliella</i> , common name: cloth moth, development stage: adults and larvae Scientific name: Dermestidae: <i>Anthrenus verbasci</i> , common name: carpet beetle, development stage: adults and larvae
Field of use	Insecticide for indoor use
Application method(s)	Open system: diffusion. Put one bag for wardrobe or drawer
Application rate(s) and frequency	Every 3 months
Category(ies) of user(s)	General public (non-professional)

Pack sizes and packaging material	Packaging material: plastic, LDPE. Please refer to IUCLID dossier for individual pack sizes.
-----------------------------------	--

2.2.2 Physical, chemical and technical properties

The biocidal product family, in the form in which it is supplied to the user, consists of a paper strip or granules (bags) which have been treated with the biocidal product formulation. According to the Guidance on requirements for substances in articles (ECHA, 2017e) the biocidal product has to be considered as combination of formulation and an article (paper strip or granules in a bag). See section 2.1.2.3 for further explanation. As a consequence, with a few exemptions, only the physical, chemical and technical properties of the biocidal product formulation will be addressed.

Moth protection paper meta SPC 1:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Physical state at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: solid	NA
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6144-3	Mothpaper Liquid: liquid	Abbiati 2016b
Colour at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: The paper strips are white or with small drawings.	NA
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6144-3	Mothpaper Liquid: Yellowish liquid	Abbiati 2016b
Odour at 20 °C and 101.3 kPa	Olfactory method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: Odourless	NA
	Olfactory method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Mothpaper Liquid: characteristic	Safety Data Sheet
Acidity /	NA	NA	Article:	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
alkalinity			NA, the article is a paper strip	
	CIPAC MT 75.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6144-3	Mothpaper Liquid: pH of the test item "Mothpaper Liquid" as it is, proved to be 5.70 at 20°C. A 1% sample solution in water possesses a pH of 5.77. Since the pH value fell between 4 and 10, test range of non-applicability, the acidity/alkalinity evaluation (OECD 122) cannot be performed.	Abbiati 2016b
Relative density / bulk density	NA	NA	Article: NA, the article is a paper strip	NA
	OECD Guideline 109	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6144-3	Mothpaper Liquid: Test item relative density at 20°C was equal to 1.1197, its absolute density was 1.1236 g/cm ³ .	Abbiati 2016b
Storage stability test – accelerated storage	CIPAC MT 46.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: N059, MHD 08/2019	Article: The active substance content (mg per paper) remains stable. Study at 40°C for 8 weeks. Stored in commercially available packaging. Nominal content 30.0 mg. T0: 29.9 mg per moth paper (99.7%) T4weeks: 30.7 mg per moth paper (102%) T8weeks: 30.4 mg per moth paper (101%) No modification of the packaging during storage was observed.	Schwarzko pf 2018
	NA	NA	Mothpaper Liquid: NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Storage stability test – long term storage at ambient temperature	CIPAC MT 46.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: N059, MHD 08/2019	Article: Stored in commercially available packaging. The active substance content (mg per paper) remains stable at 25°C. Nominal content 30.0 mg. T0: 29.90 mg per moth paper (99.7%) 2.5 years: 28.90 mg (96.3%) 3 years: 28.5 mg (95.0%) 4 years: 29.8 mg (99.3%) 5 years: 29.7 mg (99.1%) No modification of the packaging during storage was observed.	Schwarzko pf 2018
	NA	NA	Mothpaper Liquid: NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Storage stability test – low temperature stability test for liquids	NA	NA	Article: The test can be waived; the label gives clear instructions that the product must be protected from frost. Mothpaper Liquid: NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Effects on content of the active substance and technical characteristics of the biocidal product – light	NA	NA	Article: No interaction with sunlight is expected during storage or during the use, since the package of the product is dark and the product will be placed into a wardrobe/drawer. Furthermore the active substance contained in the products does not absorb wavelengths greater than 290 nm. No reaction with the container material was	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>observed.</p> <p>Mothpaper Liquid: The liquid is not expected to be exposed to sunlight during the manufacturing process of the article.</p>	
Effects on content of the active substance and technical characteristics of the biocidal product – temperature and humidity	NA	NA	<p>Article: The effect of temperature was investigated in the accelerated stability studies. The active substance content remained in the acceptable range. No reactivity towards container material was observed. The humidity parameter was taken into account during the efficacy testing, performed under controlled humidity conditions (65+/-5% RH); the products have proved to be effective under the experimental conditions. Anyway, the effect of humidity was not investigated by a specific experimental study, because the product is sealed during storage and used indoor in wardrobes or closets, where high levels of relative humidity is of little importance under normal conditions.</p> <p>Mothpaper Liquid: During the manufacturing process, temperature and humidity are controlled, so the effects of temperature and humidity are considered to be not relevant.</p>	NA
Effects on content of the active substance and	NA	NA	<p>Article: No reaction with the container material was observed during the</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
technical characteristics of the biocidal product - reactivity towards container material			stability studies. Mothpaper Liquid: No reaction with the container material was observed during the manufacturing process of the liquid.	
Wettability	NA	NA	Article: The products are a ready-to-use products. The study is expected to be performed in the case of a solid product that has to be diluted. Mothpaper Liquid: The product is a viscous liquid formulation. The study is expected to be performed in the case of a solid product that have to be diluted.	NA
Suspensibility, spontaneity and dispersion stability	NA	NA	Article: The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The solution contained in the paper or in the bags, doesn't have this characteristics. Mothpaper Liquid: The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The product is a viscous liquid formulation.	NA
Wet sieve analysis and dry sieve test	NA	NA	Article: The products are a ready-to-use products. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The products do not have	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>this characteristic.</p> <p>Mothpaper Liquid: The product is a viscous liquid formulation. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The product does not have this characteristic.</p>	
Emulsifiability, re-emulsifiability and emulsion stability	NA	NA	<p>Article: The products are ready-to-use formulations. The study is expected to be performed in the case of an emulsion product. The products don't have this characteristic.</p> <p>Mothpaper Liquid: The product is a viscous liquid formulation. The study is expected to be performed in the case of an emulsion product.</p>	NA
Disintegration time	NA	NA	<p>Article: The products are ready-to-use formulations. The study is expected to be performed in the case of a tablet product.</p> <p>Mothpaper Liquid: The product is a viscous liquid formulation. The study is expected to be performed in the case of a tablet product.</p>	NA
Particle size distribution, content of dust/fines, attrition, friability	NA	NA	<p>Article: The study is expected to be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets.</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>Mothpaper Liquid: The study is expected to be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets. The product is a viscous liquid used to impregnate paper, so it does not have these characteristics.</p>	
Persistent foaming	NA	NA	<p>Article: The products are ready-to-use products. The study is expected to be performed in the case of a solid product that has to be diluted. The test is not applicable to the solution contained in the products.</p> <p>Mothpaper Liquid: The data are required when the product is applied in water for use. The product does not have these characteristics.</p>	NA
Flowability/Pourability/Dustability	NA	NA	<p>Article: The products are ready-to-use products. The study is not expected to be performed. Data are only required for granular formulations applied through application equipment that would subject the granules to pressure and/or heat, on suspensions, or on dustable powders.</p> <p>Mothpaper Liquid: The product is a viscous liquid formulation. The study is not expected to be performed. Data are only required for granular formulations applied</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			through application equipment that would subject the granules to pressure and/or heat, on suspensions, or on dustable powders.	
Burning rate – smoke generators	NA	NA	Article and Mothpaper Liquid: Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products under exam are not smoke generator.	NA
Burning completeness – smoke generators	NA	NA	Article and Mothpaper Liquid: Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products under exam are not smoke generator.	NA
Composition of smoke – smoke generators	NA	NA	Article and Mothpaper Liquid: The test is required for smoke generator products. The products under exam are not smoke generator.	NA
Spraying pattern – aerosols	NA	NA	Article and Mothpaper Liquid: The products under exam are not spray formulation.	NA
Physical compatibility	NA	NA	Article and Mothpaper Liquid: The use of the products in combination with other products is not foreseen.	NA
Chemical compatibility	NA	NA	Article and Mothpaper Liquid: The use of the products in combination with other products is not foreseen.	NA
Degree of dissolution	NA	NA	Article and Mothpaper Liquid:	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
and dilution stability			The test is required for products used in a water soluble bag and for all tablets. The products under exam don't have these characteristics.	
Surface tension	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The biocidal products under exam are ready-to-use solids products containing a liquid solution. The whole product consists of paper (or bags) containing the solution. For this reason the test was avoided.	NA
	NA	NA	Mothpaper Liquid: The liquid used to impregnate the moth paper products displays a very high viscosity, because the formulation is printed on a paper sheet with an offset printing machine, to have the final article. For this reason, a surface tension test performed according to EC method A.5 and OECD Test Guideline 115 was technically not feasible. Please, refer to the Viscosity endpoint for dynamic and kinematic viscosity data.	NA
Viscosity	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The whole product consists of a paper printed with the solution. For this reason the test was avoided.	NA
	OECD Test guideline 114	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9046-3	Mothpaper Liquid: Result for the given substance was: - dynamic viscosity: 750 dPas (at 20°C) and 450 dPas (at 40°C)	Annowatec 2019

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>- kinematic viscosity: 0.068 m²/sec (at 20°C) and 0.041 m²/sec (at 40°C). For pictures of the liquid during manufacturing refer to the confidential annex.</p>	
	OECD guideline 114	Batch No. EATFTJ005, 99.1% (w/w)	a.s.: 181.9 mPa·s at 20°C 35.65 mPa·s at 40°C	Rexer, K and Bittner, P (2005) Physical, Chemical and Technical Properties of Transfluthrin, Bayer CropScience GmbH, Report No. WIR0132 (PC) 01BES Ref: M-253445-01-102.06.05 GLP, unpublished

Moth protection flavour bag type 1 SPC 2:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Physical state at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: solid	NA
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Moth protection flavour bag type 1 (Anti-moth bag liquid Perfume 1): liquid	Safety Data Sheet
Colour at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: White granules impregnated with liquid mixture	Safety Data Sheet
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Moth protection flavour bag type 1 (Anti-moth bag liquid Perfume 1): white	Safety Data Sheet
Odour at 20 °C and 101.3 kPa	visual method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article	Safety Data Sheet
	visual method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1)	Safety Data Sheet
Acidity / alkalinity	NA	NA	Article: NA, the article is a granule	NA
	NA	NA	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The major part of the solution is made up of the perfume co-formulant (ref. confidential annex). According to the safety data sheet, the perfume is practically not soluble in water. Moreover, the a.s. solubility in water is < 0.01 mg/L. According to the ECHA guideline, the pH determination is required in the case of	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			solid and non-aqueous liquid biocidal products which are to be applied as aqueous dilutions or dispersions. Since the formulation is not intended to be applied in this manner, the study is waived.	
Relative density / bulk density	NA	NA	Article: NA, the article is a granule	NA
	NA	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The most of the solution is made up of the perfume co-formulant (ref. confidential annex). For this reason, it was assumed the density of the solution is determined by this component, and the study was not deemed necessary. According to the SDS of the perfume, the density at 20°C is 0.92 g/cm ³ .	Safety Data Sheet
Storage stability test – accelerated storage	CIPAC MT 46.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 14087	Article: Transfluthrin; nominal value 5.7 mg. The samples were stored at 40°C in the commercially available packaging. Analysis 0 point: 7.3 mg (128%) Analysis 4 weeks: 7.1 mg (125%) Analysis 8 weeks: 5.9 mg (104%) The SoCs originate from intentionally added co-formulants to the biocidal product. This co-formulant is used as supplied by a company. It is not expected that substances in the biocidal product can degrade to identified SoCs. Hence, it is expected that they cannot	Schwarzko pf 2019a

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			possibly increase during manufacture and storage of the biocidal product.	
	NA	NA	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Storage stability test – long term storage at ambient temperature	NA at the moment	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 14087	Article: Transfluthrin; nominal value 5.7 mg. The active substance is stored at 25°C in the commercially available packaging. The active substance is stable. T0: 7.3 mg (128%) T4 years: 6.9 mg (121%) After 4 years the sachets are slightly yellow and are intact. The sachets are made of non-woven viscose which are used as packaging materials. Inside of the sachets there is the support material with the active substance. Yellowing is a common phenomenon for viscose and is not related to the active substance. The degradation rate of the active substance during long term storage is below 10%. There are no experiences in use that indicate a disintegration of the bags. The SoCs originate from intentionally added co-formulants to the biocidal product. This co-formulant is used as supplied by a company. It is not expected that substances in the biocidal product can degrade to identified SoCs. Hence, it is	Schwarzko pf 2019a

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			expected that they cannot possibly increase during manufacture and storage of the biocidal product.	
	NA	NA	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Storage stability test – low temperature stability test for liquids	NA	NA	Article: The test can be waived, the label gives clear instructions that the product must be protected from frost. Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Effects on content of the active substance and technical characteristics of the biocidal product - light	NA	NA	Article: No interaction with sunlight is expected during storage or during the use, since the package of the product is dark and the product will be used into a wardrobe. Furthermore the active substance contained in the products do not absorb wavelengths greater than 290 nm. No reaction with the container material was observed. Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The liquid is not expected to be exposed to sunlight during the manufacturing process of the article.	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Effects on content of the active substance and technical characteristics of the biocidal product - temperature and humidity	NA	NA	<p>Article: The effect of temperature was investigated in the accelerated stability studies. The active substance content remained in the acceptable range. No reactivity towards container material was observed. The humidity parameter was taken into account during the efficacy testing, performed under controlled humidity conditions (65+/-5% RH); the products have proved to be effective under the experimental conditions. Anyway, the effect of humidity was not investigated by a specific experimental study, because the product is sealed during storage and used indoor in wardrobes or closets, where high levels of relative humidity is of little importance under normal conditions.</p> <p>Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): During the manufacturing process, temperature and humidity are controlled, so the effects of temperature and humidity are considered to be not relevant.</p>	NA
Effects on content of the active substance and technical characteristics of the biocidal product - reactivity	NA	NA	<p>Article: No reaction with the container material was observed during the stability studies.</p> <p>Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1):</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
towards container material			No reaction with the container material was observed during the manufacturing process of the liquid.	
Wettability	NA	NA	Article: The test is only applicable to water dispersible products and has been waived. Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The test is only applicable to water dispersible products and has been waived.	NA
Suspensibility, spontaneity and dispersion stability	NA	NA	Article: The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The solution contained in the paper or in the bags, doesn't have this characteristics. The test has been waived Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The product is a liquid formulation. The test has been waived.	NA
Wet sieve analysis and dry sieve test	NA	NA	Article: The products are ready-to-use products. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The products do not have these characteristics. The	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			test has been waived. Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The product is a liquid formulation. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The product does not have these characteristics. The test has been waived.	
Emulsifiability, re-emulsifiability and emulsion stability	NA	NA	Article: The products are ready-to-use formulation. The study is expected to be performed in the case of an emulsifiable product. The test has been waived Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The product is a liquid formulation. The study is expected to be performed in the case of emulsifiable products The test has been waived.	NA
Disintegration time	NA	NA	Article: The products are ready-to-use formulations. The study is expected to be performed in the case of a product in tablets. The test has been waived. Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The product is a liquid formulation. The study is expected to be performed in the case of a product in tablets. The test has been waived.	NA
Particle size distribution,	NA	NA	Article: The study is expected to	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
content of dust/fines, attrition, friability			<p>be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets. The products do not have these characteristics.</p> <p>Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The study is expected to be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets. The product is a liquid used to impregnate granules, so it does not have these characteristics.</p>	
Persistent foaming	NA	NA	<p>Article: The products are ready-to-use products. The study is expected to be performed in the case of preparations to be dispersed in water. The test has been waived.</p> <p>Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The data are required when the product is applied in water for use. The test has been waived.</p>	NA
Flowability/Pourability/Dustability	NA	NA	<p>Article: The products are ready-to-use products. The study is not expected to be performed. Data are only required for granular formulations applied through application equipment that would</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>subject the granules to pressure and/or heat, on suspensions, or on dustable powders. The test has been waived.</p> <p>Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The product is a liquid formulation. The study is not expected to be performed. Data are only required for granular formulations applied through application equipment that would subject the granules to pressure and/or heat, on suspensions, or on dustable powders. The test has been waived.</p>	
Burning rate – smoke generators	NA	NA	<p>Article and Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1):</p> <p>Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products are not applied in such fashion.</p>	NA
Burning completeness – smoke generators	NA	NA	<p>Article and Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1):</p> <p>Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products are not applied in such fashion.</p>	NA
Composition	NA	NA	Article and Moth	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
of smoke — smoke generators			protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The test is required for smoke generator products. The products are not applied in such fashion.	
Spraying pattern — aerosols	NA	NA	Article and Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The products are not applied in such fashion.	NA
Physical compatibility	NA	NA	Article and Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The use of the products in combination with other products is not intended.	NA
Chemical compatibility	NA	NA	Article and Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): The use of the products in combination with other products is not intended.	NA
Degree of dissolution and dilution stability	NA	NA	Article and Anti-moth sachet liquid (Perfume 1): The test is required for products used in a water soluble bag and for all tablets. The products under exam don't have these characteristics.	NA
Surface tension	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The article consists of a bag containing granules impregnated with the solution. For this reasons the endpoint has been waived.	NA
	EU Method	Purity of	Moth protection flavour	Mazzei

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
	A.5 OECD 115	transfluthrin: ≥98.5% (w/w) Lot n° tested: 9052	bag type 1 (Anti-moth sachet liquid Perfume 1): According to test method A.5, the surface tension of the sample labelled as Anti-moth sachet liquid containing "Perfume 1" is 29.1 mN/m, at 20°C.	2019a
Viscosity	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The article consists of a bag containing granules impregnated with the solution. For this reasons the endpoint was waived.	NA
	OECD Test guideline 114	Purity of transfluthrin: ≥98.5% (w/w) Lot n° tested: 9010	Moth protection flavour bag type 1 (Anti-moth sachet liquid Perfume 1): Result for the given substance was: - dynamic viscosity: 7.33 mPas (at 20°C) and 4.5 mPas (at 40°C) - kinematic viscosity: 8.05 x 10 ⁻⁷ m ² /sec (at 20°C) and 4.95 x 10 ⁻⁷ m ² /sec (at 40°C).	Annowatec 2019

Moth protection flavour bag SPC 3:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Physical state at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: solid	NA
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6125	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): liquid	Abbiati 2016a
Colour at 20 °C and 101.3 kPa	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: white	Safety Data Sheet
	visual method	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6125	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): Yellowish liquid	Abbiati 2016a
Odour at 20 °C and 101.3 kPa	visual method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Article: fresh	Safety Data Sheet
	visual method (weight of evidence)	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: NA	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): Fresh	Safety Data Sheet
Acidity / alkalinity	NA	NA	Article: NA, the article is a granule	NA
	CIPAC MT 75 OECD Guideline 122	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6125	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): pH of the test item "Anti-Moth Sachet Liquid" as it is, proved to be 5.33 at 20°C. A 1% sample solution in water possesses a pH of 5.47. Since the pH value fell between 4 and 10, test range of non-applicability, the acidity/alkalinity evaluation (OECD 122) cannot be performed.	Abbiati 2016a
Relative	NA	NA	Article:	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
density / bulk density			NA, the article is a granule	
	OECD Guideline 109	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 6125	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): Test item relative density at 20°C was equal to 0.8015, it's absolute density was 0.8032 g/cm ³ .	Abbiati 2016a
Storage stability test - accelerated storage	CIPAC MT 46.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 5131	Article: The active substance content (mg per bag) remains stable. Storage at 35°C in the commercially available packaging. Nominal content 15.0 mg. T0: 15.7 mg (105%) T2weeks: 14.5 mg (97%) T4weeks: 14.9 mg (100%) T12weeks: 14.3 mg (95%) During storage the bags became slightly yellowish. The sachets are made of non-woven viscose which are used as packaging materials. Inside of the sachets there is the support material with the active substance. Yellowing is a common phenomenon for viscose and is not related to the active substance. The degradation rate of the active substance during accelerated storage is below 10%.The SoCs originate from intentionally added co-formulants to the biocidal product. This co-formulant is used as supplied by a company. It is not expected that substances in the biocidal product can degrade to identified SoCs. Hence, it is expected that they cannot	Warthema nn 2015 Schwarzko pf 2019

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			possibly increase during manufacture and storage of the biocidal product.	
	NA	NA	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Storage stability test – long term storage at ambient temperature	CIPAC MT 46.3	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 5131	Article: The active substance content remains stable for 3.5 years. Nominal content 15.0 mg. Storage at 20°C in the commercially available packaging. T0: 15.7 mg (105%) 1 year: 15.1 mg (101%) 3.5 years: 15.2 mg (101%) 4.5 years: 12.6 mg (84%) After storage for 4.5 years at 20°C the sachets appear slightly yellow. The sachets are made of non-woven viscose which are used as packaging materials. Inside of the sachets there is the support material with the active substance. Yellowing is a common phenomenon for viscose and is not related to the active substance. The degradation rate of the active substance during long term storage is higher 10% after 4.5 years of storage. Meta SPC 3 is considered stable at the above mentioned storage conditions for 3.5 years as the active substance degradation at this time was below 10%. There are no experiences in use that indicate a	Schwarzko pf 2019b

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			disintegration of the bags. The SoCs originate from intentionally added co-formulants to the biocidal product. This co-formulant is used as supplied by a company. It is not expected that substances in the biocidal product can degrade to identified SoCs. Hence, it is expected that they cannot possibly increase during manufacture and storage of the biocidal product.	
	NA	NA	Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Storage stability test – low temperature stability test for liquids	NA	NA	Article: The test can be waived, the label gives clear instructions that the product must be protected from frost. Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): NA, the liquid is not placed on the market but only used in the manufacturing process of the final article.	NA
Effects on content of the active substance and technical characteristics of the biocidal product – light	NA	NA	Article: No interaction with sunlight is expected during storage or during the use, since the package of the product is dark and the product will be used into a wardrobe. Furthermore the active substances contained in the products does not absorb wavelengths greater than 290 nm. No	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			<p>reaction with the container material was observed</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The liquid is not expected to be exposed to sunlight during the manufacturing process of the article.</p>	
<p>Effects on content of the active substance and technical characteristics of the biocidal product – temperature and humidity</p>	NA	NA	<p>Article:</p> <p>The effect of temperature was investigated in the accelerated stability studies. The active substance content remained in the acceptable range when stored at 35°C for 12 weeks. No reactivity towards container material was observed. The humidity parameter was taken into account during the efficacy testing, performed under controlled humidity conditions (65+/-5% RH); the products have proved to be effective under the experimental conditions. Anyway, the effect of humidity was not investigated by a specific experimental study, because the product is sealed during storage and used indoor in wardrobes or closets, where high levels of relative humidity is of little importance under normal conditions.</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): During the manufacturing process, temperature and humidity are controlled, so the effects of</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			temperature and humidity are considered to be not relevant.	
Effects on content of the active substance and technical characteristics of the biocidal product - reactivity towards container material	NA	NA	Article: No reaction with the container material was observed during the stability studies. Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): No reaction with the container material was observed during the manufacturing process of the liquid.	NA
Wettability	NA	NA	Article: The test is only applicable to water dispersible products and has been waived. Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The test is only applicable to water dispersible products and has been waived.	NA
Suspensibility, spontaneity and dispersion stability	NA	NA	Article: The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The solution contained in the paper or in the bags, doesn't have this characteristics. The test has been waived Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The study is expected to be performed in case of wettable powders, water dispersible granules, or water dispersible powders. The product is a liquid	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			formulation. The test has been waived.	
Wet sieve analysis and dry sieve test	NA	NA	<p>Article: The products are ready-to-use products. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The products do not have these characteristics. The test has been waived.</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The product is a liquid formulation. The study is expected to be performed on dust, wettable powders, suspension concentrates, and capsule suspensions. The product does not have these characteristics. The test has been waived.</p>	NA
Emulsifiability, re-emulsifiability and emulsion stability	NA	NA	<p>Article: The products are ready-to-use formulation. The study is expected to be performed in the case of an emulsifiable product. The test has been waived</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The product is a liquid formulation. The study is expected to be performed in the case of emulsifiable products The test has been waived.</p>	NA
Disintegration time	NA	NA	<p>Article: The products are ready-to-use formulations. The study is expected to be performed in the case of a product in tablets. The test has been waived.</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The product is a liquid formulation. The study is expected to be performed in the case of a product in tablets. The test has been waived.	
Particle size distribution, content of dust/fines, attrition, friability	NA	NA	<p>Article: The study is expected to be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets. The products do not have these characteristics.</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The study is expected to be performed in the case of powder biocidal products and granules, and products that are applied in a manner that generates exposure to aerosols, particles or droplets. The product is a liquid used to impregnate granules, so it does not have these characteristics.</p>	NA
Persistent foaming	NA	NA	<p>Article: The products are ready-to-use products. The study is expected to be performed in the case of preparations to be dispersed in water. The test has been waived.</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The data are required</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			when the product is applied in water for use. The test has been waived	
Flowability/Pourability/Dustability	NA	NA	<p>Article: The products are ready-to-use products. The study is not expected to be performed. Data are only required for granular formulations applied through application equipment that would subject the granules to pressure and/or heat, on suspensions, or on dustable powders. The test has been waived.</p> <p>Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The product is a liquid formulation. The study is not expected to be performed. Data are only required for granular formulations applied through application equipment that would subject the granules to pressure and/or heat, on suspensions, or on dustable powders. The test has been waived.</p>	NA
Burning rate — smoke generators	NA	NA	<p>Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products are not applied in such fashion.</p>	NA
Burning completeness — smoke generators	NA	NA	<p>Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2):</p>	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			Evidence is required that the preparation may be satisfactorily applied as a smoke and that the burning rate and burning completeness support the proposed use. The products are not applied in such fashion.	
Composition of smoke — smoke generators	NA	NA	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The test is required for smoke generator products. The products are not applied in such fashion.	NA
Spraying pattern — aerosols	NA	NA	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The products are not applied in such fashion.	NA
Physical compatibility	NA	NA	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The use of the products in combination with other products is not intended	NA
Chemical compatibility	NA	NA	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The use of the products in combination with other products is not intended.	NA
Degree of dissolution and dilution stability	NA	NA	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): The test is required for products used in a water soluble bag and for all	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			tablets. The products under exam don't have these characteristics.	
Surface tension	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The article consists of a bag containing granules impregnated with the solution. For this reasons the endpoint has been waived.	NA
	EU Method A.5 OECD 115	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9023	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): According to test method A.5, the surface tension of the sample labelled as Anti-moth sachet liquid containing is 25.4 mN/m, at 25°C.	Mazzei 2019b
Viscosity	NA	NA	Article: This test is provided for biocidal products in liquid formulation. The article consists of a bag containing granules impregnated with the solution. For this reasons the endpoint has been waived.	NA
	OECD Test guideline 114	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9023	Article and Moth protection flavour bag type 2 (Anti-moth sachet liquid Perfume 2): Dynamic Viscosity (20°C): 2.75 mPas Dynamic Viscosity (40°C): 2.10 mPas Kinematic Viscosity (20°C): 3.42×10^{-7} m ² /s Kinematic Viscosity (40°C): 2.61×10^{-7} m ² /s	Annowatec 2019 Wessel 2017

Conclusion on the physical, chemical and technical properties of the product

The conclusion on the physical, chemical and technical properties of the product is as follows:

The products are liquid formulations. The paper strips (meta SPC1) are white and printed either on one or both sides. Mostly the paper strips are impregnated with the active substance on one side and the other side is printed with colour only. The viscosity of the active substance and of the moth paper liquid is stated for which Transfluthrin is mixed with printing colours. The bag formulations (meta SPC2 and 3) consist of a spunlace bag which is white or with small drawings. The biocidal products are applied onto the carriers. Meta SPC 2 consists of 2 products which differ only slightly in the active substance content and contain mainly co-formulants. Therefore, both formulations of meta SPC 2 can be considered as representative for this meta SPC as their physico-chemical properties are expected to be in very small margin. All physico-chemical tests are conducted with product 1 of meta SPC 2.

For further information please refer to the confidential annex.

2.2.3 Physical hazards and respective characteristics

Moth protection paper meta SPC 1:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Explosives	NA	NA	No chemical groups present which indicate explosive properties.	NA
Flammable gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Flammable aerosols	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for aerosol products (with gas under pressure). For	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			this reason the test can be waived.	
Oxidising gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Gases under pressure	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Flammable liquids	Method A.9* Method ISO 3679:2015	Purity of transfluthrin: ≥98.5% (w/w) Lot n° tested: 6144-3	Mothpaper Liquid: According to test method A.9, the flash point of sample labelled as Mothpaper liquid is 192.5°C.	Mazzei 2016a
Flammable solids	NA	NA	Article: According to CLP Regulation 1272/2008 "A flammable solid means a solid which is readily combustible, or may cause or contribute to fire through friction" The article comprises of a	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			paper carrier and the liquid biocidal product which is impregnated onto the carrier. Thus, the flash point of the article is mainly related to the paper used. The study has been waived.	
Self-reactive substances and mixtures	NA	NA	No chemical groups present which indicate explosive properties.	NA
Pyrophoric liquids	NA	NA	Liquid: The biocidal product is not classified as pyrophoric according to CLP Regulation 1272/2008. Furthermore no indication from use are accessible that demonstrate self-ignition after 5 minutes of exposure to air. The study has been waived.	NA
Pyrophoric solids	NA	NA	The article comprises of a paper carrier and the liquid biocidal product which is impregnated onto the carrier. The carrier is not classified as pyrophoric. The study has been	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			waived.	
Self-heating substances and mixtures	NA	NA	Liquid: The biocidal product is not classified as self-heating according to CLP Regulation 1272/2008	NA
Substances and mixtures which in contact with water emit flammable gases	NA	NA	Liquid: The use of the product in water is not provided in normal conditions of use.	NA
Oxidising liquids	NA	NA	Liquid: The biocidal product of meta SPC 1 consists of 100% active substance. For more information refer to confidential annex. The active substance was not classified as oxidising solid in the assessment report.	NA
Oxidising solids	NA	NA	Oxygen and chlorine are present in the biocidal product but they are only bonded to carbon atoms. The study has been waived.	NA
Organic peroxides	NA	NA	Liquid: The biocidal product does not contain a bivalent -O-O-structure.	NA
Corrosive to metals	NA	NA	Liquid:	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			The liquid product is not intended to be in contact with metal neither in use nor in storage. It is impregnated onto a carrier. The study has been waived.	
Auto-ignition temperatures of products (liquids and gases)	NA	NA	Liquid: Transfluthrin has an auto-ignition temperature of 367 °C.	NA
Relative self-ignition temperature for solids	EU Method A.16	Purity of transfluthrin: ≥98.5% (w/w) Lot n° tested: Q028	The moth protection paper self-ignition temperature is 301°C.	Younis 2014
Dust explosion hazard	NA	NA	Liquid: The biocidal product is liquid and the article is not prone to dusting.	NA

*An experimental study as for method A.9 of Regulation n. 440/2008 was performed in order to establish the flash point of the liquid representative product. As described in Regulation n. 440/2008, the performance of method A.9 by equilibrium method has to be performed according to ISO 1516, ISO 3680, ISO 1523, ISO 3679. The ISO 3679 method has also been followed to conduct the study, as specified in the study report provided by the sponsor. The method is listed in the table 2.6.3 annex I of CLP Regulation (which lists methods for determining the flash point of flammable liquids). For this reasons, the provided study is considered suitable to the requirements of flammable liquids endpoint.

Moth protection flavour bag type 1 meta SPC 2:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Explosives	NA	NA	No chemical groups present which indicate explosive properties.	NA
Flammable gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Flammable aerosols	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for aerosol products (with gas under pressure). For this reason the test can be waived.	NA
Oxidising gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Gases under pressure	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			required for gas and gas mixtures. For this reason the test can be waived.	
Flammable liquids	NA	Lot n° tested: NA	Anti-moth sachet liquid (Perfume 1): The majority of the biocidal product is the co-formulant perfume (ref. confidential annex). For this reason, it may be assumed that the flash point of the solution is determined by this component, and the study was not deemed necessary. According to the SDS of the co-formulant, the flash point is 80°C, thus the solution is not classified as flammable liquid, according to CLP Regulation 1272/2008.	Safety Data Sheet
Flammable solids	NA	NA	Article: According to Reg. CLP Regulation 1272/2008 "A flammable solid means a solid which is readily combustible, or may cause or contribute to	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			fire through friction" The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the carrier Thus, the flash point of the article is mainly related to the carrier used. The study has been waived.	
Self-reactive substances and mixtures	NA	NA	No chemical groups present which indicate explosive properties.	NA
Pyrophoric liquids	NA	NA	Liquid: The biocidal product is not classified as pyrophoric according to CLP Regulation 1272/2008. Furthermore no indication from use are accessible that demonstrate self-ignition after 5 minutes of exposure to air. The study has been waived.	NA
Pyrophoric solids	NA	NA	The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the carrier. The carrier is not	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			classified as pyrophoric. The study has been waived.	
Self-heating substances and mixtures	UN test N.4 for self-heating substances	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9351-1	Article: Due to the negative result at 140 °C (10 cm cube) the test item had not to be classified as "self-heating substance" in the sense of UN Manual of Tests and Criteria, Method N.4., and had not to be classified as "self-heating substance" according to chapter 2.11 of the GHS (CLP) regulations	Krack 2020a
Substances and mixtures which in contact with water emit flammable gases	NA	NA	Liquid: The use of the product in water is not provided in normal conditions of use.	NA
Oxidising liquids	NA	NA	Oxygen and chlorine are present in the biocidal product but they are only bonded to carbon atoms. The study has been waived.	NA
Oxidising solids	NA	NA	The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			carrier. The carrier is not classified as oxidising. The study has been waived.	
Organic peroxides	NA	NA	Liquid: The biocidal product does not contain a bivalent -O-O- structure and no indication is given in the SDS.	NA
Corrosive to metals	NA	NA	Liquid: The liquid product is not intended to be in contact with metal neither in use nor in storage. It is impregnated onto a carrier. The study has been waived.	NA
Auto-ignition temperatures of products (liquids and gases)	NA	NA	Liquid: Liquid products (without support) are only handled in the manufacturing plants, where conditions are controlled and monitored. Therefore, no ignition is expected when the liquid product is in contact with air and a hot surface during the manufacturing process. Additionally no contact to a hot	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			surface is expected for the article if used according to use instructions. For these reasons the study was waived.	
Relative self-ignition temperature for solids	UN test N.4 for self-heating substances	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9351-1	Article: Due to the negative result at 140 °C (10 cm cube) the test item had not to be classified as "self-heating substance" in the sense of UN Manual of Tests and Criteria, Method N.4., and had not to be classified as "self-heating substance" according to chapter 2.11 of the GHS (CLP) regulations	Krack 2020a
Dust explosion hazard	NA	NA	Liquid: The biocidal product is liquid and the article is not prone to dusting.	NA

Moth protection flavour bag type 2 meta SPC 3:

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Explosives	NA	NA	No chemical groups present which indicate explosive properties.	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
Flammable gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Flammable aerosols	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for aerosol products (with gas under pressure). For this reason the test can be waived.	NA
Oxidising gases	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Gases under pressure	NA	NA	Article and Liquid: According to CLP Regulation 1272/2008 these tests are required for gas and gas mixtures. For this reason the test can be waived.	NA
Flammable liquids	Method A.9*	Purity of	Anti-Moth	Mazzei 2016b

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
	Method ISO 3679:2015	transfluthrin: ≥98.5% (w/w) Lot n° tested: 6125	Sachet Liquid: According to test method A.9, the flash point of sample labelled as Anti-moth sachet liquid is 77°C.	
Flammable solids	NA	NA	Article: According to Reg. CLP Regulation 1272/2008 "A flammable solid means a solid which is readily combustible, or may cause or contribute to fire through friction" The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the carrier Thus, the flash point of the article is mainly related to the carrier used. The study has been waived.	NA
Self-reactive substances and mixtures	NA	NA	No chemical groups present which indicate explosive properties.	NA
Pyrophoric liquids	NA	NA	Liquid: The biocidal product is not classified as pyrophoric according to CLP Regulation 1272/2008.	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			Furthermore no indication from use are accessible that demonstrate self-ignition after 5 minutes of exposure to air. The study has been waived.	
Pyrophoric solids	NA	NA	The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the carrier. The carrier is not classified as pyrophoric. The study has been waived.	NA
Self-heating substances and mixtures	UN test N.4 for self-heating substances	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9346-2	Article: Due to the negative result at 140 °C (10 cm cube) the test item had not to be classified as "self-heating substance" in the sense of UN Manual of Tests and Criteria, Method N.4., and had not to be classified as "self-heating substance" according to chapter 2.11 of the GHS (CLP) regulations	Krack 2020b
Substances and mixtures which in contact with water	NA	NA	Liquid: The use of the product in	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
emit flammable gases			water is not provided in normal conditions of use.	
Oxidising liquids	NA	NA	Oxygen and chlorine are present in the biocidal product but they are only bonded to carbon atoms. The study has been waived.	NA
Oxidising solids	NA	NA	The article comprises of a granule carrier and the liquid biocidal product which is impregnated onto the carrier. The carrier is not classified as oxidising. The study has been waived.	NA
Organic peroxides	NA	NA	Liquid: The biocidal product does not contain a bivalent -O-O- structure and no indication is given in the SDS.	NA
Corrosive to metals	NA	NA	Liquid: The liquid product is not intended to be in contact with metal neither in use nor in storage. It is impregnated onto a carrier. The study has been waived.	NA
Auto-ignition temperatures of	NA	NA	Liquid: Liquid products	NA

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
products (liquids and gases)			(without support) are only handled in the manufacturing plants, where conditions are controlled and monitored. Therefore, no ignition is expected when the liquid product is in contact with air and hot surfaces during the manufacturing process. Additionally no contact to a hot surface is expected for the article if used according to use instructions. For these reasons the study was waived.	
Relative self-ignition temperature for solids	UN test N.4 for self-heating substances	Purity of transfluthrin: $\geq 98.5\%$ (w/w) Lot n° tested: 9346-2	Article: Due to the negative result at 140 °C (10 cm cube) the test item had not to be classified as "self-heating substance" in the sense of UN Manual of Tests and Criteria, Method N.4., and had not to be classified as "self-heating substance" according to	Krack 2020b

Property	Guideline and Method	Purity of the test substance (% (w/w))	Results	Reference
			chapter 2.11 of the GHS (CLP) regulations	
Dust explosion hazard	NA	NA	Liquid: The biocidal product is liquid and the article is not prone to dusting.	NA

**An experimental study as for method A.9 of Regulation n. 440/2008 was performed in order to establish the flash point of the liquid representative product. As described in Regulation n. 440/2008, the performance of method A.9 by equilibrium method has to be performed according to ISO 1516, ISO 3680, ISO 1523, ISO 3679. The ISO 3679 method has also been followed to conduct the study, as specified in the study report provided by the sponsor. The method is listed in the table 2.6.3 annex I of CLP Regulation (which lists methods for determining the flash point of flammable liquids). For this reasons, the provided study is considered suitable to the requirements of flammable liquids endpoint.

Conclusion on the physical hazards and respective characteristics of the product

The products have no physical hazard statements.

2.2.4 Methods for detection and identification

Analytical methods for the analysis of the product as such including the active substance, impurities and residues

Analyte (type of analyte e.g. active substance)	Analytical method	Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
<i>Transfluthrin</i> <i>Moth protection paper meta SPC 1</i>	ICH Topic Q 2 B "Guideline on validation of analytical procedures methodology" Extraction followed by GC-ECD	2	0.9989	Sufficient separation existing according to system suitability, none interference peaks	-	99.6	1.04	0.0029 mg/kg	Warthemann 2014
<i>Transfluthrin</i> <i>Moth protection</i>	ICH Topic Q 2 B "Guideline on	2	0.9989	Sufficient separation existing according	-	110.4	1.23	0.0029 mg/kg	Warthemann 2014

<i>n</i> flavour bag type 1 meta SPC 2	validation of analytical procedure s methodology" Extraction followed by GC-ECD			to system suitability, none interference peaks					
<i>Transfluthrin</i> <i>Moth protection</i> <i>n</i> flavour bag type 2 meta SPC 3	Extraction followed by ¹ H-NMR	6 calibration mixtures	0.9987	a. TF will be clearly visible and identifiable within the mixture of TF, Cofromulant 1 and perfume 1 and in extracts from loaded polypropylene; b. the doublet signal at 5.6 ppm is free from any overlapping with other signals and can be used for quantification	-	NMR: Mean 98,8% Extraction: mean 82,5%	-	0.35%	Lohmann 2016

Analytical methods for soil

Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
The test was not performed because in normal condition of use, soil contamination does not occur. The products are intended to be used indoor (inside the wardrobe). The products are disposable and all releases are directed to solid waste.									

Analytical methods for air									
Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
According to the ESD Guidance, under the proposed conditions of use, the active substance will be emitted in air. But the concentration in air will be not relevant because the instant dilution of transfluthrin. Furthermore, considering the relative small amount used and the volume of the atmospheric compartment, possible abiotic effects of transfluthrin on the atmosphere are expected to be negligible (from Risk Assessment report).									

Analytical methods for water									
Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
In The test was not performed because in normal condition of use, water contamination does not occur. The products are intended to be used indoor (inside the wardrobe). The products are disposable and all releases are directed to solid waste.									

Analytical methods for animal and human body fluids and tissues									
Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
Methods for analysis of transfluthrin residues in animal and human body fluids and tissues are not required, since transfluthrin is not classified as toxic or highly toxic for humans (The Netherlands, 2014).									

Analytical methods for monitoring of active substances and residues in food and feeding stuff									
Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RS D		
The biocidal products will not be used on any food or feed of plant and/or animal origin. Indirect exposure to transfluthrin as a result of contamination of food is possible. The estimation of potential exposure of the active substance to humans through diet and other means has been carried out.									

Worst case intake calculations showed that potential residue levels in food will be negligible. Therefore analytical methods for the analysis of transfluthrin residues in food or feed of plant and/or animal origin are not required (The Netherlands, 2014).

Analytical methods for the analysis of the product as such including the Substances of concern									
Analyte (type of analyte e.g. active substance)	Analytical method	Fortification range / Number of measurements	Linearity	Specificity	Recovery rate (%)			Limit of quantification (LOQ) or other limits	Reference
					Range	Mean	RSD		
Linalool	GC-FID	2 measurements	The calibration is linear.	The chromatograms of the standard solutions show no interference.		98,1			Haus 2020
Nopyl acetate	GC-FID	2 measurements	The calibration is linear.	The chromatograms of the standard solutions show no interference.		97,6			Haus 2020
Geraniol	GC-MS	2 measurements	The calibration is linear.	Quantification by FID signal not possible (peaks are not separated) . MS signal of		69,8			Haus 2020

				standard is used for quantification.					
Alpha-iso-methylionone (Isoraldein 70)	GC-MS	2 measurements	The calibration is linear.	Quantification by FID signal not possible (peaks are not separated) . MS signal of standard is used for quantification.		71,0			Haus 2020
Coformulant 1 (C12-C13)	GC-MS	2 measurements	The calibration is linear for low concentrations.	The chromatograms of the standard solutions show no interference.		64,8			Haus 2020

Conclusion on the methods for detection and identification of the product

The method is suited for measuring the concentration of transfluthrin in moth protection paper meta SPC 1, with a recovery rate of 99.6% and a relative standard deviation of 1.04% and in moth sachets with a recovery rate of 110.4% and a relative standard deviation of 1.23%.

Another method was developed in order to measure the concentration of transfluthrin in Moth protection flavour bag 2, based on NMR, and this was defined as method of choice. It can be assumed that the methods provided for meta SPC 2 and meta SPC 3 are applicable to the other meta SPC, because of the similarity of the biocidal products which differ mainly in the perfume and solvent used. The extraction from microporous material such as PP is more difficult as compared to other materials. Solvent penetration is restricted as PP micropores do not swell. A special hot extraction procedures ensure the complete extraction of transfluthrin from the loaded PP-polymer. With H-NMR method is possible to determine transfluthrin in mixture together with Coformulant 1 and Perfume 2. The hot extraction with ethyl acetate is an efficient method to recover TF from loaded polymer, but only if the loading is $\leq 30\%$, the drying conditions are held at $50^{\circ}\text{C} / 1\text{h}$ and the H-NMR determination of transfluthrin is performed with short notice. Under these conditions overall recovery including H-NMR quantification is 82% (at a target loading rate of $\leq 30\%$).

2.2.5 Efficacy against target organisms**2.2.5.1 Function and field of use**

The products are insecticides (product type 18) intended for use in clothes moth and carpet beetle control to protect clothes. The products are foreseen to be used inside wardrobes drawers for non-professional users and indoor use. The products are used to eliminate clothes moths and carpet beetles.

2.2.5.2 Organisms to be controlled and products, organisms or objects to be protected

Organisms to be controlled: clothes moths (*Tineola bisselliella*) and carpet beetles (*Anthrenus verbasci*), development stages: adults and larvae. Products to be protected: clothes and textiles.

2.2.5.3 Effects on target organisms, including unacceptable suffering

Transfluthrin is a highly effective fast-acting pyrethroid insecticide. Pyrethroids lead to reversible impairment of motor function and 'knockdown' in insect species that may be followed by death, depending upon the exposure level. Sublethal effects in insects, like incoordination and hyperactivity, may occur after acute exposure to about 1/10 of an insect LD50 dose. At higher exposure levels, the syndrome progresses from the initial period of hyperactivity and motor incoordination to tetanization, prostration, and convulsions followed by death (Wolansky, 2008).

2.2.5.4 Mode of action, including time delay

Pyrethroids target the nervous system of insects. All pyrethroids interact with the sodium channels; by keeping them open longer, they increase the likelihood of action potentials developing, thus creating a condition of hyperexcitability, whose main clinical symptom is tremors (Costa, 2015).

2.2.5.5 Efficacy data**Experimental data on the efficacy of the biocidal product against target organism(s)**

Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
Insecticide, PT18	Indoor use; type of user: non-professional	Moth protection flavour bag type 2 meta SPC 3 (to be applied in wardrobe/ drawers for use; passive diffusers). Amount of a.s.: 15 mg transfluthrin per 1000 dm ³	<i>Tineola bisselliella</i> , clothes moth <i>Anthrenus verbasci</i> , carpet beetle Adults and larvae were obtained from an in-house cultures of clothes moths <i>Tineola bisselliella</i> (strain origin University of Rennes, France) and carpet beetles <i>Anthrenus verbasci</i> (strain origin INRA France).	Simulation of the products' normal usage in wardrobes. Guidelines: - Manual for the Authorization of Pesticides - EU part - Biocides - Chapter 7 Efficacy - version 1.1; January 2013 at the § 11.2.2.2. - ISO 3998-1977 (E) - C.E.B. 135 bis French standard. Trial design: The trial is conducted in a testing volume representing a wardrobe : 150 cm high x 125 cm large x 50 cm wide (i.e. 1000 L = 1 m ³). The product is set into the test volume and is allowed to evaporate during 30 minutes before introducing the insects and the wool parts. The products were set into the test volumes only during the trial (i.e. a total duration of 24 to 48 hours). In between they were relocated into special chambers under controlled climatic conditions to evaporate freely. At set	DOSE: 1 sample in the test volume (1 m ³) = 1 bag (sachet). Concentration applied in the chamber: 15 mg/m ³ . Exposure time: 1-24 h. The experiment has been performed at the day of opening "opening of the product", after 2 months "2 months" and after 3 months "3 months". The products were set into the test volumes only during the trial.	Time of exposure to obtain 100% knockdown/mortality of the insects: Opening of the product Clothes moths ADULTS<1h LARVAE<1h Carpet beetle ADULTS<1h LARVAE<1h +2 months Clothes moths ADULTS<1h LARVAE<4h Carpet beetle ADULTS<4h LARVAE<4h +3 months Clothes moth ADULTS<4h LARVAE<8h Carpet beetle ADULTS<24h LARVAE<24h Damage to wool parts (due to larvae) rated according to the used standard documents: Opening of the product +2 months 1 +3 months 1 Untreated control serie has proved a low natural death rate of the insects during the trial (<10%) and a "4" rated class damage: the trial is validated.	Serrano 2014a

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
				<p>persistence assessment time points the product was reintroduced into new wardrobes. The death rate of both adults and larvae is assessed at regular time intervals until 24 hours (or more if necessary) after the insects' introduction.</p> <p>REPLICATES : 3 x 2 = 3 intra-block (3 batches of insects - adults + larvae - exposed in a same test volume) x 2 inter-block (Untreated control was performed using the same set-up with less test organisms).</p>			
Insecticide, PT18	Indoor use; type of user: non-professional	Moth protection paper SPC 1 (to be applied in wardrobe/ drawers for use; passive diffusers). Amount of a.s: 30 mg transfluthrin per 1000 dm ³	<i>Tineola bisselliella</i> , clothes moth <i>Anthrenus verbasci</i> , carpet beetle Adults and larvae were obtained from an in-house cultures of clothes	<p>Simulation of the products' normal usage in wardrobes.</p> <p>Guidelines: - Manual for the Authorization of Pesticides - EU part - Biocides - Chapter 7 Efficacy - version 1.1; January 2013 at the § 11.2.2.2. - ISO 3998-1977 (E) - C.E.B. 135 bis French standard.</p> <p>Trial design:</p>	DOSE: 1 sample in the test volume (1 m ³) Concentration applied in the chamber: 30 mg/m ³ . Exposure time: 1-48 h The experiment has been performed at the day of opening (opening of the	<p>Time of exposure to obtain 100% knockdown/mortality of the insects:</p> <p>Opening of the product Clothes moth ADULTS<1h LARVAE<1h Carpet beetle ADULTS < 2h LARVAE < 2h +3 months Clothes moth ADULTS<1h LARVAE<4h Carpet beetle ADULTS<4h LARVAE<4h</p>	Serrano 2014b

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
			<p>moths <i>Tineola bisselliella</i> (strain origin University of Rennes, France) and carpet beetles <i>Anthrenus verbasci</i> (strain origin INRA France).</p>	<p>The trial is conducted in a testing volume representing a wardrobe : 150 cm high x 125 cm large x 50 cm wide (i.e. 1000 L = 1 m³).</p> <p>The product is set into the test volume and is allowed to evaporate during 30 minutes before introducing the insects and the wool parts.</p> <p>The products were set into the test volumes only during the trial (i.e. a total duration of 24 to 48 hours). In between they were relocated into special chambers under controlled climatic conditions to evaporate freely. At set persistence assessment time points the product was reintroduced into new wardrobes.</p> <p>The death rate of both adults and larvae is assessed at regular time intervals until 24 hours (or more if necessary) after the insects' introduction.</p>	<p>product), after 3 months (+3 months) and after 6 months (+6 months).</p> <p>The products were set into the test volumes only during the trial.</p>	<p>+6 months Clothes moth ADULTS<4h LARVAE<24h Carpet beetle ADULTS<48h LARVAE<48h</p> <p>Damage to the wool parts (due to larvae) rated according to the used standard documents 1-4</p> <p>Opening of the product: 1 +3 months: 1 +6 months: 2</p> <p>The Untreated control series has proved a low natural death rate of the insects during the trial (<10%) and a "4" rated class damage: the trial is validated.</p>	

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
				<p>REPLICATES : 3 x 2 = 3 intra-block (3 batches of insects - adults + larvae - exposed in a same test volume) x 2 inter-block (2 different test volumes per product, as for the Untreated control).</p>			
Insecticide, PT18	Indoor use; type of user: non-professional	<p>Moth protection paper meta SPC 1 Transfluthrin concentration range: 0.2 g/m² paper (25 mg a.s./1000 dm³); 0.3 paper (37 mg a.s./1000 dm³); 0.4 g/m² paper. paper (50 mg a.s./1000 dm³)</p>	<p><i>Tineola bisselliella</i>, clothes moth (adults and second and third stage larvae)</p> <p><i>Anthrenus fasciatus</i>, carpet beetle (second and third stage larvae)</p>	<p>Guideline: "Guideline 10-2.1 for the testing of sparys and automatic spray systems against clothes moths".</p> <p>The study was performed in 0.555 m³ cupboards, divided at mid-height by a board leaving a 180 mm gap permitting air exchange between the upper and the lower shelves.</p> <p>The adult clothes moths (20 males/females) were kept on black fabric in glass dishes with rings, the larvae on unbleached woollen fabric.</p> <p>The beetle larvae (20 per batch) were kept on unbleached woollen fabric in</p>	<p><i>Tineola bisselliella</i> (adults and larvae hatched from the eggs laid): Concentration applied: 14, 21 and 28 mg a.s./1000 dm³ of wardrobe</p> <p><i>Anthrenus fasciatus</i> (2nd and 3rd stage larvae): Concentration applied: 14, 21 and 28 mg a.s./1000 dm³ of wardrobe</p>	<p><i>Tineola bisselliella</i> (adults):</p> <p>14 mg/1000 dm³ Transfluthrin week 1-26: Days taken to reach 100% mortality: 1 d; Number of larvae hatched from the eggs laid at weeks 12 (5), 16 (5), 20 (1) and 26 (30) Feeding damage: none detected</p> <p>21 mg/1000 dm³ transfluthrin, week 1 - 26: Days taken to reach 100% mortality: 1 d; Number of larvae hatched from the eggs laid at week 20 (3) and week 26 (30); Feeding damage: none detected</p> <p>28 mg/1000 dm³ transfluthrin</p>	Mrusek 1995

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
				<p>glass dishes. The test vessels were positioned on the cupboard floor and on the board at half height. The fabric, moth paper and insect material were placed in the cupboards simultaneously at the start of the study.</p> <p>For adults moths the evaluation included mortality. The larvae hatching from the laid eggs were counted and the fabric was examined for feeding damage. Larvae were assessed for mortality.</p> <p>For carpet beetles the larvae were assessed for mortality and wool damage.</p> <p>The studies continued for 26 weeks. Efficacy was assessed after 0,1,2,4,6,8,12,16,20,26 weeks.</p>		<p>week 1-26: Days taken to reach 100% mortality: 1 d; Number of larvae hatched from the eggs laid at week 26 (3); Feeding damage: none detected</p> <p>Larvae of <i>Tineola bisselliella</i></p> <p>14 mg/1000 dm³ transfluthrin week 0 days taken to reach 100% mortality: 6 , weeks 1-8: 1 day, week 12: 2 days, starting at week 16 only 95% Mortality was reached after 7 days, at week 20 only 65% after 14 days of exposure.</p> <p>Feeding damage did occur after week 0 and again after weeks 16 and 20.</p> <p>21 mg/1000 dm³ transfluthrin week 0 days taken to reach 100% mortality: 13 , weeks 1-12: 1 day, week 16: 2 days, starting at week 20 only 85% mortality was reached after 6 days, at</p>	

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
						<p>week 20 again 100% after 6 days.</p> <p>Feeding damage did occur after week 0 and again after week 20.</p> <p>28 mg/1000 dm³ transfluthrin week 0 days taken to reach 100% mortality: 6, weeks 1-12: 1 day, week 16: 2 days, weeks 20-26: 6 days.</p> <p>Feeding damage did occur after week 0.</p> <p><i>Anthrenus fasciatus</i> (2nd and 3rd stage larvae):</p> <p>14 mg/1000 dm³ transfluthrin week 0 days taken to reach 100% mortality: 5, week 1-6: 2 days, week 8-12: 6 days, at week 16 only 85% mortality was reached after 13 days, week 20: 35% after 14 days and week 26: 50% mortality after 13 days was reached</p> <p>Feeding damage occurred at week 0 and again from weeks 16-26;</p>	

Experimental data on the efficacy of the biocidal product against target organism(s)							
Function	Field of use envisaged	Test substance	Test organism(s)	Test method	Test system / concentrations applied / exposure time	Test results: effects	Reference
						21 mg/1000 dm ³ transfluthrin week 0 days taken to reach 100% mortality: 5 , week 1: 6 days, weeks 2-6 2 days, week 8-12 6 days, at week 16 13 days, starting at week 20 only 70% after 14 days and week 26 90% mortality after 13 days was reached Feeding damage occurred at weeks 20-26 28 mg/1000 dm ³ transfluthrin week 0 days taken to reach 100% mortality: 5 , weeks 1-8: 2 days, week 12: 6 days, week 16: 7 days, at week 20: 14 days and at week 26: 13 days. Feeding damage did not occur.	

To fulfil the requirement of a laboratory trial set by the guidance in force (CA-Dec12-Doc.6.2.a – Final) for clothes moths and carpet beetles data from the included literature study (Mrusek 1995) are used for a read across. In this study efficacy of moth papers impregnated with transfluthrin against clothes moths and carpet beetles has been demonstrated. The study has been performed on adults and larvae of *Tineola bisselliella* and larvae of *Anthrenus fasciatus*; transfluthrin has been tested in the concentration range of 14, 21 and 28 mg a.s./m³ of wardrobe, for 26 weeks (one season). The results demonstrate that more than 90% of mortality at the end of the exposure time was reached for adult clothes moths at all concentrations tested during the whole test duration (26 weeks). For clothes moths larvae more than 90% mortality

at the end of the exposure time was reached for 14 mg/m³ until week 12, for 21 mg/m³ until week 16 and for 28 mg/m³ until week 26.

For carpet beetle larvae more than 90% mortality at the end of the exposure time was reached for 14 mg/m³ until week 12, for 21 mg/m³ until week 16 and for 28 mg/m³ until week 26. Thus fulfilling the requirements for efficacy set by the guidance in force (CA-Dec12-Doc.6.2.a – Final).

The literature study (Mrsusek, 1995) does not include data on adult carpet beetles. We argue that due to the general lower susceptibility of larvae to the tested insecticide the tested concentrations are valid for adult members of the target species as well. Furthermore, in the simulated use trials (Serrano 2014 a/b) adult and larvae were tested showing the same trend.

The presented literature study (Mrusek, 1995) was performed using *Anthrenus fasciatus* and the presented simulated use studies (Serrano 2014 a/b) were performed using *Anthrenus verbasci* as test organism. The guidance in force (CA-Dec12-Doc.6.2.a – Final) states that for the claim protection against carpet beetles a species from either the *Anthrenus* genus or the *Anthrenocerus* genus has to be tested. Both carpet beetle species *Anthrenus fasciatus* Reitter (synonym: *Anthrenus flavipes*) and *Anthrenus verbasci* belong to the genus *Anthrenus*. The used species are closely related, and share the same ecological niche. Both species share significant similarities in feeding habits and behaviour (Peacock, 1993).

According to Peacock et al.: "Most *Anthrenus* larvae will damage wool, fur, skins and other material of animal origin.

"***Anthrenus verbasci* (Linnaeus)** is best known as a pest of woollen goods - carpets, bedding, clothes etc. -and it has been known to eat the glue of book bindings.

"***Anthrenus flavipes* LeConte** (the Furniture Carpet Beetle [USA]). Synonym: ***Anthrenus fasciatus* Reitter**. The larva feeds on any animal substances e.g. wool, hair, fur, feathers, bristles, horn, tortoise-shell, skins and dried insects.

Thus, based on the provided informations and comparable susceptibility behaviour shown in literature (Mrusek, 1995) and in the simulated use studies performed for this dossier (Serrano 2014 a/b), it is assumed that the two species share enough characteristics regarding relation, feeding preferences, susceptibility to the tested biocidal product and behaviour to allow a read across.

The guidance in force (CA-Dec12-Doc.6.2.a – Final) states: "In tests with vapour based products the door should be opened with a frequency resembling normal opening of a closet, to show that this does not reduce efficacy: once a day during completion of the assay, 5 seconds for drawers and 10 seconds for closets". Considering a closet, a 3 months period (which is the total duration of the simulated use test with the Moth protection flavour bag type 1 and 2 SPC 2 and 3) would result in a total of 15 minutes opened; a 6 months period (which is the total duration of the simulated use test with the Moth protection paper SPC 1) would result in a total of 30 minutes opened.

The requirement of periodically opening and closing of the test wardrobe during the simulated use trial may be derogated, due to the ventilation of the opened biocidal product in between the assays. In fact, the products were set into the test volumes only during the trial (i.e. a total duration of 24 to 48 hours). In between they were let to evaporation in a special chamber under controlled climatic conditions (smooth ventilation 1m³/h) and set into new wardrobes at each persistence assessment date for the respective exposure time (Serrano, 2017). In these conditions, the period of free evaporation is much longer than 30 minutes; for this reason, the results obtained in the trial can be considered reliable.

Silent active

The meta SPC 2 and 3 contain additionally to the active substance Transfluthrin one coformulant which is notified as biocidal active substance namely Geraniol which fulfils a different function in the formulation besides PT18 or 19. Geraniol is part of the used

perfume mixture which is supplied to the applicant. According to the CA-Documents CA-Sept13-Doc.6.2.b Rev.1 biocidal active substances are considered as silent active substances, if their use in the formulation does not significantly contribute to any of the biocidal functions of the product. Additionally, according to the CA-Documents CA-Sept17-Doc.4.2 approved active substances used as co-formulants always requires an adequate justification demonstrating that the co-formulant is not an active substance in regard of the observed efficacy of the formulation.

Following the rationale of both documents geraniol is not intentionally incorporated as active substance. Geraniol is part of a perfume mixture. The formulation of the perfume mixture is not known to the applicant due to confidentiality aspects.

So far no decision is available for the approval of Geraniol as active substance. Following literature the repellence effect of geraniol is well demonstrated and insecticidal effects have been indicated. Available literature data show that it is challenging to extrapolate an efficacious dosage which may be adapted for cloth moths and carpet beetles. Most of the available studies are linked to repellent effects on lice, fleas and mosquitoes. Common dosages range between 25 and 5 % (w/w) for a repellent effect. Insecticidal effects are usually linked to higher dosages. In the Moth protection flavour bags the concentration of geraniol ranges between 0.22 and 7.92 % (w/w). Thus, based on available literature for repellence effects it is unlikely that Geraniol has an insecticidal effect in the presented use.

Regarding a potential repellence effect the CA is of the opinion that the assessed PT 18 effect is not influenced and thus geraniol is to be regarded as silent active substance.

Conclusion on the efficacy of the product

In the conditions of the trials (simulated use trials Serrano 2014 a/b), with the sample products provided, insects' strains and methodology used, 15 mg Transfluthrin per 1000 dm³ as bag product has proved a sufficient efficacy against adults and larvae of clothes moths (*Tineola bisselliella*) and carpet beetles (*Anthrenus verbasci*), until 3 months after opening of the product. The fresh product (0 months) lead to 100% mortality for the adult and larvae of the clothes moths and carpet beetles after 1 hour of exposure. After 2 months for freshly introduced target organisms 100% mortality was reached after 1 hour for adult clothes moths and after 4 hours 100% mortality was reached for adult carpet beetles and the larvae of both target pests. After 3 months for freshly introduced target organisms 100% mortality was reached after 4 hours for adult clothes moths and after 8 hours 100% mortality was reached for larvae of the clothes moths. Mortality of 100% was reached for adult and larvae of the carpet beetles after 24 hours of exposure.

30 mg Transfluthrin per 1000 dm³ as paper product has proved a sufficient efficacy against adults and larvae of clothes moths (*Tineola bisselliella*) and carpet beetles (*Anthrenus verbasci*), until 6 months after opening.

The fresh product (0 months) lead to 100% mortality for the adult and larvae of the clothes moths after 1 hour of exposure. The fresh product (0 months) lead to 100% mortality for the adult and larvae of the carpet beetles after 2 hours of exposure.

After 3 months 100% mortality was reached after 1 hour for adult clothes moths and after 4 hours 100% mortality was reached for the larvae.

After 3 months 100% mortality was reached after 4 hours for adult carpet beetles and larvae.

After 6 months 100% mortality was reached after 4 hours for adult clothes moths and 24 hours for the larvae.

After 6 months 100% mortality was reached after 48 hours for adult carpet beetles the larvae.

Thus both simulated use trials are fulfilling the requirements for efficacy set by the guidance in force (CA-Dec12-Doc.6.2.a – Final) of more than 90% of mortality at the

end of the exposure period of 3 months for bag products and 6 months for paper products.

The requirement for laboratory studies for both target pests was fulfilled with a read across to the literature study of Mrusek 1995. The results of the literature study demonstrate efficacy of more than 90% mortality using 28 mg/m³ a.s. at the end of the exposure period against the tested target pests using a Transfluthrin impregnated paper.

2.2.5.6 Occurrence of resistance and resistance management

No known resistance in the target species has been observed to-date for the active substance transfluthrin (The Netherlands, 2014).

Transfluthrin is a pyrethroid insecticide. Some resistance to pyrethroids has been found, depending on the pest species and location. In Europe the main problems have occurred in some areas with pests of agricultural significance. Laboratory tests on resistant strains have shown, for *Myzus persicae*, a resistance factor of 200 (to control the resistant strain requires 200 times the dose required to control a sensitive strain).

A review by the WHO of Vector Resistance to Pesticides (WHO, 1992) identified no reports of resistance to synthetic pyrethroids in mosquitoes and other sucking insects in Europe. However, resistance among some species of flies and cockroach populations was more evident. Resistance to synthetic pyrethroids among European agricultural pest species, where insecticide use is more intensive, may be more widespread (IRAC, 2000).

Cross-resistance of pest species to the group of synthetic pyrethroids is to be anticipated due to a common mode of action (Staetz, 2004), and instances of cross-resistance (or multiple resistance) between pyrethroids and organochlorine insecticides have been reported (Brogdon & McAllister, 1998).

Management strategies:

Because resistance is well known to be a potential problem, strategies to avoid resistance development are normal practice. For example, the use of alternating sequences, mixtures and avoidance of frequent repeated use are standard. General advice is provided by IRAC. The principles of strategies for preventing and managing the development of resistance are similar for transfluthrin as they are for other synthetic pyrethroids;

To delay the development of resistance it is necessary to:

- i) Always read the label or leaflet before use and follow all the instructions provided
- ii) Adopt integrated pest management methods such as alternation between treatment strategies during the treatment regime (biological, chemical and cultural), taking into account local specificities (climatic conditions, target species, conditions of use, etc.)
- iii) The users should report to the authorization holder if the treatment is ineffective
- iv) If the infestation persists, contact a professional pest control operators.

2.2.5.7 Known limitations

No limitations observed.

2.2.5.8 Evaluation of the label claims

The following intended use claims for the product family are supported by the efficacy studies submitted:

- Against clothes moths and carpet beetles for Non-professional users, indoors
- To be used in wardrobes and drawers

In both performed efficacy tests (Serrano 2014 a/b) the claimed target organisms clothes moths and carpet beetles (adult and larvae) were used. Both application types showed 100% mortality at the end of the exposure time (1-48h) until the end of the test duration of 3 months (bag products) and 6 months (paper products). Thus fulfilling the requirement set by the guidance in force of more than 90% mortality at the end of the exposure time.

The evaluation of the efficacy of both application types at concentrations of 15 for bag products and 30 mg/1000 dm³ for paper products was performed in representative wardrobes (1 m³) indoors.

The following intended use claims or claims for the product family have been adapted:

- Put strips of 10 sheets depending on the product for wardrobe or drawer
- Put bag according to the product for wardrobe or drawer
- Application rate every 3 months (bag products)
- Application rate every 6 months (paper products)

The efficacy test for the paper products were performed with a concentration of 30 mg a.s./m³ of wardrobe. Due to both differences in concentration and differences in setup (strips or sheets) of the members of the product family the application method was adapted. The adapted authorised application method is: Apply the product at a rate of 30 mg of active substance per 1 m³ of wardrobe or drawer and adapt the number of strips or sheets according to the amount of active substance respectively incorporated in the member of the product family

The efficacy test for the bag products were performed with a concentration of 15 mg a.s./m³ of wardrobe. Due to differences in concentration of the members of the product family the application method was adapted. The adapted authorised application method is: Apply the product at a rate of 15 mg of active substance per cubic metre of wardrobe or drawer and adapt the number of bag according to the amount of active substance respectively incorporated in the member of the product family The efficacy tests have shown effectiveness of the bag product for 3 months and 6 months for the paper product at the respective tested concentrations. The intended use claims for application rate and frequency are: every 3 months (bag products) and every 6 months (paper products). The phrasing suggests the continuous use of the product for an extended time frame which may induce resistance development in the moth population. To avoid this scenario the phrasing was adapted to:

Effective for 6 months, only if necessary repeat treatment after recommended time (paper products)

Effective for 3 months, only if necessary repeat treatment after recommended time (bag products)

The application of products from the biocidal product family in chests has been stated in several chapters (e.g. use-specific instructions for use) but not in the intended use chapter. Thus it was not included in the label claims.

2.2.5.9 Relevant information if the product is intended to be authorised for use with other biocidal product(s)

The products are not intended to be used in combination with other biocidal products.

2.2.6 Risk assessment for human health

The formulations in the Biocidal Product Family (BPF) are divided in Moth protection paper meta SPC 1 (impregnated paper with Transfluthrin only) and Moth protection flavour bags type 1 and 2 meta SPC 2 and 3. The Moth protection flavour bag products can be described as spunlace bag (cellulose) containing granules impregnated with the active substance and other co-formulants.

The product group "Moth protection paper" chosen for the estimation of the systemic human exposure and risk assessment is representative for all the other products in the Biocidal Product Family (BPF) and is considered the worst case because it contains the higher percentage of active substance (cf. 2.2.6.2, see comparison of systemic exposure scenario 1a and 1b). The biocidal product is the active substance Transfluthrin for Moth protection paper.

Please find below a summary of the effect assessment concerning human health of Transfluthrin published in the Assessment Report (The Netherlands, 2014). For the Moth protection paper a systemic and, based on the current classification of Transfluthrin, also a local risk assessment was performed.

The Moth protection flavour bag type 1 and type 2 formulations contain substances of concern (in the fragrance mixtures) including Geraniol, another active biocidal substance that is currently under review for PT18 and PT19 (cf. confidential Annex restricted to authorities). However because no harmonised assessment and List of Endpoint is available so far, a semi-qualitative local risk assessment according to the banding evaluation scheme (Band B) is performed.

2.2.6.1 Assessment of effects on Human Health

Skin corrosion and irritation

Conclusion used in Risk Assessment – Skin corrosion and irritation	
META SPC 1	
Value/conclusion	Causes skin irritation
Justification for the value/conclusion	Testing of the biocidal product (=active substance Transfluthrin) revealed no skin-irritating potential (cf. The Netherlands, 2014). Data submitter has a Letter of Access. The Netherlands will propose a change of the current classification to RAC ³ . However the active substance, transfluthrin, is harmonised classified for Skin Irrit. 2 (H315) acc. to Annex VI of Regulation (EC) No 1272/2008. It is present in the product family at a concentration triggering classification of the mixture as a category 2 skin irritant ($\geq 10\%$).
Classification of the product according to CLP	. Skin irritation category 2 (H315) is proposed for products in meta SPC 1.
Meta SPC 2	
Value/conclusion	Causes skin irritation
Justification for the value/conclusion	Co-formulants are present in products of BPF meta SPC 2 which trigger classification as skin irritant category 2.

³ http://echa.europa.eu/registry-current-classification-and-labelling-intentions/-/substance-rev/1715/term?viewsubstances_WAR_echarevsubstanceportlet_SEARCH_CRITERIA_EC_NUMBER=405-060-5&viewsubstances_WAR_echarevsubstanceportlet_DISS=true

	Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	Skin irritation category 2 (H315) is proposed for products in meta SPC 2.
Meta SPC 3	
Value/conclusion	No classification
Justification for the value/conclusion	No co-formulant or the active substance is present in products of BPF meta SPC 3 that trigger classification as skin irritant. Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for skin corrosion/irritation is necessary for products meta SPC 3.

Eye irritation

Conclusion used in Risk Assessment – Eye irritation	
Meta SPC 1	
Value/conclusion	Not irritating to eyes.
Justification for the value/conclusion	Testing of the active substance Transfluthrin revealed no irritating potential to eyes (cf. The Netherlands, 2014). Data submitter has a Letter of Access.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for eye irritation is necessary.
Meta SPC 2	
Value/conclusion	Irreversible effects on the eye.
Justification for the value/conclusion	Co-formulants are present in products of BPF meta SPC 2 $\geq 3\%$ that trigger classification as eye dam. 1. Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	Eye damage category 1 (H318) is proposed for meta SPC 2.
Meta SPC 3	
Value/conclusion	No classification
Justification for the value/conclusion	No co-formulant is present in products of BPF meta SPC 3 that triggers classification for eye irritation or serious eye damage. Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for eye irritation or serious eye damage is necessary for meta SPC 3.

Respiratory tract irritation

Conclusion used in the Risk Assessment – Respiratory tract irritation	
Meta SPC 1, meta SPC 2 and meta SPC 3	
Value/conclusion	Not irritating to the respiratory tract.
Justification for the conclusion	According to Regulation (EC) No 1272/2008 no classification for respiratory tract irritation is necessary for Transfluthrin (cf. The Netherlands, 2014). Data submitter has a Letter of Access. No co-formulant is classified for this hazard category (cf. confidential Annex restricted to authorities).
Classification of the product according to CLP	Not classified.

Skin sensitization

Conclusion used in Risk Assessment – Skin sensitisation	
Meta SPC 1	
Value/conclusion	Not sensitizing to skin.
Justification for the value/conclusion	Transfluthrin does not have sensitising properties in several studies (Buehler assay, Guinea pig maximisation test) (cf. The Netherlands, 2014). Data submitter has a Letter of Access.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for sensitization is necessary.
Meta SPC 2	
Value/conclusion	Sensitizing to skin
Justification for the value/conclusion	Co-formulants are present in products of BPF meta SPC 2 $\geq 1\%$ that trigger classification as skin sens. 1. Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	Skin sens. category 1 (H317) is proposed for meta SPC 2.
Meta SPC 3	
Value/conclusion	No classification
Justification for the value/conclusion	No co-formulant is present in products of BPF meta SPC 3 that triggers classification as a skin sensitiser.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for skin sensitization is necessary for meta SPC 3. However labelling with EUH208 is necessary based on co-formulants present in products of meta SPC 3. Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.

Respiratory sensitization (ADS)

Conclusion used in Risk Assessment – Respiratory sensitisation	
Meta SPC 1, meta SPC 2 and meta SPC 3	
Value/conclusion	Not sensitising.
Justification for the value/conclusion	Transfluthrin is not sensitising to skin (cf. The Netherlands, 2014). Data submitter has a Letter of Access. No co-formulant contained in anti-moth products BPF is classified with H334.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for respiratory sensitization is necessary.

Acute toxicity

Summary table of animal studies on acute oral toxicity						
Method Guideline GLP status, Reliability	Species, Strain, Sex, No/group	Test substance Dose levels Type of administration (gavage, in diet, other)	Signs of toxicity (nature, onset, duration, severity, reversibility)	Value LD50	Remarks	Reference
OECD 401 (1981)	Mice, NMRI, 5/sex/group mouse	Oral 100, 160, 250, 500, 630, 710, 1000, 1600 and 5000 mg/kg bw (females not exposed to 160 or 1600 mg/kg bw)	symptoms observed were neurological in nature and consisted of: apathy, tremor, prostration (250 mg/kg bw), spasmodic tremor, dyspnoea, and bristling coats (from 250 mg/kg bw)	LD50 (male): 583 mg/kg bw LD ₅₀ (female) : 688 mg/kg bw	Data submitter has a Letter of Access.	The Netherlands, 2014

Value used in the Risk Assessment – Acute oral toxicity	
Meta SPC 1	
Value	Meta SPC 1 is classified for acute oral toxicity as category 4, H302: Harmful if swallowed
Justification for the selected value	The biocidal product (=active substance Transfluthrin) does not contain any other substances. The LD50 oral is available in the CAR for Transfluthrin PT 18: 583 mg/kg (The Netherlands, 2014).
Classification of the product according to CLP	Acute Tox. 4, H302 The substance has no yet harmonized classified for H302 acc. to Annex VI of Regulation (EC) No 1272/2008. The Netherlands will propose a change of the current classification to RAC with H302 (Acute Tox. 4).
Meta SPC 2 and meta SPC 3	
Value	No classification
Justification for the selected value	Please see confidential Annex restricted to authorities, section 3.10.6 for detailed calculation and information.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for acute oral toxicity is necessary for meta SPC 2 and 3 products.

Acute toxicity by inhalation

Summary table of animal studies on acute inhalation toxicity						
Method, Guideline, GLP status, Reliability	Species, Strain, Sex, No/group	Test substance, form (gas, vapour, dust, mist) and particle size (MMAD) Actual/nominal concentration, Type of administration	Signs of toxicity (nature, onset, duration, severity, reversibility)	LC50	Remarks	Reference
OECD 403 (1981) EC B.2 (1984) FIFRA § 81-3 (1984)	Rat, Wistar, 5/sex/group rat	Analytical concentration: 513 mg/m ³ Aerosol (highest achievable), 4 h exposure	--	>513 mg/m ³	Data submitter has a Letter of Access.	The Netherlands, 2014

Value used in the Risk Assessment – Acute inhalation toxicity	
Meta SPC 1	
Value	No classification
Justification for the selected value	Transfluthrin is not acutely toxic by inhalation (cf. The Netherlands, 2014).
Classification of the product according to CLP and DSD	According to Regulation (EC) No 1272/2008 no classification for acute inhalation is necessary.
Meta SPC 2 and 3	
Value	No classification
Justification for the selected value	Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for acute inhalation toxicity is necessary for meta SPC 2 and 3 products.

Acute toxicity by dermal route

Summary table of animal studies on acute dermal toxicity						
Method, Guideline, GLP status, Reliability	Species, strain, Sex, No/group	Test substance, Vehicle, Dose levels, Surface area	Signs of toxicity	LD50	Remarks	Reference
OECD 402 (1987) US EPA OPPTS § 870.1200 (1998) EC B.3 (1992)	dermal	Mice, NMRI, 5/sex/group	--	>4000 mg/kg	Data submitter has a Letter of Access.	The Netherlands, 2014

Value used in the Risk Assessment – Acute dermal toxicity	
Meta SPC 1	
Value	No classification
Justification for the selected value	Transfluthrin is not acutely toxic by the dermal route (cf. The Netherlands, 2014).
Classification of the product according to CLP and DSD	According to Regulation (EC) No 1272/2008 no classification for acute dermal toxicity is necessary.
Meta SPC 2 and 3	
Value	No classification
Justification for the selected value	Please see confidential Annex restricted to authorities, section 3.10.6 for detailed information.
Classification of the product according to CLP	According to Regulation (EC) No 1272/2008 no classification for acute dermal toxicity is necessary for meta SPC 2 and 3 products.

Information on dermal absorption

No dermal absorption studies with products of the Anti-moth BPF are available. Therefore the following default values were proposed:

Value used in the Risk Assessment – Dermal absorption			
Meta SPC	1	2	3
Active concentration (%)	100	3.2	3.21
Values (%)	10	50	50
Justification for the selected value(s)	Table 2, Chapter 6, EFSA, 2017; Default value for solid, concentrate	Table 2, Chapter 6, EFSA, 2017; Default value for solid, dilution	Table 2, Chapter 6, EFSA, 2017; Default value for solid, dilution

Default values can be applied in a first tier for dermal absorption. For meta SPC 1 products a 10% default value from Table 2, Chapter 6 of EFSA 2017 is applicable based on the dilution status and the type of formulation. Transfluthrin is solid according to its physical state and the products consist of 100% a.s. The proposed default value of 10% dermal absorption is in line with the value agreed in the CAR for Transfluthrin (The Netherlands, 2014; value was based on a MW of 371 and log Kow of 5.4, but also on data and information from other pyrethroid on formulations.)

For meta SPC 2 and 3 a value of 50% for solid dilutions is proposed as worst case (cf. Table 2 of EFSA, 2017) and it should be noted that the dermal exposure to the consumer is always to the device/article. This value is considered as conservative based that dermal contact is limited to a spunlace bag (cellulose) containing granules impregnated with the active substance and other co-formulants.

Assessment of endocrine-disrupting (ED) properties of the active substance in the product concerning human health

The assessment report on Transfluthrin concluded on endocrine disruptive properties that there are currently no indications for endocrine disrupting effects of the a.s. The information sources cited were the Commission staff working document on implementation of the Community Strategy for Endocrine Disruptors (COM (1999) 706) and the overview report incorporating the results from studies conducted with Cyfluthrin or Transfluthrin as part of the US EPA's Endocrine Disruption Screening Program (The Netherlands, 2014). However this conclusion was reached before Commission Delegated Regulation (EU) 2017/2100 entered into force and may be subject to a revision once the ED evaluation according to the harmonised guidance and criteria is completed at EU level.

Available toxicological data relating to non-active substance(s) (i.e. substance(s) of concern)

Based on the classification of the components of the Moth protection flavour bag type 1, in meta_SPC_2, 6 substances of concern have been identified (please see also confidential Annex restricted to authorities):

- Linalool (CAS N° 78-70-6)
- Nopyl acetate (CAS N° 128-51-8)
- Geraniol (CAS N° 106-24-1)
- Alpha-iso-Methylionone (CAS N° 127-51-5)
- Cineole (CAS N° 470-82-6)
- Nerol (CAS N° 106-25-2)

Based on the classification of the components of the Moth protection flavour bag type 2 in meta_SPC_3, 2 substances of concern have been identified (please see also confidential Annex restricted to authorities):

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (CAS N° 920-901-0)
Isoparafins C12-C16 (CAS N° 927-676-8)

Geraniol is an active biocidal substance currently under evaluation for Product type 18 and 19; however no first dCAR is currently available. The Risk Assessment Committee (RAC, 2018) concluded in its 46 Meeting that Geraniol meets the classification for Skin. Sens.1 (no subcategory). In addition the MSDS also reports classification for Eye Dam. 1 and Skin Irrit. 2.

Linalool has a harmonised classification as Skin Sens. 1B based on results from a LLNA performed with a commercial linalool product with an EC3 of 30% (weak sensitiser) and supported by the low exposure and frequency of sensitisation (based on CLP criteria) observed in human studies (RAC, 2015)⁴.

Under the Cosmetics Regulation (Regulation (EC) No 1223/2009)⁵ Geraniol and Linalool are subject to individual labelling in those products (0.001 % in leave-on products and 0.01 % in rinse-off products). In 2012 the Scientific Committee on Consumer Safety (SCCS) published an opinion on fragrance allergens in cosmetic products and examined available elicitation dose-response data to decide whether safe thresholds can be

⁴ <https://echa.europa.eu/documents/10162/ac493be9-91d2-3c82-69bd-f31c2f8f1d0e>

⁵ <https://eur-lex.europa.eu/legal-content/en/ALL/?uri=CELEX%3A32009R1223>

established for fragrance allergens. In addition in this opinion Geraniol and Linalool have been categorised as established contact allergens in humans and are of special concern as at least 100 reported cases occurred. Geraniol and Linalool amongst 10 other reported substances and 8 natural extracts pose a particularly high risk of sensitisation to consumers.

According to SCCS data from human dose elicitation experiments are very limited in several respects, so that no potentially "safe" level for the majority of contact allergic consumers could be established for individual substances. However, the studies and evidence available indicate that a general level of exposure of up to 0.8 µg/cm² (0.01% in cosmetic products) may be tolerated by most consumers, including these with contact allergy to fragrance allergens. The SCCS considers that this threshold based on elicitation levels in sensitised individuals will be sufficiently low to protect both the majority of sensitised individuals and most of the non-sensitised consumers from developing contact allergy (SCCS, 2012). However neither data from Geraniol nor Linalool confirmed that these substances have the potential to produce significant sensitisation in humans (Cat. 1A).

Nopyl acetate has been categorised as likely contact allergen by a combination of evidence according to SCCS (2012). The submitted MSDS indicated classification with Skin Sens. 1B and Eye irrit. 2.

alpha-iso-Methylionone is also a food flavouring included in the Union list of flavouring substances under FL No.07.036 according to Regulation (EC) No 1334/2008 in the currently valid version. The substance was addressed by the EFSA Panel on Food Contact Materials, Enzymes, Flavourings and Processing Aids in the flavouring group evaluation 210 for its genotoxic potential. The Panel concluded that for this substance the concern for genotoxic potential is ruled out (EFSA CEF Panel, 2014). From the submitted MSDS the applicant proposed human health classification for Skin Irrit. 2 and Skin Sens. 1.

Cineole was assessed as flavouring and component in the diet by Scientific Committee on Food (SCF, 2002). While the data base is not sufficient to derive an ADI the available animal data do not indicate a cause of concern associated with the daily intake (SCF, 2002). Cineole is a sensitizer with an EC₃ of 65.90%⁶ and displays eye and skin irritation properties according to the submitted SDS.

Nerol is considered as a fragrance substance categorised as likely contact allergen based on limited human evidence and structural alerts by SCCS (2012). An EC₃ value of 23%⁷ classifies Nerol as skin sensitizer in addition to skin irritating and eye damaging properties according to the submitted SDS.

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics and isoparafins C12-C16 are UVCB substances classified for aspiration (Asp. Tox. 1, H304). No other classification has been proposed according to the REACH registration dossier⁸⁹ or SDS. The substances are also labelled with EUH066 (Repeated exposure may cause skin dryness or cracking) according to the submitted SDS.

Assessment of endocrine-disrupting (ED) properties of the non-active substances in the product concerning human health

Please see confidential annex.

Available toxicological data relating to a mixture

N.A.

⁶ <https://echa.europa.eu/registration-dossier/-/registered-dossier/13231/7/5/2>

⁷ <https://echa.europa.eu/de/registration-dossier/-/registered-dossier/10345/7/5/2>

⁸ <https://echa.europa.eu/de/registration-dossier/-/registered-dossier/1932/7/1>

⁹ <https://echa.europa.eu/de/registration-dossier/-/registered-dossier/13655/2/1>

2.2.6.2 Exposure assessment

Identification of main paths of human exposure towards active substance(s) and substances of concern from its use in biocidal product

Summary table: relevant paths of human exposure							
Exposure path	Primary (direct) exposure			Secondary (indirect) exposure			
	Industrial use	Professional use	Non-professional use	Industrial use	Professional use	General public	Via food
Inhalation	n.a.	n.a.	yes	n.a.	n.a.	yes	n.a.
Dermal	n.a.	n.a.	yes	n.a.	n.a.	yes ¹	n.a.
Oral	n.a.	n.a.	no	n.a.	n.a.	yes ¹	n.a.

¹ realistic worst case only

List of scenarios

Summary table: scenarios			
Scenario number	Scenario	Primary or secondary exposure Description of scenario	Exposed group
1.	Handling of the product (Mixing/loading; Disposal)	Primary exposure: Dermal and inhalative exposure during opening the package, removing the foil, if applicable: cutting the paper strips into pieces, placing the paper/sachtes into the wardrobe / drawers; removal of paper strips/sachets and disposal	Non-professional
2.	Use	Secondary exposure: Inhalative exposure during the whole application time of 6 months whenever wardrobe is opened. In addition consideration that a.s. may permeate out of the wardrobe through door gaps.	General public
3.	Use	Secondary exposure: Oral exposure by infants/toddlers when touching and mouthing a piece of paper (realistic worst case)	General public

Industrial exposure

No industrial exposure foreseen.

Professional exposure

No professional exposure foreseen.

Non-professional exposure

Scenario [1]

Description of Scenario [1]

The biocidal products are impregnated on carrier materials (paper strips or granules in sachets) which are passive diffusers for indoor use by non-professionals. The products are classified with P102 Keep out of the reach of children to preclude a child is being asked to apply the product.

The biocidal product is placed inside closets and wardrobes (clothes hanging area, shelves, drawers)

The scenario is divided in [1a] for moth papers and [1b] for moth sachets.

[1a]: Depending on the moth paper, 1 to 12 paper strips are applied per 1 cubic meter inside the wardrobe in order to achieve the application rate of 30 mg a.s./m³. The paper is placed between the clothes by hanging on coat hanger. For placing on shelves or inside drawers the paper strip is cut into pieces (minimum one quarter of a strip) and put between the laundry. The product releases Transfluthrin into the air by evaporation over a max. 6 month period of use.

Handling of the product comprises: opening the package, removing the foil, taking out 1 to 12 paper strips; if applicable: cutting the paper strips into pieces, placing the paper into the wardrobe / drawers; removal of paper strips and disposal. During handling, dermal and inhalative exposure occurs.

It is considered that handling of the product takes place for max. 5 minutes per day.

Of all moth papers, the worst case concentration is 0.039 mg/cm² (one sheet containing 5 mg a.s., size of paper: 127.5 cm²).

The reverse reference scenario considers the numbers of stripes which have to be manipulated to achieve the AEL_{acute, dermal}.

[1b]: The sachets are placed into the wardrobes / drawers. Depending on the sachets, 1 to 3 sachets are applied per cubic meter inside the wardrobe in order to achieve the application rate of 15 mg a.s. / m³. The product releases Transfluthrin into the air by evaporation over a max. 3 month period of use. The highest Transfluthrin content is 15 mg per bag, evenly spread over the granules. Assuming as a worst case that all amount of a.s. is only located on the outer 1 mm of the bag (on the surface of the granules), and assuming that the transfer from the dried liquid to the wrapping is 18% (ECHA, 2015c), the surface concentration results in 0.0187 mg/cm²,

Dermal and inhalative exposure

	Parameters	Value
Tier 1	Max. content of a.s. on paper strip ¹	~ 0.03922 mg/cm ²
	Max. content of a.s. on sachet surface ³	0.0187 mg/cm ²
	Transfer coefficient dried fluids ^{2,6}	0.18 g/g
	Area of palms ²	410 cm ²
	Number of manipulations	max.12 (papers) max. 3 (sachets)
	Body weight adult ²	60 kg
	Dermal absorption ⁴	10% (papers) 50% (sachets)
	Peak concentration ⁷	0.023 mg/m ³

	Inhalation rate adult ²	1.25 m ³ /h
	Exposure duration ³	5 min/day (0.083 h/day)
Reverse reference scenario	AEL _{acute, dermal} ⁵	1 mg a.s./kg bw/day
	number of manipulations (number of touched stripes) to achieve AEL_{acute, dermal}	207
	number of manipulations (number of touched sachets) to achieve AEL_{acute, dermal}	87
	AEL _{acute, inhalation} ⁵	0.17 mg a.s./kg bw/day
	Number of manipulations to achieve AEL_{acute, inhalation}	4257

¹ cf. to chapter 3.6.4; rounded value; calculated by dividing content of a.s. (5 mg) / area of paper strip (127.5 cm²)

² ECHA 2015c, Biocides Human Health Exposure Methodology v.1 Oct. 2015

³ Worst case assumption⁴ see chapter 2.2.6.1 of this document

⁵ see chapter 2.2.6.3 of this document

⁶ The Guidance ECHA 2015c indicates a transfer coefficient from 8 to 18% of dried fluids from various types of surface. Because no specific percentage is available for paper/cardboard, the transfer coefficient is set at the worst case value of 18%.

⁷ Calculated with ConsExpo web (cf. <https://www.rivm.nl/en/Topics/C/ConsExpo>), see Appendix 3.2.1

Calculations for Scenario [1]

$$\text{Dermal systemic exposure} = \frac{\text{Content of a.s. per paper or sachet} \times \text{Area of palms} \times \text{Transfer coefficient} \times \text{Number of man.} \times \text{Derm. abs.}}{\text{Body weight} \times 100}$$

$$\text{Inhalative systemic exposure} = \frac{\text{Peak event concentration} \times \text{Exposure duration} \times \text{Inhalation rate}}{\text{Body weight}}$$

Summary table: systemic exposure from non-professional uses (expressed as [mg a.s./kg bw /day])

Exposure scenario	Tier/PPE	Estimated inhalation uptake	Estimated dermal uptake	Estimated oral uptake	Estimated total uptake
Scenario [1a]	Tier 1 / no PPE	0.00004	0.0579	n.a.	0.0579 ¹
Scenario [1b]	Tier 1 / no PPE	0.00004	0.0345	n.a.	0.0345

¹ This is the worst case for scenario 1, total.

Further information and considerations on scenario [1]

In CONSEXPO, the rationale lying behind the calculation of the mean event concentration is that there is a wardrobe with a room volume of 1.5 m³ (default; Bremmer et al. 2006, Pest Control Products Fact Sheet) and a ventilation rate of 0.3/h (default; Bremmer et al. 2006, Pest Control Products Fact Sheet). For the application duration the default value is set at 10 minutes. (default; Bremmer et al. 2006, Pest Control Products Fact Sheet). The exposure duration is set to 18 hours (to reflect also long term exposures). The product amount is 45 mg, the vapour pressure of the a.s. is 0.0009 Pa, the molecular weight is 370 g/mol, the application temperature is 25°C and the emission duration is max. 180 days (cf. to chapter 2.1.4.). The maximum air concentration is limited to the vapour pressure of the pure a.s.. Model: Exposure to vapour, evaporation model, model of release: constant rate (The chemical is released with a constant rate in a certain time.)

In reality, the active substance is only present on one side of the paper. There is a white edge free of active substance that the user should touch during the application of the product, so the real exposure will be even lower if the user follows this recommendation. Also for sachets, the spunlace will reduce the contact with the impregnated granules which leads to the expectation that the real exposure will be lower.

Information relevant for risk characterisation for local effects:

Considering an a.s. amount of 5 mg a.s., a paper area of 127.5 cm², a transfer coefficient of 0.18 g/g for dried fluids and 2 to 12 manipulations, the dermal local exposure is **0.014 to 0.085 mg a.s. / cm² skin**.

$$\text{Dermal local exposure} = \frac{\text{Amount of substance} \times \text{Transfer coefficient} \times \text{Number of man.}}{\text{Area of object}}$$

In addition, the substance of concerns (SoCs) have to be addressed, which are located in the Moth protection flavour bags of meta SPC 2. The calculation of dermal local exposure is analogue to the formula given above: the transfer coefficient amounts to 0.18 g/g for dried fluids, the number of manipulations is 3, and the bag area is 72.25 cm² (dimension of one bag: 85 x 85 mm, company's statement). With the following nominal amounts of substance per bag (cf. to chapter 3.6.4), the dermal local exposure is: (see table)

Dermal local exposure for substances of concern		
Substance	Nominal amount (worst case) [mg per bag]	Estimated dermal local exposure [mg/cm²skin]
Geraniol	44.7	0.33
Linalool	167.7	1.25
Nopyl acetate	89.4	0.67
alpha-iso-Methylionone	8.4	0.06
Cineole	11.7	0.09
Nerol	16.8	0.13

As the contact is not directly to the granules, but to the spunlace bag (cellulose), the actual exposure value is deemed to be even lower.

Combined scenarios:

Not relevant for combination of solely non-professional uses.

Exposure of the general public

Scenario [2]

Description of Scenario [2]

The Moth protection paper strips or sachets are placed in closets and wardrobes. Inhalative exposure may occur during the whole application time of max. 6 months whenever closets and wardrobes are opened. Closets/wardrobes are not airtight and are often sited in occupied rooms (e.g. bedrooms). Therefore, in addition it is considered that the active substance may permeate out of the wardrobe through door gaps. As realistic worst case it is considered that bedrooms can be occupied (e.g. by people who are ill/invalid) for 24 hours per day for considerable periods. Affected population groups are: infants, toddlers, children and adults.

	Parameters	Value
Tier 1	Peak event concentration ³	0.023 mg/m ³
	Dilution factor bedroom ^{2,4}	10
	Exposure duration ²	24 h/day
	Inhalation rate adult ¹	1.25 m ³ /h
	Body weight adult ¹	60 kg
	Inhalation rate infant ¹	0.84 m ³ /h
	Body weight infant ¹	8 kg
	Inhalation rate toddler ¹	1.26 m ³ /h
	Body weight toddler ¹	10 kg
	Inhalation rate child ¹	1.32 m ³ /h
	Body weight child ¹	23.9 kg

¹ ECHA 2015c, Biocides Human Health Exposure Methodology v.1 Oct. 2015

² Agreed assumption, see The Netherlands, 2014, Assessment Report on Transfluthrin

³ Calculated with ConsExpo web (cf. <https://www.rivm.nl/en/Topics/C/ConsExpo>), see Appendix 3.2.1

⁴ Considers that the a.s. is "diluted" by permeation of the as. from an 1.5 m³ closet to an 16 m³ bedroom

Calculations for Scenario [2]

$$\text{Inhalative systemic exposure} = \frac{\text{Mean event concentration} \times \text{Exposure duration} \times \text{Inhalation rate}}{\text{Body weight} \times \text{Dilution factor}}$$

Summary table: systemic exposure from general-public uses (values expressed as [mg a.s./kg bw/day])					
Exposure scenario	Tier/PPE	Estimated inhalation uptake	Estimated dermal uptake	Estimated oral uptake	Estimated total uptake
Scenario [2]	Tier 1, adult / no PPE	0.001	n.a.	n.a.	0.001
Scenario [2]	Tier 1, child / no PPE	0.003	n.a.	n.a.	0.003
Scenario [2]	Tier 1, toddler / no PPE	0.007	n.a.	n.a.	0.007
Scenario [2]	Tier 1, infant / no PPE	0.006	n.a.	n.a.	0.006

Further information and considerations on scenario [2]

In CONSEXPO, the rationale lying behind the calculation of the mean event concentration is that there is a wardrobe with a room volume of 1.5 m³ (default; Bremmer et al. 2006, Pest Control Products Fact Sheet) and a ventilation rate of 0.3/h ((default; Bremmer et al. 2006, Pest Control Products Fact Sheet; closet is opened once a day). The applied biocidal product amount is 45 mg per 1.5 m³, the vapour pressure of the a.s. is 0.0009 Pa, and the emission duration is max. 180 days (cf. to chapter 2.1.4.) The maximum air concentration is limited to the vapour pressure of the pure a.s.. Model: Exposure to vapour, evaporation model, model of release: constant rate (The chemical is released with a constant rate in a certain time.)

The CONSEXPO pest control products fact sheet, chapter 3. Evaporation from strips and cassettes, states: "In the evaporation from pure substance model, it is assumed that only the pure substance, i.e., the active ingredient, is present. The model does not take into account the fact that the active ingredient is caught in a solid matrix. The evaporating surface is adapted to the percentage of active ingredient in the matrix. Using the evaporation from pure substance model, an overestimate of the exposure will be calculated. There is currently no model which better describes the exposure."

Please note that for evaporation of the a.s. only inhalative exposure was assessed. The transfer from transfluthrin to textiles and as consequence to human skin was not regarded for the following reasons: Although general public may be exposed to transfluthrin via transfer from textiles contained in treated draws/wardrobes, it is not envisaged that higher dermal exposure would result considering the transfer from paper (the product) to textiles would be lower than from direct handling of the product during application (cf. to scenario 1). As the biocidal products are impregnated on to the paper, dislodging of the formulation from the paper and transfer on to clothing whilst in the wardrobe will be minimal. Note that clothing will not be in direct contact with the biocidal product as this is placed on the hoof of the hanger or the biocidal product is contained within a sealed sachet. Therefore further consideration of general public exposure to contaminated textiles is not required.

Scenario [3]

Description of Scenario [3]		
Secondary exposure:		
An infant or toddler opens the wardrobe / drawers, takes out the moth paper strip and puts it into the mouth. The max. content of a.s. per paper strip is 0.03922 mg/cm ² . The scenario is not considered to represent normal use, but a realistic worst case. As in the calculation it is assumed that all of the content of a.s. on the paper is taken up systemically, the step of touching the strip is included in this scenario.		
	Parameters	Value
Tier 1	Concentration of a.s. on paper strip ²	0.03922 mg/cm ²
	Surface area of object mouthed ^{3,4}	50 cm ²
	Oral absorption ⁵	100%
	Body weight infant ¹	8 kg
	Body weight toddler ¹	10 kg
Tier 2	Surface area of object mouthed ⁶	10 cm ²

¹ ECHA 2015c, Biocides Human Health Exposure Methodology v.1 Oct. 2015

² cf. to scenario [1]; worst case compared to sachets

³ US EPA 2012, Standard Operating Procedures for Residential Pesticide Exposure Assessment, chapter 2.5 (as referenced in Biocides Human Health Exposure Methodology v.1 Oct. 2015)

⁴ "Based on the area of hand mouthed by 2-5 years old as reported by Leckie et al. , (2000), and the assumption that children mouth a smaller area of an object than their hand, an exponential distribution with a minimum of 1 cm², a mean of 10 cm², and a maximum of 50 cm² was chosen." (Source: See ³)

⁵ Default, see The Netherlands, 2014

⁶ Calculating with the mean value of 10 cm² is considered acceptable for refinement of the assessment, as paper is not considered to be palatable even without bittering agent. Moreover it is assumed that small toddlers will not stay unattended over longer periods of time, and any mother catching her child eating moth paper would immediately take the paper out of the toddler's mouth.

Calculations for Scenario [3]

$$\text{Oral systemic exposure} = \frac{\text{Content of a. s.} \times \text{Surface area of object mouthed} \times \text{Oral absorption}}{\text{Area of paper strip} \times \text{Body weight} \times 100}$$

Summary table: systemic exposure from general-public uses (expressed as [mg a.s./kg bw/day])					
Exposure scenario	Tier/PPE	Estimated inhalation uptake	Estimated dermal uptake	Estimated oral uptake	Estimated total uptake
[3]	Tier 1, toddler / no PPE	n.a.	n.a.	0.196	0.196
[3]	Tier 1, infant / no PPE	n.a.	n.a.	0.245	0.245
[3]	Tier 2, toddler / no PPE	n.a.	n.a.	0.039	0.039
[3]	Tier 2, infant / no PPE	n.a.	n.a.	0.049	0.049

Further information and considerations on scenario [3]

None

Combined scenarios

Summary table: combined systemic exposure from non-professional and general public uses (expressed as [mg a.s./kg bw/day])				
Scenarios combined	Estimated chronic uptake	Estimated acute uptake	Estimated oral uptake	Estimated total uptake
Scenarios [1a+2, adult, Tier 1]	0.00104	0.05791	n.a.	0.0591

Monitoring data

No data available.

Dietary exposure

The biocidal product will not be used on any food or feed of plant and/or animal origin. Indirect exposure to Transfluthrin as a result of contamination of food is considered unlikely given the fact that the product is not used in kitchens or living room areas. In the active substance assessment, an estimation of potential exposure of the active substance to humans through diet and other means has been carried out. Worst case intake calculations showed that potential residue levels in food will be negligible. (See The Netherlands, 2014, as well as the underlying Document II-B.)

List of scenarios:

Not applicable. No dietary exposure.

Information of non-biocidal use of the active substance

No non-biocidal use is foreseen.

Estimating Livestock Exposure to Active Substances used in Biocidal Products

Livestock exposure is not foreseen.

Estimating transfer of biocidal active substances into foods as a result of professional and/or industrial application(s)

Professional or industrial use is not intended.

Estimating transfer of biocidal active substances into foods as a result of non-professional use

As published in the Transfluthrin Assessment Report (The Netherlands, 2014): The biocidal products will not be used on any food or feed of plant and/or animal origin. Indirect exposure to Transfluthrin as a result of contamination of food is possible. The estimation of potential exposure of the active substance to humans through diet and other means has been carried out. Worst case intake calculations showed that potential residue levels in food will be negligible.

Exposure associated with production, formulation and disposal of the biocidal product

Occupational exposure during production and formulation of the biocidal product is not assessed under the requirements of the BPR. It is assumed that the production is performed in conformity with national and European occupational safety and health regulations.

In addition, production or formulation of biocidal products are already covered by REACH legislation, where the registrants (manufacturers/importers) of substances are obliged to consider human hazard and exposure and to provide RMMs/exposure scenarios for ensuring safe use (e.g. via SDS in the supply chain). Moreover, it is assumed that industrial production sites are subject to permit for installation. Therefore, it is not considered relevant to perform an additional exposure assessment under the biocide regime. However, the applicant provided the following information on the production processes:

Production process "Moth protection paper":

During the formulation process, mixing operations are performed in a dedicated equipment, placed in an area, separated from the other manufacturing steps. After mixing, the mixture is transported by tightly closed buckets to the offset printing press

for printing operation on paper. Paper sheets are cut, folded and shrink-wrapped through an automatic system.

Workers wear adequate personal protection equipments during the operations where exposure cannot be excluded. Workers involved have received specific task training, follow operating procedures and act under supervision.

Taking into account the operational conditions, the technical control measures and the risk management measures during the formulation process, worker exposure is estimated to be not significant.

Production process "Moth protection flavour bag"

Porous granules, impregnated with the active substance and the other co-formulants, are packaged into bags through a closed system.

Stepwise description how the solution is prepared and applied to the granules:

1. Perfume and active are mixed in a metal drum. After mixing this drum is closed with a lid with a tap hole.
2. The micro porous granules are filled in a drum mixer. The corresponding quantity of the perfume/active-mixture is added to the granules and the mixer is closed with a dust-tight-fitting lid.
3. Afterwards the mixer is running until the liquid is absorbed by the granules.
4. After mixing the granules are filled in aluminium compound foil bags to avoid evaporation of the perfume and the active.
5. For these first 4 steps the employees wear personnel protective equipment (standard coveralls and Category 3 Type 5 suit, safety glasses, respirator with filter mask type A and protective gloves) to avoid contamination with the active.
6. From now on nobody has direct contact with the impregnated granules during the following production process because it is a closed system.
7. After filling the granules in bags (nonwoven material) the bags are immediately shrink-wrapped in a special barrier foil.
8. Then the bags are packed manually in folding boxes and displays.

Workers wear adequate personal protection equipments during the steps where exposure cannot be excluded. Workers involved have received specific task training, follow operating procedures and act under supervision.

Taking into account the operational conditions, the technical control measures and the risk management measures during the process, worker exposure is estimated to be not significant.

Aggregated exposure

Not applicable.

Summary of exposure assessment

Scenarios and values to be used in risk assessment			
Scenario number	Exposed group (e.g. professionals, non-professionals, bystanders)	Tier/PPE	Estimated total uptake [mg a.s./kg bw/day]
[1a]	Non-professional ¹	Tier 1 / no PPE	adult: 0.0579
[1a]+[2]	Non-professional ¹	Tier 1 / no PPE	adult: 0.0591
[2]	General public ²	Tier 1 / no PPE	infant: 0.006 toddler: 0.007 child: 0.003 adult: 0.001
[3]	General public ¹	Tier 1 / no PPE	infant: 0.245 toddler: 0.196
[3]	General public ¹	Tier 2 / no PPE	infant: 0.049 toddler: 0.039

¹ short-term exposure (acute)

² long-term exposure (chronic)

2.2.6.3 Risk characterisation for human health

Reference values to be used in Risk Characterisation (cf. The Netherlands, 2014)Active substance

Reference	Study	NOAEL (LOAEL)	AF	Correction for oral absorption	Value
AEC _{acute, inhalation}	13-week inhalation study, rat	46.7 mg/m ³ (equivalent to 17 mg/kg bw/day)	100 (default AF)	No correction.	0.5 mg/m ³ (0.17 mg/kg bw/d)
AEL _{acute, dermal}	3 week dermal toxicity study rabbit	1000 mg/kg bw/day (NOAEC _{local} 20 mg/kg bw/day)	100 (default AF)	10% dermal absorption	1 mg/kg bw/d
AEL _{acute, oral}	3 week, Prenatal Development Toxicity Study, rabbit	15 mg/kg bw/day	100 (default AF)	No correction	0.15 mg/kg bw/d
AEL _{chronic, oral}	2-year dietary study rat	1.0 mg/kg bw/day	100 (default AF)	No correction	0.01 mg/kg bw/d
ADI	2-year dietary study rat	1.0 mg/kg bw/day	100	No correction	0.01 mg/kg bw/day
ARfD	Dev. Study rabbit	15 mg/kg bw/day	100	No correction	0.15 mg/kg bw/day

For Moth protection paper indirect exposure to Transfluthrin as a result of residues in food is considered negligible. An adequate statement for storage and use to avoid residues in food and feed is proposed for product labelling.

Substances of concern: skin sensitizers

While no reference values for sensitisation are set for a quantitative risk characterisation the information compiled below is used in a semi-qualitative approach in the local risk assessment.

Concerning the Geraniol and Linalool studies and available evidence indicate that a general level of exposure of up to 0.8 µg/cm² (0.01% in cosmetic products) may be tolerated by most consumers (SCCS, 2012).

In a recent peer review publication an AEC value of 55 µg/cm² were reported for Geraniol. This value was derived by determining an adequate "No Expected Sensitization Induction Level" from multiple local lymph node assays (LLNA) in mice and applying "Sensitization Assessment Factors" to account for differences and uncertainties (for more detail, see Nijkamp et al. 2015). Also a second AEC of 100 µg/cm² was derived based on Human Repeat Insult Patch Tests by the same authors for personal care products and household cleaning agents (Nijkamp et al. 2015). Though the methodology for derivation of these thresholds is not harmonized yet it may give an indication of possible thresholds and demonstrates at least the wide variation and uncertainties reported values. Inhalation exposure of Geraniol did not

lead to respiratory symptoms but at high dose the exposure elicits allergic reactions in the skin (Schnuch et al., 2009 cited in RIVM, 2011).

Linalool has a harmonised classification as Skin Sens. 1B based on results from a LLNA performed with commercial Linalool with an EC3 of 30% (weak sensitiser) and supported by the low exposure and frequency of sensitisation (based on CLP criteria) observed in human studies (RAC, 2015).

alpha-iso-Methylionone is a weak sensitiser according to the REACH registration dossier with an EC3 of 21.8% (ECHA dissemination website¹⁰). This value is also quoted in SCCS (2012).

Cineole (Eucalyptol) has an experimental EC3 value of 65.9% according the REACH registration dossier according to the ECHA dissemination website.¹¹ An EC3 value of 23% classifies Nerol as skin sensitiser.¹²

Specific reference value for groundwater

The European standard value of 0.1 µg/l for the maximum admissible concentration of pesticides in drinking water (Council Directive 98/83/EC) does apply. According to Directive 2006/118/EC the groundwater quality standard of 0.1 µg/l is also relevant for Transfluthrin.

Risk for non-professional users

Systemic effects

The product is only used twice a year and therefore the acute AEL is used for assessing primary exposure. An internal N(O)AEL/starting point needs to be derived in order to assess combined exposure from different routes. Since the acute AEL is actually based on a 13-week inhalation study, even repeated exposure would be covered. The exposure routes are dermal and inhalation therefore comparison with route-specific AELs of Transfluthrin (AEL_{acute, inhalation} and AEL_{acute, dermal}) were chosen for risk characterisation.

Task/ Scenario	Tier	Systemic NOAEC	AEL mg/kg bw/d	Estimated uptake mg/kg bw/d	Estimated uptake/ AEL (%)	Acceptable (yes/no)
[1a] Inhalation route	1	46.7 mg/m ³ (=17 mg/kg bw/d)	0.17	0.00004	0.02%	yes
[1a] Dermal route	1	1000 mg/kg bw/d	1	0.0579	5.79%	yes

The acute internal systemic exposure is estimated for application of maximal 12 paper strips or 3 sachets in a wardrobe; however a user may treat several wardrobe/closets at the same time.

Therefore, a reverse reference scenario was calculated that could help to assess the risk by determining the number of applications a user would need to handle in a day to achieve the acute acceptable exposure level (AEL). Sachets are in this reverse scenario

¹⁰ <https://echa.europa.eu/registration-dossier/-/registered-dossier/18602/7/5/2>

¹¹ <https://echa.europa.eu/registration-dossier/-/registered-dossier/13231/7/5/2>

¹² <https://echa.europa.eu/de/registration-dossier/-/registered-dossier/10345/7/5/2>

considered as the worst case compared to moth paper. Compared with the AEL_{acute, dermal} and the AEL_{acute, inhalative} one must apply 87 and 4257 sachets, respectively. Thus an exceedance of the threshold seems rather unrealistic.

Risk for the general public

Systemic effects

Inhalative, secondary exposure may occur during the whole application time of 6 months. In contrast to acute neurotoxic effects caused by Transfluthrin liver and kidney effects observed after repeated exposure are likely to be induced by metabolites of Transfluthrin (The Netherlands, 2014) and therefore dermal and inhalation exposure values can be compared to the AEL_{chronic, oral}.

Also as a realistic worst case acute oral exposure after ingestion of a piece of strip by infants and toddlers is compared with the AEL_{acute, oral}.

Task/ Scenario	Tier	Systemic NOAEL mg/kg bw/d	AEL mg/kg bw/d	Estimated uptake mg/kg bw/d	Estimated uptake/ AEL (%)	Acceptable (yes/no)
[2] adult	1	1	0.01	0.001	10	yes
[2] child	1	1	0.01	0.003	30	yes
[2] toddler	1	1	0.01	0.007	70	yes
[2] infant	1	1	0.01	0.006	60	yes
[3] toddler	1	15	0.15	0.196	131	no
[3] infant	1	15	0.15	0.245	163	no

Because a risk was identified for infant and toddlers in scenario 3, refinements concerning a reduced area of the strip (10 cm²) for the oral exposure scenario were calculated.

Task/ Scenario	Tier	Systemic NOAEL mg/kg bw/d	AEL mg/kg bw/d	Estimated uptake mg/kg bw/d	Estimated uptake/ AEL (%)	Acceptable (yes/no)
[3] toddler	2	15	0.15	0.039	26	yes
[3] infant	2	15	0.15	0.049	33	yes

Conclusion

Based on the risk characterisation considering the worst case approach of 24 hours exposure it can be concluded that no adverse systemic health effects for adults, children, infants and toddlers are expected.

Also the scenario of an infant/toddler mouthing a piece of Moth protection paper gave, after adjustment to an area of 10 cm² for mouthing, an acceptable risk.

Local risk assessment

The biocidal product **Moth protection paper** (meta SPC 1) is classified for local effects, i.e. skin irritation category 2 (Skin Irrit. 2) according to the harmonized classification of Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation). Until a decision of RAC following the submission of the C&L report by The Netherlands is taken (proposing no classification for Transfluthrin concerning skin irritation) compliance with the existing harmonised C&L is legally required until the latter is formally changed by the Commission (cf. CA-May13-Doc.5.4.rev 1 (amended as per CA-March16-Doc.4.1)

and CA/35/2013)¹³. The existing harmonised C&L will therefore have to be reflected in any biocidal product authorisation granted before the entry into force of the ATP Regulation updating the C&L in Annex VI to the CLP Regulation.

In addition the hazard categorisation of local effects for skin irritation 2 (H315) is low according to ECHA (2015a)¹⁴. The potential exposure route relevant for local effects is skin. For Transfluthrin, the AEL_{acute dermal} in the CAR (The Netherlands, 2014) is considered to be also adequately protective with respect to local effects. Transfluthrin is not classified for respiratory hazards or acute toxicity via inhalation.

Exposure during normal use is anticipated for the general public. Handling of the product is limited to the mixing and loading task with a low frequency (twice a year) for adults only. Moreover the authorised use contains the provision that the repeat treatment after 6 months should be done only if necessary. Dermal contact is further limited by a short contact time and the type of formulation (active substance = biocidal product is impregnated on a paper strip). Where present, handle the paper strip on the white edge.

¹³<https://www.google.at/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=0ahUKEwi9u-mnvZ3NAhUF7xOKHX1iAysQFqqrMAE&url=https%3A%2F%2Fcircabc.europa.eu%2Fsd%2Fa%2Fe4e143d0-cae8-41cb-b4b6-c762e6f44622%2FCA-May13-Doc.5.4%2520-%2520Final.rev1%2520-%2520Classification%2520and%2520labelling%2520of%2520biocidal%2520products.doc&usq=AFQjCNFTT0xJbZ9cYLxQV3-EKSiN2pJEiq&bvm=bv.124088155,d.d24>

¹⁴ECHA (2015a) Guidance on the BPR: Volume III Part B, Risk Assessment, Version 2.3, Oktober 2015 <http://echa.europa.eu/de/guidance-documents/guidance-on-biocides-legislation>

Moth protection paper: Risk characterisation for potential local effects: Mixing and loading (disposal)

Hazard		Exposure						Risk
Hazard Category	Local effects in terms of C&L	Who is exposed?	Tasks, uses, processes	Potential exposure route	frequency and duration of potential exposure	Rough degree of exposure	Relevant RMM & PPE	Conclusion on risk
low	H315 skin irritation	Non-professional	Manual handling of the product (dried fluid) of 5 mg Transfluthrin per 127.5 cm ² paper	Skin	Twice a year (every 6 months) 5 minutes per days	5.74 mg a.s. / palm (0.014 mg a.s. / cm ² skin x 410 cm ² area of palm)	<p>Technical and organisational RMM adequate for the hazard category</p> <p>Labelling as skin irritant</p> <p>Washing of hands after use</p> <p>Keep out of the reach of children</p> <p>Use only in areas that are inaccessible to infants, children and companion animals (especially cats)</p> <p>Direction for use: white non impregnated edge as a touch point can further minimize dermal exposure</p>	<p>Acceptable, since</p> <p>+limited frequency and short duration for handling of product</p> <p>+reversibility of effects</p> <p>+recent data suggest a revision of the existing harmonized classification</p>

The biocidal products **Moth protection flavour bags type 1** (meta SPC 2) are classified with Skin Sens. 1, Eye Dam. 1 and Skin Irrit. 2. The hazard categorisation of local effects for Eye Dam. 1 and Skin Sens. 1 is medium to high according to ECHA (ECHA, 2015a). In addition the banding evaluation scheme is B (ECHA, 2015a)¹⁵ for the assessment of substances of concern. Therefore a qualitative exposure and risk assessment is performed and compared if the associated P-statements are sufficient or whether other risk mitigation measures should be applied.

The proposed P-statements are listed in chapter 2.1.3. **Concerning potential exposure to skin sensitisers dermal exposure estimates were calculated.** For Geraniol, Linalool, Nopyl acetate, alpha-iso-Methylionone, Cineole and Nerol a worst case quantitative dermal exposure estimates were calculated leading to 330 µg/cm², 1250 µg/cm², 670 µg/cm², 60 µg/cm², 90 µg/cm² and 130 µg/m² for these substances, respectively.

The values are therefore in exceedance of the generic threshold of 0.8 µg/cm² recommended by SCCS (2012) as well as other thresholds proposed in the public literature (Nijkamp et al. 2015) for skin sensitization. The SCCS value of 0.8 µg/cm² corresponds to 0.01% (100 ppm) limit in cosmetic products indicative for safe use (SCCS, 2012). However there are considerable uncertainties with predicted thresholds for human sensitisation (ECHA, 2017b). Nevertheless values <500 µg/m² are indicative for relatively low exposure according to Table 3.3 of the CLP guidance document (ECHA, 2017c).

The Linalool concentration in the Anti-moths products are higher but well below the EC3 value that indicates a weak sensitisation potential derived from animal data. For Geraniol RAC concluded that while classification as Skin Sens. 1 is warranted (several EC3 values are available), the data are not sufficient to support the establishment of a specific concentration limit because the data do not suggest that geraniol has an extreme potency (RAC, 2018).

Nopyl acetate has been categorised as likely contact allergen by a combination of evidence according to SCCS (2012). No agreed EC3 value or other indicative threshold from a regulatory body is available for this substance.

alpha-iso-Methylionone, Nerol and Cineole concentrations in the biocidal products meta SPC 2 are far below the EC3 values, however based on the current knowledge no quantitative risk assessment for sensitizers can be performed with an acceptable degree of uncertainty.

The products are also subject to special labelling requirement according to the CLP Regulation. The concentration limit for elicitation is used for the application of the special labelling requirements to protect already sensitised individuals also from other sensitizing substances contained in the fragrance formulation (applicable to meta SPC 2 and meta SPC 3).

Manufacture of the biocidal product and impregnation of the granules occurs on-site and are not considered in the risk characterisation.

The exposure to the non-professional users and general public during application and use is limited because the biocidal product is applied to granules that are inserted in a spunlace bag (cellulose). The direct contact with the granules (and with the active substance) can be excluded under normal conditions of use. Direct contact to eyes is also rather unlikely based on the formulation type passive diffuser. However sweating and diffusion of ingredients to the spunlace bag may facilitate dermal exposure. The proposed risk mitigation measures include washing of hands after handling. Direct handling of the biocidal product is once in three months by adults and represents a low application

¹⁵ECHA (2015a) Guidance on the BPR: Volume III Part B, Risk Assessment, Version 2.3, Oktober 2015
<http://echa.europa.eu/de/guidance-documents/guidance-on-biocides-legislation>

frequency. Moreover the authorised use contains the provision that the repeat treatment after 3 (or 6) months should only be done if necessary. Children are not supposed to come into contact with the product based on the proposed labelling and use instructions.

Additional risk mitigation measure on the label prescribed adequate ventilation "During application, ventilate rooms on a regular basis" for meta SPC 2 products. Use only in areas that are inaccessible to infants, children and companion animals (especially cats) is proposed on the label to preclude mouthing of the products by a child or direct contact with pets.

The local risk assessment for meta SPC 2 products is considered also appropriate for **meta SPC 3** based on the same use pattern and similar proposed risk mitigation measures. Moreover SoCs identified for meta SPC 3 products would trigger band A (ECHA, 2015a) and thus a lower banding evaluation scheme for classified SoCs compared to band B for meta SPC 3 products.

Conclusion

The proposed risk mitigation measures and P-statements are sufficient to mitigate local effects for Anti-moth products BPF meta SPC 1, 2 and 3. Additional risk mitigation measures concerning the application areas (inaccessible to infants, children and pets (especially cats)) are proposed for meta SPC 1, 2 and 3. Additional ventilation is prescribed for meta SPC 2 products.

The risk for potential local effects for the BPF, i.e. Moth protection paper and Moth protection flavour bags is considered as acceptable for the use scenario considered in this PAR.

Risk for consumers via residues in food

Not applicable. Residues in food are not foreseen if the product is used as intended.

Risk characterisation from combined exposure to several active substances or substances of concern within a biocidal product

Not applicable. The biocidal product is the active substance in meta SPC 1 (Moth protection paper). For Moth protection flavour bags substances of concern are considered in a local risk assessment.

Risk characterisation from combined scenarios

Primary and secondary exposure may occur by the exchange of the biocidal product after 6 month usage by an adult, thus acute exposures can be combined with chronic exposure. As this situation will be relevant two times a year, these combinations are considered acute exposures and the short-term AEL will be used for the risk characterisation. The exposure estimates from the chronic exposure scenario adults (Tier 1) is added to the tier 1 exposure estimates for acute exposures. These exposure estimates are based on the scenarios described in this PAR.

Task/ Scenario / Tier	AEL mg/kg bw/d	Estimate d uptake acute mg/kg bw/d	Estimate d uptake chronic mg/kg bw/d	Combined uptake mg/kg bw/d	Estimated uptake/ AEL (%)	Accept- able (yes/no)
Scenarios	0.17	0.0579	0.00104	0.0591	35%	yes

[1a+2, adult, Tier 1]	(=0.5 mg/m ³ , AEC)					
-----------------------------	--------------------------------------	--	--	--	--	--

Conclusion

The combined scenario of primary and secondary exposure resulted in an acceptable risk for non-professionals/adults.

2.2.7 Risk assessment for animal health

A quantitative risk assessment for Anti-moth products BPF for pets is not considered necessary as the assessment performed for humans may cover companion animals as well. In addition there is no harmonised exposure scenario for domestic pets. Therefore the following risk mitigation measure appears on the label: "For use only in areas that are inaccessible to infants, children, companion animals (specifically cats) and non-target animals."

As poikilothermic animals like fish, amphibians and reptiles, are particularly susceptible towards the toxicity of pyrethroids like Transfluthrin, and as no data were provided for exposure assessment, the risk mitigation measure "No application in rooms, where fish tanks and terrariums are present" is set.

2.2.8 Risk assessment for the environment

2.2.8.1 Effects assessment on the environment

The active substance Transfluthrin was evaluated according to Regulation (EU) No 528/2012 for the use as insecticide (PT 18). A final Assessment Report (The Netherlands, 2014) agreed by the EU Member States and the European Commission, including a list of endpoints is available. At product authorisation stage several MS (eCA from DE, FR and NL) received new studies for the active substance Transfluthrin. These studies were discussed at the BPC ENV WG-IV-2017 (see item 6.6a and 6.6b) and new PNECs based on the results were agreed. An amended list of endpoints for Transfluthrin and its metabolite (LoEP) was agreed at the BPC-24 meeting in March 2018. The applicant submitted a full letter of access (LoA) for the new submitted data and for the data of Transfluthrin reported in the AR (The Netherlands, 2014). The new original studies were not submitted by the applicant.

The following overview is a summary of the PNEC values, including the newly derived and agreed ones, which were used in the environmental risk assessment:

Transfluthrin:

PNEC_{STP microorganisms} : **0.057 mg/L** (additionally 100 mg/L), (The Netherlands, 2014)

PNEC_{surface water}: Change from 7.0E-07 mg/L (The Netherlands, 2014) to **1.75E-06 mg/L** (table "Conclusion used in Risk Assessment – Further ecotoxicological studies")

PNEC_{sediment}: In the CAR for Transfluthrin the PEC/PNEC_{sed} was derived from the PEC/PNEC_{surface water} with an additional assessment factor of 10. According to the new data the PNEC_{sed} is 1.64E-03 mg/kg_{dwt}, equivalent to **3.57E-04 mg/kg_{wwt}** (table "Conclusion used in Risk Assessment – Further ecotoxicological studies")

PNEC_{soil}: Change from 6.17E-04 mg/kg_{wwt} soil (EPM) (The Netherlands, 2014) to 0.1 mg/kg_{dwt} soil, equivalent to **0.09 mg/kg_{wwt} soil** (table "Conclusion used in Risk Assessment – Further ecotoxicological studies")

PNEC_{oral, mammal}: 6.67 mg/kg diet (The Netherlands, 2014)

Metabolites TFB-OH and TFB-COOH:

PNEC_{surface water}: 0.1 mg/L (The Netherlands, 2014)

Information relating to the ecotoxicity of the biocidal product which is sufficient to enable a decision to be made concerning the classification of the product is required

Valid effect data for the active substance Transfluthrin are available from the CAR (The Netherlands, 2014) and additional data were submitted at product authorisation stage. Acute and/or chronic toxicity studies with any product of the BPF Anti-moth products were not conducted. Substances of concern for the environment were identified (see confidential Annex restricted to authorities) however the ecotoxicological effects of the products are solely based on the effects of the active substance Transfluthrin. Further effects from other components, including synergistic effects are not expected.

According to Regulation 1272/2008/EC (0.ATP) the harmonised classification of Transfluthrin for its environmental effects is Aquatic Acute 1, H400, Very toxic to aquatic life and Aquatic Chronic 1, H410, Very toxic to aquatic life with long lasting effects. Based on the data in the CAR (The Netherlands, 2014) and the new data Transfluthrin has to be classified with Aquatic Acute 1 (M=1000), H400 and Aquatic Chronic 1 (M=1000). In May 2018, the Netherlands submitted a CLH dossier for accordance check with the following classification proposal for the environment: Aquatic Acute 1 (M=1000) and Aquatic Chronic 1 (M=1000).¹⁶ According to the content of Transfluthrin (1.01 – 100% w/w) in the single products of the biocidal product family Anti-moth products they have to be classified as Aquatic Acute 1 and Aquatic Chronic 1. Therefore each product of the BPF family has to be labelled with the pictogram GHS09, the signal word "Warning", the hazard statement H410 (H400 may be omitted) and the subsequent precautionary statements P273, P391 and P501.

Further Ecotoxicological studies

During the evaluation of the active substance Transfluthrin only acute aquatic and terrestrial toxicity data were available (see LoEP, The Netherlands, 2014).

At product authorisation stage several new study reports were submitted to other MS (DE, FR and NL). These studies were discussed at the BPC ENV WG-IV-2017 and new PNEC values were agreed (final minutes on BPC ENV WG-IV-2017 item 6.6a and 6.6b). These new PNEC values are summarised in the table below.

The applicant submitted a full letter of access (LoA) for the new submitted data and for the data of Transfluthrin reported in the AR (The Netherlands, 2014).

¹⁶ <https://echa.europa.eu/de/registry-of-clh-intentions-until-outcome/-/dislist/details/0b0236e180681922>

Conclusion used in Risk Assessment – Further ecotoxicological studies	
Value/conclusion	PNEC_{aquatic}, PNEC_{sed}, PNEC_{soil}
Justification for the value/conclusion	<p>At the BPC ENV WG-IV-2017 ENV (Final minutes, 6.6a) the new submitted studies for the active substance Transfluthrin were discussed by the MS and several PNECs were refined and agreed. An amended list of endpoints for Transfluthrin and its metabolite TFB-COOH (LoEP) was agreed at the BPC-24 meeting in March 2018.</p> <ul style="list-style-type: none"> - the new derived PNEC_{surface water} was set to 1.75E-06 mg/L on basis of a NOEC of 1.75E-05 mg/L with an AF of 10 - the new derived PNEC_{sed} was set to 1.64E-03 mg/kg_{dwt} (corresponding to 3.57E-04 mg/kg_{wwt}) on basis of a NOEC of 0.164 mg/kg_{dwt} with an AF of 100 - the new derived PNEC_{soil} was set to 0.1 mg/kg_{dwt} (corresponding to 0.09 mg/kg_{wwt}) on basis of a NOEC of 5.24 mg/kg_{dwt} with an AF of 50

Effects on any other specific, non-target organisms (flora and fauna) believed to be at risk (ADS)

No new data has been submitted.

Supervised trials to assess risks to non-target organisms under field conditions

No new data has been submitted.

Studies on acceptance by ingestion of the biocidal product by any non-target organisms thought to be at risk

No new data has been submitted.

Secondary ecological effect e.g. when a large proportion of a specific habitat type is treated (ADS)

No new data has been submitted.

Foreseeable routes of entry into the environment on the basis of the use envisaged

The Biocidal Product Family includes two formulations of passive diffuser for indoor use only. These are placed inside wardrobes by hanging on coat hanger between the clothes.

The major part of the active substance (90%) will be emitted to air and the remaining 10% will be emitted to the floor. The active substance will not directly reach the environmental compartments surface water (including sediments), groundwater and soil, but indirect via STP as a result from cleaning of the floor where the active substance has been deposited. The cleaning step will therefore lead to releases to waste water (e.g. through wet cleaning methods). Therefore, in compliance with the ESD for PT18 (OECD, 2008), the compartment primarily exposed is the STP. Although, under the proposed conditions of use, Transfluthrin will be emitted to air, the concentration in air upon indoor use will not be relevant because of instant dilution (c.f OECD, 2008).

No further substances of environmental concern are present in the product in relevant concentrations. Therefore the provided environmental exposure assessment has been performed only for the active substance Transfluthrin and its major metabolites TFB-OH and TFB-COOH, detected in maximum levels of 38% and 59% of AR, respectively, in the water phase. According to the CAR of Transfluthrin (The Netherlands 2014) it is assumed that even no experimental data are available for the biodegradation of transfluthrin in soil, the route of degradation in soil can be assumed to be similar to that in water/sediment systems, i.e. the main metabolites to be expected in soil are TFB-OH and TFB-COOH. The environmental exposure assessment was conducted for the local scale only. The degradation of the active substance Transfluthrin is not taken into account. Information on frequency and intensity of use is outlined in chapter 2.2.8.2 Exposure Assessment.

Further studies on fate and behaviour in the environment (ADS)

In the CAR (The Netherlands, 2014) no experimental data for the biodegradation of Transfluthrin in soil was available. At product authorisation stage several MS (DE, FR and NL) received a new performed study on aerobic biodegradation of Transfluthrin in soil and an additional kinetic evaluation report. The applicant submitted a full letter of access (LoA) for the new submitted data and for the data of Transfluthrin reported in the AR (The Netherlands, 2014).

Conclusion used in Risk Assessment – Further studies on fate and behaviour in the environment	
Value/conclusion	Transfluthrin: DT50 = 5.17 d (at 12°C)
Justification for the value/conclusion	In an Ad hoc-follow up (written procedure) after the BPC ENV WG-IV-2017 the eCA DE raised a proposal on a statistical recalculation of the kinetic data from the soil aerobic degradation study (final minutes on BPC ENV WG-IV-2017 item 6.6a). A DT50 of 5.17 d (at 12°C) was agreed by the commenting MSs. An amended list of endpoints (LoEP) was agreed at the BPC-24 meeting in march 2018.

Leaching behaviour (ADS)

Data on the leaching behaviour of the biocidal products is considered not relevant for the intended use of biocidal products and thus, is not required.

Testing for distribution and dissipation in soil (ADS)

Conclusion used in Risk Assessment – Distribution and dissipation in soil	
Value/conclusion	Metabolite TFB-COOH: DT50 = 3.23 d (at 12°C) Formation fraction in soil for TFB-COOH: 0.619
Justification for the value/conclusion	In an Adhoc-follow up (written procedure) after the BPC ENV WG-IV-2017 the eCA DE raised a proposal on a statistical recalculation of the kinetic data from the soil aerobic degradation study (final minutes on BPC ENV WG-IV-2017 item 6.6a). A DT50 of 3.23 d for the metabolite TFB-COOH (at 12°C) and a formation fraction of 0.619 was agreed by the commenting MS. An amended list of endpoints (LoEP) of Transfluthrin and its metabolite TFB-COOH was agreed at the BPC-24 meeting in march 2018.

Testing for distribution and dissipation in water and sediment (ADS)

No new data has been submitted.

Testing for distribution and dissipation in air (ADS)

No new data has been submitted.

If the biocidal product is to be sprayed near to surface waters then an overspray study may be required to assess risks to aquatic organisms or plants under field conditions (ADS)

Since the intended use of biocidal products is foreseen for indoor use only, no further data are considered necessary. No new data has been submitted.

If the biocidal product is to be sprayed outside or if potential for large scale formation of dust is given then data on overspray behaviour may be required to assess risks to bees and non-target arthropods under field conditions (ADS)

The biocidal product is not sprayed and no potential for large scale formation of dust is given. No new data has been submitted.

Assessment of endocrine-disrupting (ED) properties of the active substance in the product concerning environment

In the CAR for Transfluthrin (NL, 2014) it was concluded that currently there are no indications for endocrine disrupting properties of the active substance based on the Commission staff working document on implementation of the Community Strategy for Endocrine Disrupters (COM (1999) 706) and the overview report incorporating the results from studies conducted with Cyfluthrin or Transfluthrin as part of the US EPA's Endocrine

Disruption Screening Program. However this conclusion was reached before Commission Delegated Regulation (EU) 2017/2100 entered into force and may be subject to a revision once the ED evaluation according to the harmonised guidance and criteria is completed at EU level.

Assessment of endocrine-disrupting (ED) properties of the non-active substances in the product concerning environment

For details please see the confidential Annex of the PAR.

2.2.8.2 Exposure assessment

General information

Assessed PT	PT18
Assessed scenarios	Scenario [1]: Moth protection paper – meta SPC 1 Scenario [2]: Moth protection flavour bags – meta SPC 2, 3 Insecticide, used in wardrobes as passive diffuser for indoor use by non-professionals only.
ESD(s) used	Emission Scenario Document for Product Type 18 (OECD Series on ESD no. 18): Emission Scenario Document for Insecticides, Acaricides and Products to Control Other Arthropods for Household and Professional Uses, OECD 2008.
Approach	Scenario [1] & [2]: Emission scenario for passive diffuser adapted for the particular application conditions of the biocidal product. Since the product is designed for non-professional users only the private (domestic) use was considered. The biocidal products are ready-to-use products, no preparation step was considered in the calculation of the Predicted Environmental concentration (PEC). The products have to be applied in wardrobes. Scenario [1]:meta SPC 1 One impregnated paper strip (30 mg a.s.) is enough for 1 m ³ inside the wardrobe. The product releases Transfluthrin into the air by evaporation over a 6 month period of use. Scenario [2]: meta SPC 2, 3 One flavour bag (15 mg a.s.) is enough for 1 m ³ inside the wardrobe. The product releases Transfluthrin into the air by evaporation over a 3 month period of use.
Distribution in the environment	Calculation based on Guidance on the Biocidal Products Regulation, Volume IV Environment - Part B Risk Assessment, Version 1.0, April 2015.
Groundwater simulation	The concentration of the active substance in groundwater was estimated via the pore water concentration according to ECHA (2017). No additional simulation for leaching to

	groundwater is required.
Confidential Annexes	No
Life cycle steps assessed	Scenario [1] & [2]: Production: No Formulation: No Use: Yes Service life: No
Remarks	Although, under the proposed conditions of use, Transfluthrin will be emitted to air, the concentration in air upon indoor use will not be relevant because of instant dilution (c.f OECD, 2008).

Emission estimation

Exposure of environmental compartments is calculated on basis of the emission scenario for (passive) diffusers (chapter 3.4.6 Diffusers, OECD, 2008), which proposes a generic scenario for the application step.

The biocidal product is always sold in a ready-to-use form. Therefore, no emission is calculated for the preparation step of diffusers.

The biocidal products can either be an impregnated Moth protection paper (30 mg a.s. per m³, every 6 months) or an Moth protection flavour bag (15 mg a.s. per m³, every 3 months). The input parameters of both product formulations result in the same emission to the floor, because the impregnated moth paper contains the double amount of active substance, but the application time is half of the application time of the Moth protection flavour bag:

Eapplication, floor = Qas x (Tday/Tmax) x Fapplication, floor x 10⁻³ [kg/d]

Scenario [1] – moth paper

Eapplication, floor = 0.1125 x (24/4320) x 0.1 x 10⁻³ = 6.25E-08 kg/d

Scenario [2] – moth flavour bag

Eapplication, floor = 0.05625 x (24/2160) x 0.1 x 10⁻³ = 6.25E-08 kg/d

Scenario [1] – Moth protection paper – meta SPC 1

Calculations for Scenario [1] – Anti-moth Paper

Resulting local emission to relevant environmental compartments		
Compartment	Local emission (E_{local,compartment}) [kg/d]	Remarks
STP	6.25E-08	

Scenario [2] – Moth protection flavour bags type 1 and 2 – meta SPC 2, 3

Calculations for Scenario [2] – Anti-moth Flavour Bag

Resulting local emission to relevant environmental compartments
--

Compartment	Local emission ($E_{\text{local compartment}}$) [kg/d]	Remarks
STP	6.25E-08	

Fate and distribution in exposed environmental compartments

Identification of relevant receiving compartments based on the exposure pathway									
	Fresh-water	Fresh-water sediment	Sea-water	Marine sediment	STP	Air	Soil	Ground-water	Other
Scenario [1]: Moth protection on paper	Yes (in-direct)	Yes (in-direct)	No	No	Yes (direct)	Yes (direct)	Yes (in-direct)	Yes (in-direct)	no
Scenario [2]: Moth protection on flavour bags type 1 and 2	Yes (in-direct)	Yes (in-direct)	No	No	Yes (direct)	Yes (direct)	Yes (in-direct)	Yes (in-direct)	no

Input parameters (only set values) for calculating the fate and distribution in the environment			
Input	Value	Unit	Remarks
Molecular weight	371.2 ¹	g/mol	Assessment Report
Melting point	32 ¹	°C	Assessment Report
Boiling point	242 ¹	°C	Assessment Report
Vapour pressure at test temperature	9.00E-04 ¹	Pa (at 20°C)	Assessment Report
Vapour pressure	9E-04 ¹	Pa (at 25°C)	Assessment Report
Water solubility at test temperature	0.057 ¹	mg/L (at 20°C)	Assessment Report
Water solubility	0.0611 ¹	mg/L (at 25°C)	Assessment Report
Log Octanol/water partition coefficient (log Kow)	5.94 ¹	Log 10	Assessment Report
Organic carbon/water partition coefficient (Koc)	50119 ¹	l/kg	Assessment report of a.s
Henry's Law Constant	5.86 ¹	Pa/m ³ /mol	Assessment report

Input parameters (only set values) for calculating the fate and distribution in the environment			
		(at 20°C)	of a.s
Biodegradability	not biodegradable ¹		Assessment report of a.s
DT ₅₀ for biodegradation in surface water	7 ¹	d (at 12°C)	Assessment report of a.s
DT ₅₀ for hydrolysis in surface water	1.00E+06	d (at 12°C)	Default value (conservative approach)
DT ₅₀ for photolysis in surface water	1.00E+06	d	Default value (conservative approach)
DT ₅₀ for degradation in soil	5.17	d (at 12°C)	Agreed at BPC ENV WG-IV-2017
Bioconcentration factor for earthworms	10452 ¹	L/kg _{wwt}	Assessment Report
Bioconcentration factor for fish	1783 ¹	L/kg _{wwt}	Assessment Report
Biomagnification factor in fish	1	-	Assessment Report

¹ values extracted from Assessment Report of Transluthrin PT18, (The Netherlands, 2014).

Calculated PEC values

The Predicted Environmental Concentrations (PECs) were calculated based on the equations presented in ECHA (ECHA, 2015b). The PECs of the major metabolites TFB-OH and TFB-COOH were calculated based on the PECs calculated for the parent multiplied by a formation factor and a correction for the molecular weight:

Transfluthrin: molecular weight 371.2 mg/mol

TFB-OH: molecular weight 180.1 mg/mol; 38% in water phase

TFB-COOH: molecular weight 194.08 mg/mol; 59% in water phase

TFB-OH: $180.1/371.2 = 0.485 \times 0.38 = 0.184$

TFB-COOH: $194.08/371.2 = 0.523 \times 0.59 = 0.308$

The BPC ENV WG-I-2018 agreed the value of 1.5 m³ as default value for the size of the wardrobe to be in line with the human expose model ConsExpo. Furthermore, it was agreed that for the assessment of treatment of wardrobes a number of wardrobes per house is equal to 2.5. The assumption behind this value of 2.5 is that the number of dwellers per house was estimated to be 2.5: 10000 dwellers live in 4000 houses in a standard city (10000/4000 = 2.5 dwellers per house). Furthermore, it is assumed that one dweller uses one wardrobe and therefore, 2.5 wardrobes are assumed in one house. The moth papers are used simultaneously.

The quantity of active substance in the diffusers per household is therefore calculated as follows:

Scenario [1] – Anti-moth Paper – meta SPC 1

$Q_{AS} = 2.5 \times 1.5 \text{ m}^3 \times 30 \text{ mg} = 112.50 \text{ mg a.s. (every 6 month)}$

Scenario [2] – Anti-moth Flavour Bag – meta SPC 2, 3

$Q_{AS} = 2.5 \times 1.5 \text{ m}^3 \times 15 \text{ mg} = 56.25 \text{ mg a.s. (every 3 month)}$

The biocidal products can either be an impregnated moth paper (30 mg a.s. per m³, every 6 months) or an Moth protection flavour Bag (15 mg a.s. per m³, every 3 months). The input parameters of both product formulations result in the same emission to the floor,

because the impregnated moth paper contains the double amount of active substance, but the application time is half of the application time of the Moth protection flavour bag:

Eapplication, floor = $Q_{as} \times (T_{day}/T_{max}) \times F_{application, floor} \times 10^{-3}$ [kg/d]

Scenario [1] – Moth protection paper – meta SPC 1

Eapplication, floor = $0.1125 \times (24/4320) \times 0.1 \times 10^{-3} = 6.25E-08$ kg/d

Scenario [2] – Moth protection flavour bag – meta SPC 2, 3

Eapplication, floor = $0.05625 \times (24/2160) \times 0.1 \times 10^{-3} = 6.25E-08$ kg/d

Consequently, the calculated Predicted Environmental Concentrations (PECs) regarding both product formulations are equal.

PEC in air

Under the proposed conditions of use, Transfluthrin will be emitted to air. According to the ESD (OECD, 2008), the concentration in air upon indoor use will not be relevant because of instant dilution. No ecotoxicity data are available based on atmospheric exposures and there is no agreed method available to derive a PEC_{air}. Furthermore, Transfluthrin has a vapour pressure of $9.00E-04$ Pa at 20°C, indicating relatively low volatility.

PEC in STP

The distribution of the active substance Transfluthrin in the environment after release to the sewer system is calculated according to the distribution indicated by Simple Treat, which is implemented in EUSES 2.1.2.

Calculated fate and distribution in the STP		
Compartment	Percentage [%]	Remarks
	Scenario [1] & [2]	
Fraction of emission directed to air by STP	0.851	
Fraction of emission directed to water by STP	19.2	
Fraction of emission directed to sludge by STP	79.9	
Fraction of the emission degraded in STP	0	

The calculation for emissions to the floor during application of the Biocidal Product Family and routed as waste water to the STP as result from cleaning the floor, is as follows (OECD, 2008, Section 3.4.6.2 Application step, p. 96):

Resulting local emission of Transfluthrin to the STP (cf. OECD, 2008)
Scenario Moth protection paper: Passive diffuser for indoor use, only placed inside wardrobes

Variable/parameter	Symbol	Value	Unit	S/D/O/P
Input				
Quantity of active substance in the diffuser	$Q_{a.s.}^1$	Moth protection paper: 0.1125 Moth protection flavour bag: 0.05625	g	S
Maximal duration of use of the diffuser [h]	T_{Max}	Moth protection paper: 4320 Moth protection flavour bag: 2160	h	S
Duration of use per day [h]	T_{Day}	24	h/d	S
Fraction emitted to the floor, default	$F_{Application, floor}$	0.1 ²	-	D
$E_{Application, floor} = Q_{a.s.} \times (T_{day}/T_{max}) \times F_{Application, floor} \times 10^{-3}$				
Emission to the floor	$E_{Application, floor}$	6.25E-08	kg/d	O
Fraction emitted to waste water	F_{ww}	1	-	D
Cleaning efficiency	F_{ce}	1 ²	-	D
$E_{treated, ww} = E_{Application, floor} \times F_{ww} \times F_{ce}$				
Emission from the treated floor to waste water	$E_{treated, ww}$	6.25E-08	kg/d	O
Number of houses connected to the STP	N_{house}	4000	-	D
Factor to correct for the simultaneous use of the product	$F_{simultaneity}$	0.055 ²	-	D
$E_{localSTP} = E_{treated, ww} \times N_{house} \times F_{simultaneity}$				
Daily emission to the STP	$E_{localSTP}$	1.38E-05	kg/d	O

1 The formula for calculating the emission to floor in the ESD includes the parameter "Quantity of product in the diffuser" (Q_{prod}) and "Fraction of active in the product" (FAI). For the product under consideration, the quantity of active per paper is given, so $Q_{prod} \times FAI$ is replaced by Q_{AI} .

2 These default values were agreed at an e-consultation of the ENV WG on the conclusions of the 2nd PT 18 Expert Group meeting (from 20 September to 31 October 2017). The results of this e-consultation were presented at BPC ENV WG-I-2018.

Calculation of the STP influent concentration (cf. ECHA, 2015b, equation 32)			
Parameter	Definition	Value	Unit
Local emission rate to wastewater	$E_{local_{water}}$	1.38E-05	kg/d
Capacity of the STP	$CAPACITY_{stp}$	10000	eq
Sewage flow per inhabitant	$WASTE_{Winhab}$	200	L/d*eq
Effluent discharge rate	$EFFLUENT_{stp} = CAPACITY_{stp} \times WASTE_{Winhab}$	2000000	L/d
Cumulative concentration in untreated wastewater	$C_{local_{inf}} = \frac{E_{local_{water, sim}} \times 10^6}{EFFLUENT_{stp}}$	6.90E-06	mg/L

Calculation of the STP effluent concentration (cf. ECHA, 2015b, equation 33)			
Parameter	Definition	Value	Unit
Cumulative concentration in untreated wastewater	$C_{local_{inf}}$	6.90E-06	mg/L
Fraction of emission directed to water by STP	$F_{stp_{water}}$	0.192	-
Concentration of substance in the STP effluent (PEC_{STP})	$C_{local_{eff}} = C_{local_{inf}} \times F_{stp_{water}}$	1.32E-06	mg/L

The parameter $C_{local_{eff}}$ can be regarded as the PEC_{STP} of Transfluthrin (cf. ECHA, 2015b, equation 38), under the prerequisite that only the dissolved concentration is bioavailable, i.e., it is the actual concentration to which the microorganisms in a sewage treatment plant are exposed to.

PEC in surface water

The effluent of the sewage treatment plant is diluted into the surface water. For the calculation of Predicted Environmental Concentrations for this compartment complete mixing of the effluent in surface water is assumed. Because of the short distance between the point of effluent discharge and the exposure location, volatilisation, degradation and sedimentation are ignored. Due to the fact that degradation in water has not been taken into account, the calculations are thus conservative.

In order to assess the adsorption to suspended matter, the solid-water partition coefficient (K_{psusp}) is calculated from the K_{oc} value. A default value of 0.1 kg/kg for $F_{oc_{susp}}$ (according to ECHA, 2015b, chapter 2.3.4, table 5) and a K_{oc} value of 50119 L/kg are used for the calculation.

Calculation of the partition coefficient solid-water in suspended matter (cf. ECHA, 2015b, equation 23)			
Parameter	Definition	Value	Unit
Weight fraction organic carbon in susp. solids	FOC_{susp}	0.1	kg/kg
Partition coefficient organiccarbon-water	K_{oc}	50119	L/kg
Partition coefficient solid-water in suspended matter	$K_{psusp} = FOC_{susp} \times K_{oc}$	5011.9	L/kg

The resulting K_{psusp} is used to calculate the local concentration in surface water ($C_{local\ water}$ corresponding to $PEC_{surface\ water}$). According to the BPR (ECHA, 2015b), a default value of 15 mg/L is taken for the concentration of suspended matter in the river ($SUSP_{water}$) and a dilution factor of 10 is used.

Calculation of the $C_{local\ water}$ concentration (corresponding to $PEC_{local\ water}$) for Transfluthrin (cf. ECHA, 2015b, equation 45)			
Parameter	Definition	Value	Unit
Concentration of substance in the STP effluent	$C_{local\ eff}$	1.32E-06	mg/L
Solids-water partitioning coefficient of suspended matter	K_{psusp}	5011.9	L/kg
Concentration of suspended matter in the river	$SUSP_{water}$	15	mg/L
Dilution factor	DILUTION	10	-
Local concentration in surface water during emission episode (PEC_{water})	$C_{local\ water} = C_{local\ eff} \times ((1 + K_{psusp} \times SUSP_{water} \times 10^{-6}) \times DILUTION)^{-1}$	1.23E-07	mg/L

The calculated $C_{local\ water}$ concentrations correspond to the $PEC_{local\ water}$ in the case of non-existing background concentrations.

PEC in sediment

Following ECHA (2015b) the PEC in sediment is assessed for freshly deposited sediments. Therefore, the properties of suspended matter are used. Accordingly, the bulk density of (wet) suspended matter (RHO_{susp}) and the suspended matter-water partitioning coefficient ($K_{susp-water}$) are calculated respectively, and the PEC_{local} for sediment is assessed.

The bulk density of (wet) suspended matter (RHO_{susp}) is calculated taking the following default values: 0.1 m³/m³ for $F_{solid_{susp}}$ (fraction solids in suspended matter), 2500 kg/m³ for RHO_{solid} (bulk density of the solid phase), 0.9 m³/m³ for $F_{water_{susp}}$ (fraction water in suspended matter) and 1000 kg/m³ for RHO_{water} (density of the water phase).

Calculation of RHO_{susp} (cf. ECHA, 2015b, equation 18)			
Parameter	Definition	Value	Unit
Fraction solids in suspended matter	$F_{solid_{susp}}$	0.1	m ³ /m ³
Bulk density of the solid phase	RHO_{solid}	2500	kg/m ³
Fraction water in suspended matter	$F_{water_{susp}}$	0.9	m ³ /m ³
Density of the water phase	RHO_{water}	1000	kg/m ³
Bulk density of (wet) suspended matter	$RHO_{susp} = F_{solid_{susp}} \times RHO_{solid} + F_{water_{susp}} \times RHO_{water}$	1150	kg/m³

The suspended matter-water partitioning coefficient ($K_{susp-water}$) is derived taking default values of 0.9 m³/m³ for $F_{water_{susp}}$, 0.1 m³/m³ for $F_{solid_{susp}}$ and 2500 kg/m³ for RHO_{solid} . The K_{susp} figure is taken from above.

Calculation of $K_{susp-water}$ (cf. ECHA, 2015b, equation 24)			
Parameter	Definition	Value	Unit
Fraction water in suspended matter	$F_{water_{susp}}$	0.9	m ³ /m ³
Fraction solids in suspended matter	$F_{solid_{susp}}$	0.1	m ³ /m ³
Partition coefficient solid-water in suspended matter	$K_{p_{susp}}$	5011.9	L/kg
Density of the solid phase	RHO_{solid}	2500	kg/m ³
Suspended matter-water partitioning coefficient	$K_{susp-water} = F_{water_{susp}} + F_{solid_{susp}} \times \frac{K_{p_{susp}}}{1000} \times RHO_{solid}$	1253.88	m³/m³

Calculation of PEC_{local} in sediment (cf. ECHA, 2015b, equation 50)			
Parameter	Definition	Value	Unit
Concentration in surface water during emission episode	PEC _{local} _{water}	1.23E-07	mg/L
Suspended matter-water partitioning coefficient	K _{susp-water}	1253.88	m ³ /m ³
Bulk density of suspended matter	RHO _{susp}	1150	kg/m ³
Predicted Environmental Concentration in sediment	PEC_{local}_{sed} = (K_{susp-water} / RHO_{susp}) x PEC_{local}_{water} x 1000	1.34E-04	mg/kg

PEC in soils

PEC in soil via the application of STP sludge (indirect exposure)

Soil contamination can arise indirectly, via the application of STP sludge; hence, the concentration in STP sludge has to be assessed at first. The rate of sewage sludge production (SLUDGERATE) is estimated from the outflows of primary and secondary sludge. The following default values were chosen: 0.45 kg/m³ for SUSPCONC_{inf} (concentration of suspended matter in STP influent), 0.019¹⁷ kg/d for SURPLUSsludge (surplus sludge per inhabitant equivalent), and 10000 inhabitant equivalents for CAPACITY_{stp} (capacity of the STP). The resulting SLUDGERATE is 790 kg/d.

¹⁷ The version of the BPR, Vol IV Environment - Part B Risk Assessment (2015) lists for SURPLUSsludge (surplus sludge per inhabitant equivalent) a value of 0.011 kg/d. The resulting SLUDGERATE amounts is then 710 kg/d. The modelling program EUSES 2.1.2 calculates with the actual value of 0.019 kg/d for SURPLUSsludge. The result for SLUDGERATE is in this case 790 kg/d. The PEC soil calculations for Transfluthrin are calculated with 0.019 kg/d for SURPLUSsludge and therefore 790 kg/d for SLUDGERATE. This follows a recommitation from the BPC WG-IV-2016 and this is also in line with the REACH Guidance R.16 and Simple Treat 3.1. The current version of the BPR Vol.IV Environment - Assessment and Evaluation (Part B+C), Version 2.0; October 2017 set the value for SURPLUSsludge equal to 0.019 kg/d.

Calculation of the rate of sewage sludge production in a model STP (cf. ECHA, 2015b, equation 37)			
Parameter	Definition	Value	Unit
Concentration of suspended matter in STP influent	$SUSP_{CONC_{inf}}$	0.45	kg/m ³
Effluent discharge rate of STP	$EFFLUENT_{STP}$	2000	m ³ /d
Surplus sludge per inhabitant equivalent	$SURPLUS_{sludge}$	0.019	kg/d*eq
Capacity of the STP	$CAPACITY_{STP}$	10000	eq
Rate of sewage sludge production	$SLUDGERATE = \frac{2}{3} \times SUSP_{CONC_{inf}} \times EFFLUENT_{STP} + SURPLUS_{sludge} \times CAPACITY_{STP}$	790	kg/d

Calculation of the sludge concentration (cf. ECHA, 2015b), equation 36)			
Parameter	Definition	Value	Unit
Local emission rate to waste water during episode	$E_{local_{water}}$	1.38E-05	kg/d
Fraction of emission directed to sludge by STP	$F_{stp_{sludge}}$	0.799	-
Rate of sewage sludge production	$SLUDGERATE$	790	kg/d
Concentration in dry sewage sludge	$C_{sludge} = F_{stp_{sludge}} \times E_{local_{water}} \times 10^6 \times SLUDGERATE^{-1}$	1.40E-02	mg/kg

According to ECHA (2015b) default values were taken for the sludge application rate (5000 kg dry weight/ha/yr, corresponding to 0.5 kg/m²/yr), the soil depth (0.2 m) and the bulk density of the soil (1700 kg/m³).

Calculation of concentrations in the soil following a single STP sludge concentration (cf. ECHA, 2015b), equation 60)			
Parameter	Definition	Value	Unit
Concentration in dry sewage sludge	C_{sludge}	1.40E-02	mg/kg
Dry sludge application rate	$APPL_{sludge}$	0.5	kg/m ² *yr
Mixing depth of soil	$DEPTH_{soil}$	0.2	m
Bulk density of soil	RHO_{soil}	1700	kg/m ³
Concentration in soil due to sludge in first year at t=0	$C_{sludge\ soil\ 1}(0) = \frac{C_{sludge} \times APPL_{sludge}}{DEPTH_{soil} \times RHO_{soil}}$	2.06E-05	mg/kg

As a worst-case assumption for exposure, it is assumed that sludge applications take place for 10 consecutive years, each with one application. The fraction of Transfluthrin that remains in the top soil layer one year after an application is given in the table below. For the calculation of the rate constant for removal from top soil (k), a DT₅₀ in soil of 5.17 days at 12°C is considered. This value was agreed at BPC ENV WG-IV-2017.

Calculation of the accumulated active substance fraction remaining in soils one year following a sludge application (cf. ECHA, 2015b), equation 61)			
Parameter	Definition	Value	Unit
First order rate constant for removal from top soil	k	0.134071	1/d
Fraction accumulation in one year	Facc = e^{-365k}	5.59E-22	-

Calculation of soil concentrations following a one-fold sludge application in each of ten years (concentration immediately after the tenth application, cf. ECHA, 2015b, equation 62)			
Parameter	Definition	Value	Unit
Concentration in soil due to sludge application in first year at t=0	$C_{sludge_{soil1}}(0)$	2.06E-05	mg/kg
Fraction accumulation in one year	F_{acc}	5.59E-22	-
Concentration in soil due to sludge after 10 applications at t=0	$C_{sludge_{soil10}}(0)$ $=$ $C_{sludge_{soil1}}(0)$ $\times [1 + \sum_{n=1}^9 F_{acc}^n]$	2.06E-05	mg/kg

According to Guidance on the BPR: Volume IV Environment, Part B+C (ECHA 2017a) regarding the performance of risk assessment for the terrestrial compartment, care should be taken that the PEC and PNEC soil are based on comparable exposure patterns. The results of standardised terrestrial ecotoxicity tests are generally expressed on the basis of initial, nominal concentrations in test with single applications. Consequently, a PNEC_{soil} based on those tests is most accurately described in terms of initial concentrations too. In that case the PNEC_{soil} should be compared with the initial PEC_{soil}, which is the PEC_{soil} directly after the last sludge application. Therefore, the concentration in soil due to sludge after 10 applications at t=0 (directly after the last application) is used for the risk characterisation.

The initial concentrations following 10 sludge applications are used to calculate average residues in soils regarding secondary poisoning via contaminated earthworms, i.e., over a time period of 180 days. The rate constant k only compasses the biodegradation, whereas volatilisation and leaching were not considered as relevant routes for removal.

Calculation of the average concentration in soils of terrestrial ecosystems (Clocalsoil, cf. ECHA, 2015b), equation 55)			
Parameter	Definition	Value	Unit
First order rate constant for removal from top soil	k	0.134071	1/d
Averaging time	T	180	d
Initial concentration after sludge application	C _{soil} (0)	2.06E-05	mg/kg
Average concentration in soil over 180 days (PEC_{soil, 180d agric.})	Clocalsoil = (1/kT) x C_{soil} (0) x (1-e^{-kT})	8.54E-07	mg/kg_{wwt}

Under the prerequisite that a background concentration for Transfluthrin does not exist, the Clocalsoil values represent the PEClocalsoil values.

Groundwater

According to ECHA (ECHA, 2015b) the concentration of a substance in groundwater is equivalent to the concentration in the pore water of the potentially affected soil volume. The concentration in pore water can be calculated assuming simple adsorption processes following ECHA (2015b), equation 67:

Calculation of the concentration in pore water (cf. ECHA, 2015b, equation 67)			
Parameter	Definition	Value	Unit
Average concentration in soil over 180 days	$PEC_{local,agr.soil}$	8.54E-07	mg/kg
Bulk density of (wet) soil	RHO_{soil}	1700	kg/m ³
Density of the solid phase	RHO_{solid}	2500	Kg _{solid} /m _{id} ³
Volume fraction water in soil	$F_{water,soil}$	0.2	m _{water} ³ /m _{oil} ³
Volume fraction solids in soil	$F_{solid,soil}$	0.6	m _{solid} ³ /m _{oil} ³
Weight fraction organic carbon in soil solids	$F_{oc,soil}$	0.02	kg _{oc} /kg _{solid}
Partition coefficient organic carbon-water	K_{oc}	50119	L/kg
Partition coefficient solid-water in soil	$K_{p,soil} = F_{oc,soil} \times K_{oc}$	1002.38	L/kg
Soil-water partition coefficient	$k_{soil-water} = F_{water,soil} + F_{solid,soil} \times \frac{k_{p,soil}}{1000} \times RHO_{solid}$	1503.77	m ³ /m ³
Predicted environmental concentration in porewater	$PEC_{local,porewater} = \frac{PEC_{local,soil} \times RHO_{soil}}{k_{soil-water} \times 1000}$	9.65E-10	mg/L

Summary table on calculated PEC values						
	PEC_{STP}	PEC_{water}	PEC_{sed}	PEC_{soil}	PEC_{GW}	PEC_{air}
	[mg/m ³]	[mg/L]	[mg/kg _{wwt}]	[mg/m ³]	[µg/l]	[mg/m ³]
Transfluthrin						
Scenario [1] - Anti-moth Paper & Scenario [2] - Anti-moth Flavour Bag	1.32E-06	1.23E-07	1.34E-04	5.03E-06	9.65E-07	not relevant
Metabolite TFB-OH						
Scenario [1] - Anti-moth Paper & Scenario [2] - Anti-moth Flavour Bag	2.42E-07	2.25E-08	2.45E-05	9.20E-07	1.77E-07	not relevant
Metabolite TFB-COOH						
Scenario [1] - Anti-moth Paper & Scenario [2] - Anti-moth Flavour Bag	4.11E-07	3.83E-08	4.17E-05	1.56E-06	2.99E-07	not relevant

Primary and secondary poisoning

Non-target animals are potentially at risk in two ways: a) from direct consumption of a biocidal product (primary poisoning) or b) through eating organisms that have taken up/accumulated a poison (secondary poisoning).

Primary poisoning

Primary poisoning as direct consumption of insecticide by birds or mammals may mainly occur in the following cases: if insecticides are applied together with food attractant or insecticides are applied as granular formulation.

In the Biocidal Product Family includes two types of formulations: the Anti-moth Paper (impregnating paper) and the Anti-moth Flavour Bag (sealed bags containing granules). Both are indoor diffusers used in wardrobes, without any attractants. In normal condition of use, no primary poisoning is foreseen during application. Therefore, primary poisoning is not applicable regarding the intended use of this Biocidal Product Family.

Secondary poisoningSecondary poisoning via contaminated EARTHWORMS

Mammals and birds may consume contaminated worms. As input parameter the concentration in the receiving soil compartment as a result of sludge application (indirect contamination) is included as well as the BCF in earthworms, the concentration in pore water, the fraction of gut loading in worm and the conversion factor for soil concentration wet-dry/weight soil. For calculating the bioconcentration factor, an octanol/water partition coefficient of $\log K_{ow} = 5.94$ is taken.

Calculation of the predicted environmental concentration for Transfluthrin in earthworms (cf. ECHA, 2015b, equation 82c)			
Parameter	Definition	Via sludge application	Unit
Local concentration in soil (PEC _{agric, 180 days})	PEC _{local,soil}	8.54E-07	mg/kg _{wwt}
Octanol/water partition coefficient	K _{ow}	870964	-
Density of earthworm	RHO _{earthworm}	1	kg _{wwt} /L
Bioconcentration factor for earthworm on wet weight basis	BCF = (0.84 + 0.012 K _{ow})/RHO _{earthworm}	10452	L/kg _{wet earthworm}
Fraction of gut loading in worm	F _{gut}	0.1	kg/kg
Conversion factor for soil concentration wet-dry weight soil	CONV _{soil}	1.13	kg _{wwt} /kg _{dwt}
Predicted Environmental Concentration in pore water	PEC _{local,soil,porewater}	9.65E-10	mg/L
Predicted Environmental Concentration in earthworms	$C_{\text{earthworm}} = \frac{\text{BCF}_{\text{earthworm}} \times C_{\text{porewater}} + C_{\text{soil}} \times F_{\text{gut}} \times \text{CONV}_{\text{soil}}}{1 + F_{\text{gut}} \times \text{CONV}_{\text{soil}}}$	9.15E-06	mg/kg_{wet earthworm}

Secondary poisoning via contaminated FISH

As given in the assessment report of Transfluthrin (The Netherlands, 2014), a $\log K_{ow}$ equal to 5.94 indicates potential bioaccumulation, hence also a potential for secondary poisoning via the consumption of contaminated fish may be given.

The assessment of secondary poisoning is calculated according to ECHA (2015b).

The concentration of contaminant in food (fish of fish-eating predators (PEC_{oral,predator}) is calculated based on PEC for surface water.

Calculation of the predicted environmental concentration for Transfluthrin in fish (cf. ECHA, 2015b, equation 76)			
Parameter	Definition	Value	Unit
Predicted environmental concentration in surface water	PEC_{water}	1.23E-07	mg/L
Bioconcentration factor for fish on wet weight basis	BCF_{fish}	1783	L/kg _{wet fish}
biomagnification factor in fish	BMF	1	-
Predicted Environmental Concentration in fish	$PEC_{oral, predator} = PEC_{water} \cdot BCF_{fish} \cdot BMF$	2.19E-04	mg/kg_{wet fish}

Summary table on PEC oral in fish and earthworm		
	PEC oral fish	PEC oral earthworm
	[mg/kg*d ⁻¹]	[mg/kg*d ⁻¹]
Scenario [1]: Transfluthrin	2.19E-04	9.15E-06

Metabolites TFB-OH and TFB-COOH

The major metabolites TFB-OH and TFB-COOH are not expected to bioaccumulate since the estimated logK_{ow} is equal to 1.85 for TFB-COOH and 1.54 for TFB-OH. Therefore, secondary poisoning is not expected.

2.2.8.3 Risk characterisation

Atmosphere

Under the proposed conditions of use, Transfluthrin will be emitted to air. According to the ESD (OECD, 2008), the concentration in air upon outdoor use will not be relevant because of instant dilution. This also applies to indoor use. Furthermore, no ecotoxicity data are available based on atmospheric exposures and there is no agreed method available to derive a PEC_{air}. Therefore, a PEC/PNEC_{air} cannot be calculated. The estimated atmospheric half-life time with 2.4 d is short (The Netherlands, 2014). Due to the relative small amounts used compared to the volume of the atmospheric compartment possible abiotic effects of Transfluthrin or significant exposure to the atmosphere are expected to be negligible.

Conclusion

In concordance with the intended use of the biocidal product significant exposure of the air is not expected.

Sewage treatment plant (STP)

The $PNEC_{STP}$ for Transfluthrin is 0.057 mg/L (see AR, The Netherlands, 2014) based on the water solubility. The PEC values were taken from the table "Summary on calculated PEC values" in chapter 2.2.8.2 of this document.

Summary table on calculated PEC/PNEC_{STP} values		
Scenarios	PEC_{STP}	PEC/PNEC_{STP}
	PNEC_{STP} = 0.057 mg/L	
Scenario [1] & Scenario [2] - meta SPC 1,2,3	1.32E-06 mg/L	2.32E-05

Conclusion

The PEC/PNEC ratio for Transfluthrin is <1 demonstrating no unacceptable risk for microorganisms for direct exposure to STP.

Aquatic compartment

PEC/PNEC ratios were calculated for surface water and sediment for Transfluthrin. For the main metabolites TFB-OH and TFB-COOH risk ratios were calculated for surface water.

For the used PNECs see chapter "2.2.8.1 Effects assessment on the environment". For the metabolites TFB-OH and TFB-COOH no effect data for sediment organisms are available, therefore no PNECs can be derived. Both metabolites are less toxic than the parent compound Transfluthrin (see LoEP, The Netherlands, 2014) Hence, the $PEC/PNEC_{surface\ water}$ values of both metabolites cover the risk assessment for the sediment compartment.

Summary table on calculated PEC/PNEC_{aquatic} values				
Scenario	PEC_{surface water}	PEC/PNEC_{surface water}	PEC_{sed}	PEC/PNEC_{sed}
Transfluthrin				
	PNEC_{surface water} = 1.75E-06 mg/L		PNEC_{sed} = 3.57E-04 mg/kg_{wwt}	
Scenario [1] & Scenario [2] meta SPC 1,2,3	1.23E-07 mg/L	7.03E-02	1.34E-04 mg/kg _{wwt}	3.75E-01
Major metabolite TFB-OH				

Summary table on calculated PEC/PNEC _{aquatic} values				
	PNEC _{surface water} = 0.1 mg/L		No PNEC available	
Scenario [1] & Scenario [2] meta SPC 1,2,3	2.25E-08 mg/L	2.25E-07	2.45E-05 mg/kg _{wwt}	Covered by PEC/PNEC _{surface water}
Major metabolite TFB-COOH				
	PNEC _{surface water} = 0.1 mg/L		No PNEC available	
Scenario [1] & Scenario [2] meta SPC 1,2,3	3.83E-08 mg/L	3.83E-07	4.17E-05 mg/kg _{wwt}	Covered by PEC/PNEC _{surface water}

Conclusion

The PEC/PNEC ratios for the aquatic compartment (indirect exposure to freshwater and sediment) for Transfluthrin and its metabolites TFB-OH and TFB-COOH (indirect exposure to freshwater) are <1 indicating no unacceptable risk for aquatic and sediment organisms.

Terrestrial compartment

A PEC/PNEC ratio for Transfluthrin for indirect exposure of soil via sludge application was calculated. Due to the absence of effect data for the metabolites TFB-OH and TFB-COOH in soil PNEC_{soil} values cannot be derived.

Calculated PEC/PNEC _{soil} values		
Scenario	PEC _{soil}	PEC/PNEC _{soil}
	PNEC_{soil} = 0.09 mg/kg_{wwt}	
Scenario [1] & Scenario [2] meta SPC 1,2,3	2.06E-05 mg/kg _{wwt}	2.29E-04

Conclusion

The PEC/PNEC ratio for Transfluthrin is <1 indicating no unacceptable risk for terrestrial organisms.

Groundwater

No specific limit values are established for Transfluthrin or its metabolites under Directive 98/83/EC (Drinking Water Directive), and therefore the general limit of 0.1 µg/L for organic pesticides applies.

For Transfluthrin a PEC for groundwater of 9.65E-07 µg/L was calculated. For the metabolites TFB-OH and TFB-COOH PEC groundwater values of 1.77E-07 µg/L and 2.99E-

07 µg/L were calculated, respectively. These values do not exceed the limit of 0.1 µg/L and therefore no unacceptable risk for groundwater is expected.

Primary and secondary poisoning

Primary poisoning

Not relevant

Secondary poisoning

Due to the intrinsic properties of the active substance ($\log K_{ow}$ of 5.94) and the foreseeable routes into the environment secondary poisoning may occur via bioaccumulation over time in the aquatic and terrestrial food chain. The relevant metabolites TBF-OH and TBF-COOH, which were identified in the aquatic and sediment phase and TFB-COOH in the soil compartment (see The Netherlands, 2014 and new submitted data) were not expected to be bioaccumulative due to their low estimated $\log K_{ow}$ of 1.54 and 1.85, respectively.

These values are beneath the bioaccumulation trigger value of 3 for $\log K_{ow}$ stated in ECHA (2017a).

Due to the absence of short term or long term dietary toxicity data for birds, a PEC/PNEC_{oral bird} for Transfluthrin cannot be derived. The acute LD₅₀ of Transfluthrin for birds is >1890 mg/kg bw (CAR of Transfluthrin, The Netherlands, 2014) and cannot be used for extrapolation to chronic toxicity, as this is not a dietary test (ECHA, 2017a).

The PEC_{oral} in fish is calculated to be 2.19E-04 mg/kg and in worms is 9.15E-06 mg/kg. For the PNEC_{oral bird} to fall below the PEC, the NOEC should be lower than the PEC_{oral bird} x 30, hence it should be <6.57E-03 mg/kg feed in the case of fish and <4.02E-04 mg/kg feed in case of earthworms. Following a similar reasoning for short term tests the LC₅₀ should be <0.66mg/kg feed and <4.02E-02 mg/kg feed respectively (<PEC_{oral, bird} x 3000). In view of the absence of acute toxicity to birds at doses >1890 mg/kg bw it is not expected that chronic toxicity levels as low as 6.57E-03 mg/kg feed will be reached.

It can be expected that chronic NOEC values will not be low enough to pose a significant risk for secondary poisoning for birds.

The PNEC_{oral mammal} is referred to the CAR for Transfluthrin (The Netherlands, 2014). The PEC values are taken from the table "Summary table on PEC oral in fish and earthworm" in chapter 2.2.8.2.

Summary table on secondary poisoning for bioaccumulation via the aquatic and terrestrial food chain				
Scenario [1] & Scenario [2] meta SPC 1,2,3	PEC_{oral mammals} fish	PEC/PNEC mammals via fish	PEC_{oral} mammals earthworms	PEC/PNEC_{mammals} via earthworms
PNEC_{mammals} = 6.67 mg/kg_{diet}*day				

Passive diffusor, indoor				
Transfluthrin	2.19E-04 mg/kg*d	3.28E-05	9.15E-06 mg/kg*d	1.37E-06

Conclusion

The PEC/PNEC ratios for secondary poisoning for mammals via ingestion of contaminated fish and earthworms far <1 and therefore no unacceptable risk is expected. Regarding birds back calculations were performed indicating that an acceptable risk can be expected for secondary poisoning.

Mixture toxicity

Mixture toxicity is not relevant for the BPF Anti-moths products.

Aggregated exposure (combined for relevant emission sources)

At the time of preparation of this PAR, no EU agreed guidance was available on how to perform a full aggregated exposure assessment. Therefore no assessment has been made at this stage. This chapter of the PAR has to be reassessed once an agreed guidance has been made available. This could take place at active substance renewal stage or at product authorisation stage, depending on when such guidance becomes available.

Overall conclusion on the risk assessment for the environment of the BPF Anti-moths products

Risk ratios for Transfluthrin were calculated for direct exposure to the STP and indirect exposure to surface water, sediment soil and groundwater. For the relevant metabolites TFB-OH and TFB-COOH risk ratios regarding surface water were calculated.

Regarding secondary poisoning risk ratios were calculated for Transfluthrin for mammals and back calculations were performed for birds for the bioaccumulation via the aquatic and terrestrial food chain indicating that no unacceptable risk can be expected.

For all exposed compartments and the secondary poisoning for mammals and birds all calculated risk ratios are <1, indicating no unacceptable risks. All calculated groundwater concentrations are <0.1 µg/L.

The authorised uses of the BPF Anti-moths products show no unacceptable risk for all exposed environmental compartments, secondary poisoning and for groundwater for the active substance Transfluthrin and its relevant metabolites TFB-OH and TFB-COOH.

2.2.9 Measures to protect man, animals and the environment

Observe protective measures and safety instructions. Keep the products dry and cool. Avoid freezing of the products. Keep containers tightly closed. Provide adequate ventilation to the product. Avoid contact with skin and eyes. Application equipment is not necessary,

since the products are ready to use. Environmental precautions: do not allow to enter into surface water or drains.

**Recommended methods and precautions concerning storage of active substance/
biocidal product; shelf-life of biocidal product**

Keep dry and cool.
Avoid freezing of products.
Keep containers tightly closed.
Provide adequate ventilation.
Protect from direct sunlight and moisture.
Keep away from food, drink and animal feedingstuffs.

Incompatibility with materials
Check compatibility with materials before use.

Conditions of storage: room temperature
VCI storage category: 11 combustible solids

Recommended methods and precautions concerning handling and transport

Provide adequate ventilation. Avoid contact with skin and eyes.
Observe protective measures and safety instructions.

When handling with chemical substances observe usual precautionary measures.
Keep away from foods, drinks and animal feeding stuffs.
When using do not eat, drink, smoke. Wash hands after working with product.
Avoid contact with skin and eyes.
Change contaminated clothing and wash before reuse.

**Recommended methods and precautions concerning fire; in case of fire nature
and reaction products, combustion gases etc.**

Extinguishing media
Suitable extinguishing media: Carbon dioxide (CO₂), Dry powder, Foam, Water fog
Extinguishing media which must not be used for safety reasons: Water jet

Special hazards arising from the substance or mixture
Fire may cause formation of irritant/corrosive, combustible and toxic gases

Advice for firefighters
Special protective equipment: Wear a self-contained breathing apparatus and chemical protective clothing.
Cool endangered containers with water spray.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.
Dispose of fire debris and contaminated extinguishing water in accordance with official regulations

Particulars of likely direct or indirect adverse effects

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

First aid instructions, antidotes

Seek medical advice if symptoms occur.

Never give anything by mouth to an unconscious person or a person with cramps.

In case of inhalation of dust

Provide fresh air. Calm. Call a physician immediately.

If unconscious place and transport in recovery position.

In case of skin contact

After contact with skin, wash with soap and plenty of water.

If symptoms occur, consult a physician.

In case of eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. If eye irritation occurs, consult a specialist.

In case of ingestion

Rinse mouth with cold water. Do not induce vomiting. If patient is conscious, give a glass of water. Seek medical advice immediately and show packing or label.

Emergency measures to protect environment in case of accident

Environmental precautions

Do not allow to enter into surface water or drains.

In case of entry into waterways, soil or drains in larger quantities, inform the responsible authorities

Methods and material for containment and cleaning up

Take up mechanically and collect in suitable container for disposal.

Control measures of repellents or poison included in the biocidal product, to prevent action against non-target organisms (relevant for biocidal products only)

The products are indoor diffusers formulations to be put in the wardrobes or in the drawers, without any attractants. In normal condition of use, no primary or secondary poisoning of non-target organisms is foreseen during application.

Possibility of destruction or decontamination following release in or in the following

Air

According to the ESD Guidance, under the proposed conditions of use, the active substance will be emitted in air. But the concentration in air will be not relevant because the instant dilution of Transfluthrin. Furthermore, considering the relative small amount used and the volume of the atmospheric compartment, possible abiotic effects of Transfluthrin on the atmosphere are expected to be negligible.

Water, including drinking water

Exposure to aquatic (surface, groundwater, STP) compartment is expected to be negligible due to the use of the product; the products are disposable and all the releases are directed to solid wastes during cleaning including those emitted by the applicator.

Soil

The products are not intended to a direct use to soil, the normal condition of use is the indoor application (in the wardrobe or in the drawer). For this reason the environmental exposure in soil compartment is considered negligible.

Procedures for waste management of active substance/biocidal product and if appropriate its packaging

Possibility of reuse and recycling

The products are intended for non-professional users. Do not allow to enter dust into surface water or drains. The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled, after completely emptying.

Possibility of neutralisation of effects

The products are ready to use impregnated papers, intenden to be used in wardrobes and drawers; in normal contition of use, neutralization procedures to limit the consequences of accidental release to the environment, and to decontaminate areas affected by the accidental release are not required.

Conditions for controlled discharge including leachate qualities on disposal

In normal conditions of use, the products are intenden to be used in wardrobes and drawers, so a leaching behaviour is not expected.

Conditions for controlled incineration

Incineration or landfill should only be considered when recycling is not feasible.

Instructions for safe disposal of the biocidal product and its packaging for different groups of users (relevant for biocidal products only)

The products are intended for non-professional users.

The product contains the active substance Transfluthrin classified with Aquatic Acute 1, M=1000 and Aquatic Chronic 1, M=1000 - connected with the hazard statements H400 and H410, respectively.

Therefore according to Annex III of Directive 2008/98/EC the product is regarded as waste "which presents or may present immediate or delayed risks for one or more sectors of the environment" (H 14).

As of 5 July 2018, according to Council Reg. (EU) 2017/997 amending Annex III to Dir. 2008/98/EC, "HP 14: Ecotoxic" (waste which presents or may present immediate or delayed risks for one or more sectors of the environment, which classifies the product as hazardous waste) has to be applied based on the classification with Aquatic Chronic 1, as the concentration of Transfluthrin in the biocidal product (100%w/w) exceeds the concentration limit of 25%.

Procedures, if any, for cleaning application equipment (relevant for biocidal products only)

Application equipment is not necessary, since the products are ready to use.

2.2.10 Assessment of a combination of biocidal products

The products are not intended to be authorised for the use with other biocidal products.

2.2.11 Comparative assessment

Not relevant.

3 ANNEXES

3.1 List of studies for the biocidal product family

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Abbiati	2016	Chemical and physical characterisation on test item "Anti-moth sachet liquid"	Abbiati 2016a	Eurofins Biolab Srl	S-2016-02485 AM	Yes	Yes	Annowatec GmbH	3.2 3.3
Abbiati	2016	Chemical and physical characterization on test item "Mothpaper liquid"	Abbiati 2016b	Eurofins Biolab Srl	S-2016-02486 AM	Yes	Yes	Annowatec GmbH	3.2 3.3

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Warthemann	2015	Analyses of clothes moth killer - sachets	Warthemann 2015	Gortler analytical services	V15336 5	No	Yes	Annowatec GmbH	3.4.1
Schwarzkopf	2015	Analyses of moth paper	Schwarzkopf 2015	Gortler analytical services	V15160 1-40	No	Yes	Annowatec GmbH	3.4.1
Schwarzkopf	2017	Analyses of moth paper (interim report)	Schwarzkopf 2017	Gortler analytical services	V14514 9-022017-1	No	Yes	Annowatec GmbH	3.4.1

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Mazzei	2016	Flash Point on the sample Mothpaper liquid	Mazzei 2016a	Innovhub – Stazioni Sperimentali per l'Industria Divisione Stazione Sperimentale Combustibili	S-SSC-1601036	Yes	Yes	Annowatec GmbH	4.2

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Mazzei	2016	Flash Point on the sample Anti-moth sachet liquid	Mazzei 2016b	Innovhub – Stazioni Sperimentali per l'Industria Divisione Stazione Sperimentale Combustibili	S-SSC-1601035	Yes	Yes	Annowatec GmbH	4.2

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Younis	2014	Relative self-ignition temperature testing on a sample of Moth protection paper	Younis 2014	Chilworth Technology Limited, Beta house Southampton science park	GLP112028R1V1/2014	Yes	Yes	Annowatec GmbH	4.17.1
Wathemann	2014	Validation of the measurement of transfluthrin in moth paper	Wathemann 2014	Gortler analytical services	V144429-A	Yes	Yes	Annowatec GmbH	5

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Haus	2014	Prüfbreicht Gehaltsbestimmung an Mottensäckchen	Haus 2020	ASO	CHG 4999, PAA 8596, TN7703 914	Yes	Yes	Annowatec GmbH	5
Lohmann	2016	Validation transfluthrin determination in mothproofing agents	Lohmann 2016	Mainsite services	ASO-PA B16044	No	Yes	Annowatec GmbH	5

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Serrano	2014	Laboratory evaluation of the efficacy of a product for use in the control of clothes moths and carpet beetles	Serrano 2014a	T.E.C. LABORATORY	1792/0514R	Yes (GEP)	Yes	Annowatec GmbH	6.7
Serrano	2014	Laboratory evaluation of the efficacy of products for use in the control of clothes moths and carpet beetles	Serrano 2014b	T.E.C. LABORATORY	1730/0214	Yes (GEP)	Yes	Annowatec GmbH	6.7

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
Serrano	2017	Statement	Serrano 2017	T.E.C. LABORATORY	n.a	n.a	Yes	Annowatec GmbH	6.7
Mrusek	1995	NAK 4455 (transfluthrin): a fast-acting insecticide for use in household and hygiene products	Mrusek 1995	n.a	n.a (literature)	No	No	Bayer Environmental Science	6.7

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
MATLOCK, D. AND S. MOORE	2015	EARLY LIFE STAGE TOXICITY OF TRANSLUTHRIN IN TECHNICAL TO THE FATHEAD MINNOW (PIMEPHALES PROMELAS) UNDER FLOW-THROUGH CONDITIONS	MATLOCK, D. AND S. MOORE, 2015	BAYER CROP SCIENCE AG	REPORT NO: EBTBL007	YES	YES	BAYER CROP SCIENCE AG	13
MATLOCK, D. AND S. MOORE	2015	CHRONIC TOXICITY OF TRANSLUTHRIN IN TECHNICAL TO DAPHNIA MAGNA UNDER FLOW-THROUGH CONDITIONS	MATLOCK, D. AND S. MOORE, 2015	BAYER CROP SCIENCE AG	REPORT NO: EBTBL006 Yes	YES	YES	BAYER CROP SCIENCE AG	13

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
KUHL K.	2015	CHIRONOMUS RIPARIUS 28-DAY CHRONIC TOXICITY TEST WITH TRANSLUTHRIN (TECH.) IN A WATER-SEDIMENT SYSTEM USING SPIKED SEDIMENT	KUHL K., 2015	BAYER CROP SCIENCE AG	REPORT NO: EBTBL005 Yes	Yes	Yes	BAYER CROP SCIENCE AG	13
EGELER P.	2015	A STUDY ON THE CHRONIC TOXICITY TO THE SEDIMENT DWELLER LUMBRICULUS VARIEGATUS	EGELER P., 2015	ECT OEKOTOXIKOLOGIE GMBH	STUDY NO. 14P4LA	Yes	ECT Yes	ECT OEKOTOXIKOLOGIE GMBH	13

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
SCHULZ L.	2014	TRANSFLUTHRIN A.S. (BCS-AW53131): EFFECTS ON THE ACTIVITY OF SOIL MICROFLORA (NITROGEN TRANSFORMATION TEST)	SCHULZ L., 2014	BIOCHEM AGRAR GMBH	REPORT NO: 14 10 48 069 N	Yes	Yes	BIOCHEM AGRAR GMBH	13
FRIEDRICH. S.	2014	EFFECTS ON THE REPRODUCTION OF THE COLLEMBOLA FOLSOMIA CANDIDA	FRIEDRICH S., 2014	BIOCHEM AGRAR GMBH	REPORT NO: 14 10 48 204 S;	Yes	Yes	BIOCHEM AGRAR GMBH	13

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
FRIEDRICH. S.	2014	SUBLETHAL TOXICITY TO THE EARTHWORM EISENIA FETIDA IN ARTIFICIAL SOIL	FRIEDRICH. S., 2014	BIOCHEM AGRAR GMBH	REPORT NO.: 14 10 48 205 S	Yes	Yes	BIOCHEM AGRAR GMBH	13
HEIN, E.M. & JUNGE. T.	2015	[METHYLENE- ¹⁴ C]TRANSFLU THRIN: AEROBIC DEGRADATION / METABOLISM IN FOUR SOILS	HEIN, E.M. & JUNGE. T. ,2015	BAYER CROP SCIENCE AG	STUDY NO. M1253 376-5	Yes	Yes	BAYER CROP SCIENCE AG	13

Author(s)	Year	Title	Reference	Testing Company	Report No.	GLP Study (Yes/No)	Data Protection Claimed (Yes/No)	Data Owner	Section No. in IUCLID / Non-key study/ Published
KRACH M.	2020	Optimum Mottenaktivperlen TEST FOR SELF-HEATING SUBSTANCES (UN N.4)	KRACK M., 2020a	SIEMENS AG	PS2020011-1	Yes	Yes	Annowatec GmbH	4.17.1
KRACH M.	2020	Aeraxon Textilschutz-Säckchen TEST FOR SELF-HEATING SUBSTANCES (UN N.4)	KRACK M., 2020b	SIEMENS AG	PS2020010-1	Yes	Yes	Annowatec GmbH	4.17.1

3.2 Output tables from exposure assessment tools

3.2.1 Human and animal exposure

SCENARIO [1]		
Parameters	Value	Unit
Dermal exposure:		
Max. content of a.s. on paper strip	~ 0.03922	mg/cm ²
Max. content of a.s. on sachet surface	0.0187	mg/cm ²
Transfer coefficient dried fluids	0,18	g/g
Area of palms	410	cm ²
Number of manipulations	max. 12 (papers) max. 3 (sachet)	day ⁻¹
Body weight adult	60	kg
Dermal absorption	10 (papers) 50 (sachets)	%
Dermal systemic exposure, Tier 1 (papers, [1a])	0,0579	mg a.s. /kg bw/day
Dermal systemic exposure, Tier 1 (sachets, [1b])	0,0345	
Inhalative exposure:		
Peak concentration (TWA 15 min)	0,023	mg/m ³
Exposure duration	5	min/day
Inhalation rate adult	0,02083	m ³ /min
Body weight adult	60	kg
Inhalative systemic exposure, Tier 1	0,00004	mg a.s. /kg bw/day
TOTAL systemic exposure, Tier 1 (papers, [1a])	0,0579	mg a.s. /kg bw/day
TOTAL systemic exposure, Tier 1 (sachets, [1b])	0,0345	mg a.s. /kg bw/day
Reverse reference scenario:		
AEL acute, dermal	1	mg a.s. /kg bw/day
Dermal systemic exposure for manipulating 1 paper strip		mg a.s. /kg bw/day
Dermal systemic exposure for manipulating 1 sachet	0,0115	
Number of manipulations to achieve AEL (number of touched paper strips)	207	
Number of manipulations to achieve AEL (number of touched sachets)	87	
AEL acute, inhalative	0,17	mg a.s. /kg bw/day
Inhalative systemic exposure per manipulation	0,00004	mg a.s. /kg bw/day
Number of manipulations to achieve AEL	4257	
Dermal local exposure:		
Transfer coefficient dried fluids	0,18	g/g
Number of manipulations	3	-
Area of object	72,25	cm ²
Amount of substance (Geraniol)	44,7	mg (per bag)

Amount of substance (Linalool)	167,7	mg (per bag)
Amount of substance (Nopyl acetate)	89,4	mg (per bag)
Amount of substance (alpha-iso-Methylionone)	8,4	mg (per bag))
Amount of substance (Cineole)	11,7	mg (per bag)
Amount of substance (Nerol)	16,8	mg (per bag)
Dermal local exposure (Geraniol)	0,33	mg/cm² skin
Dermal local exposure (Linalool)	1,25	mg/cm² skin
Dermal local exposure (Nopyl acetate)	0,67	mg/cm² skin
Dermal local exposure (alpha-iso-Methylionone)	0,06	mg/cm² skin
Dermal local exposure (Cineole)	0,09	mg/cm² skin
Dermal local exposure (Nerol)	0,13	mg/cm² skin

SCENARIO [2]		
Parameters	Value	Unit
mean event concentration	0,019	mg/m ³
exposure duration	24	h/day
inhalation rate adult	1,25	m ³ /h
body weight adult	60	kg
inhalation rate child	1,32	m ³ /h
body weight child	23,9	kg
inhalation rate toddler	1,26	m ³ /h
body weight toddler	10	kg
inhalation rate infant	0,84	m ³ /h
body weight infant	8	kg
dilution factor bedroom	10	
inhalative systemic exposure, adult, Tier 1	0,001	mg a.s. /kg bw/day
inhalative systemic exposure, child, Tier 1	0,003	mg a.s. /kg bw/day
inhalative systemic exposure, toddler, Tier 1	0,006	mg a.s. /kg bw/day
inhalative systemic exposure, infant, Tier 1	0,005	mg a.s. /kg bw/day

SCENARIO [3]		
Parameters	Value	Unit
Infant body weight	8	kg
Toddler body weight	10	kg

Max. content of a.s. on paper strip	0,039	mg/cm ²
Surface area of object mouthed	50	cm ²
Oral absorption	100	%
Inhalative systemic exposure, infant, Tier 1	0,245	mg a.s. /kg bw/day
Inhalative systemic exposure, toddler, Tier 1	0,196	mg a.s. /kg bw/day
Surface area of object mouthed	10	cm ²
Inhalative systemic exposure, infant, Tier 2	0,049	mg a.s. /kg bw/day
Inhalative systemic exposure, toddler, Tier 2	0,039	mg a.s. /kg bw/day

CONSEXPO Input and Output tables:

Inhalation

Exposure Absorption

Annotation >

Exposure ▾

Model Exposure to vapour ▾ ?

Model settings

Mode of release Constant rate ▾ ?

Exposure duration 18 hour ▾ ?

Product amount 30 mg ▾ ?

Weight fraction substance 100 % ▾ ?

Room volume 1 m³ ▾ ?

Ventilation rate 0.3 per hour ▾ ?

Inhalation rate 1.25 m³/hr ▾ ?

select default

Emission duration 180 day ▾ ?

Limit concentration to saturated air concentration

Vapour pressure 0.0009 Pa ▾

Application temperature 25 °C ▾ ?

Molecular weight 371.2 g/mol ▾

Results for scenario *Inhalation Application* Show dose descriptions**Inhalation**

Mean event concentration	1.9×10^{-2}	mg/m ³
Peak concentration (TWA 15 min)	2.3×10^{-2}	mg/m ³
Mean concentration on day of exposure	-	
Year average concentration	-	
External event dose	-	
External dose on day of exposure	-	

3.2.2 ENVIRONMENTAL EXPOSURE

Detailed calculations are reported in chapter 2.2.8.2 Environmental Exposure.

3.3 New information on the active substance

All the informations are available in the CAR of the active substance and available through letter of access.

3.4 Residue behaviour

No data available.

3.5 Summaries of the efficacy studies (B.5.10.1-xx)

Refer to the IUCLID dossier.

3.6 Confidential annex

Please see separate document

3.7 Other**3.7.1 Reference list (excluding list of studies, cf. to chapter 3.1)**

Brogdon W.G & McAllister J.C. (1998) Insecticide Resistance and Vector Control Emerging Infectious Diseases; Vol. 4 No. 4, December 1998. BES Ref : M-267737-01-1

Commission Delegated Regulation (EU) 2017/2100 of 4 September 2017 setting out scientific criteria for the determination of endocrine-disrupting properties pursuant to Regulation (EU) No 528/2012 of the European Parliament and Council

Costa, LG (2015) The neurotoxicity of organochlorine and pyrethroid pesticides. Handb Clin Neurol. 2015;131:135-48.

ECHA, 2015a, Guidance on the BPR: Volume III Part B, Risk Assessment, Version 2.3, Oktober 2015. Available at: <http://echa.europa.eu/de/guidance-documents/guidance-on-biocides-legislation>, 2016-11-13

ECHA 2015b, Guidance on the BPR: Volume IV Environment - Part B Risk Assessment, Version 1.0, April 2015.

ECHA 2015c, Biocides Human Health Exposure Methodology v.1 Oct. 2015

ECHA, 2017a, Guidance on the BPR: Volume IV Environment, Part B+C, Risk Assessment, Version 2.0, Oktober 2017. Available at: <http://echa.europa.eu/de/guidance-documents/guidance-on-biocides-legislation> 2018-03-06

ECHA, 2017b, Guidance on the BPR: Volume III Human Health, Assessment & Evaluation (Part B+C), Version 4.0, December 2017. Available at: <http://echa.europa.eu/de/guidance-documents/guidance-on-biocides-legislation> 2018-03-06

ECHA 2017c, Guidance on the Application of the CLP Criteria Guidance to Regulation (EC) No 1272/2008 on classification, labelling and packaging (CLP) of substances and mixtures Version 5.0 July 2017

ECHA, 2017e, Guidance on requirements for substances in articles, Version 4.0, June 2017.

EFSA CEF Panel (EFSA Panel on Food Contact Materials, Enzymes, Flavourings and Processing Aids), 2014. Scientific Opinion on Flavouring Group Evaluation 210 Revision 1 (FGE.210Rev1): Consideration of genotoxic potential for α,β -unsaturated alicyclic ketones and precursors from chemical subgroup 2.4 of FGE.19. EFSA Journal 2014;12(2):3587, 35 pp. doi:10.2903/j.efsa.2014.3587

EFSA, (European Food Safety Authority), Buist H, Craig P, Dewhurst I, Hougaard Bennekou S, Kneuer C, Machera K, Pieper C, Court Marques D, Guillot G, Ruffo F and Chiusolo A, 2017. Guidance on dermal absorption. EFSA Journal 2017;15(6):4873, 60 pp. <https://doi.org/10.2903/j.efsa.2017.4873>

EU No 407/2014, COMMISSION IMPLEMENTING REGULATION (EU) No 407/2014 of 23 April 2014 approving transfluthrin as an existing active substance for use in biocidal products for product- type 18

IRAC (2000) Guidelines for preventing and managing insecticide resistance in the peach-potato aphid, *Myzus persicae*. Insecticide Resistance Action Group, February 2000, BES Ref : M-041872-01-1 <http://adlib.everysite.co.uk/adlib/defra/content.aspx?id=000IL3890W.182V9NZT30EQ9N>

Naumann, K. (1990) Synthetic pyrethroid insecticides: structures and properties, Springer Verlag, BES Ref : M-001489-01-1, Date: 01.10.1990

Nijkamp, M. M., Bokkers, B. G. H., Bakker, M. I., Ezendam, J., & Delmaar, J. E. 2015. Quantitative risk assessment of the aggregate dermal exposure to the sensitizing fragrance geraniol in personal care products and household cleaning agents. Regulatory Toxicology and Pharmacology, 73(1), 9–18. doi:10.1016/j.yrtph.2015.06.004

OECD 2008, OECD SERIES ON EMISSION SCENARIO DOCUMENTS Number 18: Emission scenario document for insecticides, acaricides and products to control other arthropods for household and professional uses.

Available at:

https://echa.europa.eu/documents/10162/16908203/pt18_oecd_esd_household_profes_sional_uses_en.pdf/bb353df7-5606-41d2-b799-ea15717a8d4b 2018-03-06

Peacock, E.R. (1993) Handbooks For The Identification Of British Insects: ADULTS AND LARVAE OF HIDE, LARDER AND CARPET BEETLES AND THEIR RELATIVES (COLEOPTERA: DERMESTIDAE) AND OF DERODONTID BEETLES (COLEOPTERA: DEROdontIDAE) Royal Entomology Society of London

Regulation (EC) No 1334/2008 of the European Parliament and of the Council of 16 December 2008 on flavourings and certain food ingredients with flavouring properties for use in and on foods and amending Council Regulation (EEC) No 1601/91, Regulations (EC) No 2232/96 and (EC) No 110/2008 and Directive 2000/13/EC. Available at <https://eur-lex.europa.eu/legal-content/EN/ALL/?uri=CELEX:32008R1334>, 2019-02-15

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

RAC 2015, Opinion proposing harmonised classification and labelling at EU level of Linalool; (S,R)-3,7-dimethyl-1,6-octadien-3-ol;dl-linalool [1] Coriandrol; (S)-3,7-dimethyl-1,6-octadien-3-ol;d-linalool [2] Licareol; (R)-3,7-dimethyl-1,6-octadien-3-ol;l-linalool [3] EC numbers: 201-134-4 [1], 204-810-7 [2], 204-811-2 [3] CAS numbers: 78-70-6 [1], 126-90-9 [2], 126-91-0 [3] CLH-O-0000001412-86-53/F, Committee for Risk Assessment, Adopted 12 March 2015.

RAC, 2018, Opinion proposing harmonised classification and labelling at EU level of geraniol; (2E)-3,7-dimethylocta-2,6-dien-1-ol EC Number: 203-377-1, CAS Number: 106-24-1, CLH-O-0000001412-86-224/F, Committee for Risk Assessment, Adopted 14 September 2018. Available at: <https://echa.europa.eu/documents/10162/3778710d-a018-061c-bbb5-bb7df81c3048>, 2019-01-28

RIVM 2011, Inhalation exposure to fragrance allergens. Are consumers at risk for respiratory allergies? RIVM Report 340301004/2011. Available at: <https://rivm.openrepository.com/rivm/bitstream/10029/258449/3/340301004.pdf>, 2018-10-16.

Staetz, C. 2004, Insecticide Mode of Action Classification: A Key to Insecticide Resistance Management (v.3.3.2). Insecticide Resistance Action Committee (IRAC International), 2004, BES Ref : M-267712-01-1

SCCS 2012, OPINION on Fragrance allergens in cosmetic products, Scientific Committee on Consumer Safety (SCCS), June 2012. ISSN 1831-4767 Doi:10.2772/77628.

SCF 2002, Opinion of the Scientific Committee on Food on eucalyptol, Scientific Committee on Food, SCF/CS/FLAV/FLAVOUR/20 ADD2 Final, April 2002. Available at: https://ec.europa.eu/food/sites/food/files/safety/docs/fs_food-improvement-agents_flavourings-out126.pdf, 2020-05-09.

The Netherlands, 2014, Assessment Report Transfluthrin (insecticides, acaricides and products to control other arthropods), 13 March 2014. Available at: <https://circabc.europa.eu/sd/a/910c7533-aba6-4a93-87c3->

[31c5f2b04445/Transfluthrin%20-%20PT18%20\(assessment%20report%20as%20finalised%20on%2013.03.2014\).pdf, 2018-03-05](#)

US EPA 2012, Standard Operating Procedures for Residential Pesticide Exposure Assessment

Voss, G. (1987) Insecticide/acaricide resistance: survey and recommendations by industry. FRAC/IRAC Newsletter, December 1987. BES Ref : M-001507-01-1

WHO Expert Committee on Vector Biology and Control (1992) Vector Resistance to Pesticides. Fifteenth Report of the WHO Expert Committee on Vector Biology and Control, TRS 818, 1992, BES Ref : M-267730-01-1
<https://www.ncbi.nlm.nih.gov/pubmed/1574907>

Wolansky MJ, Harrill JA, (2008) Neurobehavioral toxicology of pyrethroid insecticides in adult animals: a critical review. Neurotoxicol Teratol. 2008 Mar-Apr;30(2):55-78.