Summary of product characteristics for a biocidal product family

Family name: Aquanet 360 Product Family

Product type(s): PT21 - Antifouling products (Other biocidal products)

Authorisation number: NO-2021-0206

R4BP 3 asset reference number: NO-0026503-0000

Table Of Contents

Part I First information level	
	1
1. Administrative information	1
2. Product family composition and formulation	2
Part II Second information level - meta SPC(s)	2
1. Meta SPC administrative information - meta SPC 1	3
2. Meta SPC composition	3
3. Hazard and precautionary statements of the meta SPC	3
4. Authorised use(s) of the meta SPC	4
5. General directions for use of the meta SPC	6
6. Other information	7
7. Third information level: individual products in the meta SPC	7
1. Meta SPC administrative information - Meta SPC 2	8
2. Meta SPC composition	9
3. Hazard and precautionary statements of the meta SPC	9
4. Authorised use(s) of the meta SPC	9
5. General directions for use of the meta SPC	12
6. Other information	13
7. Third information level: individual products in the meta SPC	14
1. Meta SPC administrative information - meta SPC 3	14
2. Meta SPC composition	15
3. Hazard and precautionary statements of the meta SPC	15
4. Authorised use(s) of the meta SPC	16
5. General directions for use of the meta SPC	17
6. Other information	19
7. Third information level: individual products in the meta SPC	19

1. Administrative information

1.1. Family name

Aquanet 360 Product Family

1.2. Product type(s)

PT21 - Antifouling products (Other biocidal products)

1.3. Authorisation holder

Name and address of the	Name	Steen-Hansen AS	
authorisation holder	Address	Ulsmågveien 24 5224 Nesttun Norway	
Authorisation number	NO-2021-0206		
R4BP 3 asset reference number	NO-0026503-0000		
Date of the authorisation	31/08/2021		
Expiry date of the authorisation	16/04/2031		

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Address of the manufacturer

Steen-Hansen A/S Ulsmågveien 24 NO-5224 Nesttun Norway

Location of manufacturing sites

Ulsmågveien 24 NO-5224 Nesttun Norway

Active substance	1289 - Dicopper oxide	
Name of the manufacturer	Spiess-Urania Chemicals GmbH	
Address of the manufacturer	Frankenstrasse 18 b 20097 Hamburg Germany	
Location of manufacturing sites	c/o Aurubis AG, Müggenburger Hauptdeich 2 20539 Hamburg Germany	
Active substance	1277 - Copper thiocyanate	
Name of the manufacturer	Bardyke Chemicals Limited	
Address of the manufacturer	Hamilton Road G72 7XJ Cambuslang United Kingdom	
Location of manufacturing sites	Hamilton Road G72 7XJ Cambuslang United Kingdom	

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,3 - 24,52
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	1,7 - 8,04

2.2. Type(s) of formulation

SD - Suspension concentrate for direct application
SC - Suspension concentrate (= flowable concentrate)

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT21 - Antifouling products (Other biocidal products)

2. Meta SPC composition

2.1.Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	13,8 - 13,8
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	3,91 - 3,91

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SC - Suspension concentrate (= flowable concentrate)

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Causes serious eye damage.

Very toxic to aquatic life with long lasting effects.

Contains mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)

-one (CMIT/MIT) 3:1. May produce an allergic reaction.

Precautionary statements

Avoid release to the environment.

Wear eye protection/face protection.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor.

Collect spillage.

Dispose of container to in accordance to national regulations.

Dispose of contents to in accordance to national regulations.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Antifouling coating

Product type	PT21 - Antifouling products (Other biocidal products)
Where relevant, an exact description of the authorised use	To be used for the protection of nets used in aquaculture against fouling.
Target organism(s) (including development stage)	Scientific name: Common name: Marine fouling species including algae, hydroids and skeleton shrimp Development stage: All stages of the lifecycle
Field(s) of use	Indoor
	Outdoor
	Used in the control of fouling organisms in marine environment
Available mathed(a)	Method: Open system: Dip treatment or vacuum treatment
Application method(s)	Detailed description: The product is a concentrate which should be diluted 1:1 with water before use. The product is intended to be applied by dipping or by vacuum treatment.
Application rate(s) and frequencies	Application Rate: 1-1.1 litre (in-use concentration) of the product/kg of net Dilution (%): 1:1 with water Number and timing of application: 1 treatment per net.

Category(ies) of users

Industrial

Pack sizes and packaging material

1000 L HDPE IBC

4.1.1 Use-specific instructions for use

See section 5.1

4.1.2 Use-specific risk mitigation measures

Wear suitable gloves; i.e. Nitrile rubber gloves or natural rubber gloves. Layer thickness: > 0.20 mm. Breakthrough time: 480 minutes. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374.

A protective coverall (at least type 6, EN-13034) shall be worn (coverall material to be specified by the authorisation holder within the product information.

Use eye protection to EN 166, designed to protect against liquid splashes.

See also section 5.2

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section 5.3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See section 5.4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 5.5

5. General directions for use of the meta SPC

5.1. Instructions for use

The product must be diluted with the correct amount of water, as specified on the label. The products must be stirred well after addition of water. Dipping tanks with stirring or pumping equipment must be used. **Dilution procedure:** After transferring the concentrated product to either a holding tank or a dipping tank, the IBC must be filled with the correct amount of water. The water is then transferred to the holding or dipping tank, followed by stirring of the mixture. Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity. Dipping of nets: Lower the net in the dipping tank using remotely operated net rollers and dip the net in the product for a minimum of 30 minutes whilst it is being held down by a weight attached to a crane. Ensure the net to be treated is completely wetted with the product. After treatment, remove the weight, roll back the net onto the roller and leave to dry by injecting dried air into the net rolls. Vacuum treatment of nets: The lid of the net-bag is opened, and the net lowered into the vacuum bag using a remotely operated net rollers or a crane. Transport a specified amount of product from the vacuum-tank to the vacuum-bag, through the lid on the top. Start the program of "vacuuming the bag" so that the product enters through the net to be treated. Regardless of the size of the vacuum-bag, lowest pressure >0.8 bar. To ensure that the net to be treated is completely wetted with the product, run x number of cycles (>4). Set on the program of "drying" so that the rest of the product left in the bag is transported back to the tank, through the bottom of the vacuumbag. After finishing treatment, open the lid and lift the net off the bag using a crane or remote-controlled net rollers to the next process (drying-process). Lowest pressure during vacuum cycles: 0,8 bar Max amount of application cycles: 4 Max amount of drying cycles: 4 Avoid pushing paint above the vacuum bag Allow leftover paint to reset for 2-3 days before re-use 5.2. Risk mitigation measures

Avoid breathing dust/mist

Use only outdoors or in a well-ventilated area

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Avoid contact with skin and eyes.

Avoid release to the environment

Application, maintenance and repair activities shall be conducted within a contained area to prevent losses and minimise emissions to the environment. This means that activities must take place on impermeable hard standing with bunding or on soil covered with an impermeable material. Any losses or waste containing antifouling biocides shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor. IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor. IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Avoid release to the environment.

Emergency measures for the environment: Application solutions must be collected and disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.

Methods and material for containment and cleaning up: Use absorbent material and dispose of material or solid residues at an authorized site.

5.4. Instructions for safe disposal of the product and its packaging

Product/Packaging: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Hazardous waste due to toxicity. Avoid release to the environment. Waste disposal number of unused product: UN number 3082/European waste code EWC 02 01 99

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Storage temperature: 5 to 30 °C

Store in the original package in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Shelf-life: up to 12 months.

6. Other information

The label of the biocidal product must provide advise on how to perform the deployment of the treated nets. As a minimum, the label must specify that gloves and eye protection/face protection should be used during net deployment. Other PPE should be specified according to the authorisation holder's recommendation.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Aquanet LG360	Market area: NO
Authorisation number	NO-0026503-0001 1-1	
(R4BP 3 asset reference number - National Authorisation)		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	13,8
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	3,91

1. Meta SPC administrative information

1.1. Meta SPC identifier

Meta SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT21 - Antifouling products (Other biocidal products)

2. Meta SPC composition

2.1.Qualitative and a	quantitative information	on the composition	of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	24,52 - 24,52
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	8,04 - 8,04

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SC - Suspension concentrate (= flowable concentrate)

3. Hazard and precautionary statements of the meta SPC

Hazard statements	Harmful if swallowed. Causes serious eye damage. Very toxic to aquatic life with long lasting effects. Contains a mixture of 5-chloro2-methylisothiazol-3(2H)-one and 2-methylisothiazol- 3(2H)-one (CMIT/MIT) 3:1. May produce an allergic reaction.
Precautionary statements	Avoid release to the environment. Wear eye protection/face protection. IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF SWALLOWED:Call a POISON CENTER or doctor if you feel unwell. Collect spillage. Dispose of contents to in accordance to national regulations. Dispose of container to in accordance to national regulations.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Antifouling coating

Product type	PT21 - Antifouling products (Other biocidal products)			
Where relevant, an exact description of the authorised use				
Target organism(s) (including development stage)	Scientific name: Common name: Other: marine fouling species including algae, hydroids and skeleton Same Species of the lifecycle			
Field(s) of use	Indoor Outdoor Used in the control of fouling organisms in marine environment			
Application method(s)	Method: Open system: Dip treatment or vacuum treatment Detailed description: The product is a concentrate which should be diluted 1:1 with water before use. The product is intended to be applied by dipping or by vacuum treatment.			
Application rate(s) and frequencies	Application Rate: 1-1.1 litre (in-use concentration) of the product/kg of net Dilution (%): 1:1 with water. Number and timing of application: 1 treatment per net.			

Category(ies) of users

Industrial

Pack sizes and packaging material

1000 L HDPE IBC

4.1.1 Use-specific instructions for use

See section 5.1

4.1.2 Use-specific risk mitigation measures

Wear suitable gloves; i.e. Nitrile rubber gloves or natural rubber gloves. Layer thickness: > 0.20 mm. Breakthrough time: 480 minutes. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374.

A protective coverall (at least type 6, EN-13034) shall be worn (coverall material to be specified by the authorisation holder within the product information).

Use eye protection to EN 166, designed to protect against liquid splashes.

See also section 5.2

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section 5.3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See section 5.4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 5.5

5. General directions for use of the meta SPC

5.1. Instructions for use

The product must be diluted with the correct amount of water, as specified on the label. The products must be stirred well after addition of water. Dipping tanks with stirring or pumping equipment must be used. **Dilution procedure:** After transferring the concentrated product to either a holding tank or a dipping tank, the IBC must be filled with the correct amount of water. The water is then transferred to the holding or dipping tank, followed by stirring of the mixture. Density and viscosity must be measured to ensure that the product is homogeneous prior to treatment. Please follow the manufacturer's directions for how to measure density and viscosity. Dipping of nets: Lower the net in the dipping tank using remotely operated net rollers and dip the net in the product for a minimum of 30 minutes whilst it is being held down by a weight attached to a crane. Ensure the net to be treated is completely wetted with the product. After treatment, remove the weight, roll back the net onto the roller and leave to dry by injecting dried air into the net rolls. Vacuum treatment of nets: The lid of the net-bag is opened, and the net lowered into the vacuum bag using a remotely operated net rollers or a crane. Transport a specified amount of product from the vacuum-tank to the vacuum-bag, through the lid on the top. Start the program of "vacuuming the bag" so that the product enters through the net to be treated. Regardless of the size of the vacuum-bag, lowest pressure >0.8 bar. To ensure that the net to be treated is completely wetted with the product, run x number of cycles (>4). Set on the program of "drying" so that the rest of the product left in the bag is transported back to the tank, through the bottom of the vacuumbag. After finishing treatment, open the lid and lift the net off the bag using a crane or remote-controlled net rollers to the next process (drying-process). Lowest pressure during vacuum cycles: 0,8 bar Max amount of application cycles: 4 Max amount of drying cycles: 4 Avoid pushing paint above the vacuum bag Allow leftover paint to reset for 2-3 days before re-use

5.2. Risk mitigation measures

Avoid breathing dust/mist

Use only outdoors or in a well-ventilated area No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Avoid contact with skin and eyes. Avoid release to the environment

Application, maintenance and repair activities shall be conducted within a contained area to prevent losses and minimise emissions to the environment. This means that activities must take place on impermeable hard standing with bunding or on soil covered with an impermeable material. Any losses or waste containing antifouling biocides shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.
IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
Avoid release to the environment.
Emergency measures for the environment: Application solutions must be collected and disposed of as hazardous waste. They must not be released to soil, ground- and surface

Methods and material for containment and cleaning up: Use absorbent material and dispose of material or solid residues at an authorized site.

5.4. Instructions for safe disposal of the product and its packaging

Product/Packaging: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Hazardous waste due to toxicity. Avoid release to the environment. Waste disposal number of unused product: UN number 3082/European waste code EWC 02 01 99

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Storage temperature: 5 to 30 °C

Store in the original package in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Shelf-life: up to 12 months.

water or any kind of sewer.

6. Other information

The label of the biocidal product must provide advise on how to perform the deployment of the treated nets. As a minimum, the label must specify that gloves and eye protection/face protection should be used during net deployment. Other PPE should be specified according to the authorisation holder's recommendation.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Aquanet HG360	Market area: NO
Authorisation number	NO-0026503-0002 1-2	
(R4BP 3 asset reference number - National Authorisation)		

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	24,52
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	8,04

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT21 - Antifouling products (Other biocidal products)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,3 - 12,3
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	1,72 - 1,72

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

SD - Suspension concentrate for direct application

3. Hazard and precautionary statements of the meta SPC

Hazard statements	Causes serious eye damage.			
	Very toxic to aquatic life with long lasting effects.			
Precautionary statements	Avoid release to the environment.			
	Wear eye protection/face protection.			
	IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.			
	Immediately call a POISON CENTER or doctor.			
	Collect spillage.			
	Dispose of contents to in accordance with local regulations.			

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Antifouling coating

Product type	PT21 - Antifouling products (Other biocidal products)				
Where relevant, an exact description of the authorised use	To be used for the protection of nets used in aquaculture against fouling.				
Target organism(s) (including development stage)	Scientific name: Common name: Other: marine fouling species including algae, hydroids and skeleton gayagement stage: Other: All stages of the life cycle				
Field(s) of use	Indoor				
	Outdoor				
	Used in the control of fouling organisms in marine environment				
Application method(s)	Method: Open system: Dip treatment or vacuum treatment Detailed description: The product is a ready to use product. The product is intended to be applied by dipping or by vacuum treatment.				
Application rate(s) and frequencies	Application Rate: 1-1.2L of product/Kg of net Dilution (%): - Number and timing of application: 1 treatment per net.				
Category(ies) of users	Industrial				
Pack sizes and packaging material	1000 L HDPE IBC				

4.1.1 Use-specific instructions for use

See section 5.1

4.1.2 Use-specific risk mitigation measures

Wear suitable gloves; i.e. Nitrile rubber gloves or natural rubber gloves. Layer thickness: > 0.20 mm. Breakthrough time: 480 minutes. The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN 374.

A protective coverall (at least type 3 or 4, EN-14605) which is impermeable for the biocidal product shall be worn (coverall material to be specified by the authorisation holder within the product information).

Use eye protection to EN 166, designed to protect against liquid splashes.

See also section 5.2

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See section 5.3.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See section 5.4.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See section 5.5.

5. General directions for use of the meta SPC

5.1. Instructions for use

Ready for use-products must be stirred well before use.

Dipping of nets:

Lower the net in the dipping tank using remotely operated net rollers and dip the net in the product for a minimum of 30 minutes whilst it is being held down by a weight attached to a crane.

Ensure the net to be treated is completely wetted with the product.

After treatment, remove the weight, roll back the net onto the roller and leave to dry by injecting dried air into the net rolls.

Vacuum treatment of nets:

The lid of the net-bag is opened, and the net lowered into the vacuum bag using a remotely operated net rollers or a crane. Transport a specified amount of product from the vacuum-tank to the vacuum-bag, through the lid on the top. Start the program of "vacuuming the bag" so that the product enters through the net to be treated. Regardless of the size of the vacuum-bag, lowest pressure >0.8 bar. To ensure that the net to be treated is completely wetted with the product, run x number of cycles (>4). Set on the program of "drying" so that the rest of the product left in the bag is transported back to the tank, through the bottom of the vacuum-bag. After finishing treatment, open the lid and lift the net off the bag using a crane or remote-controlled net rollers to the next process (drying-process).

Lowest pressure during vacuum cycles: 0,8 bar Max amount of application cycles: 4 Max amount of drying cycles: 4 Avoid pushing paint above the vacuum bag Allow leftover paint to reset for 2-3 days before re-use

5.2. Risk mitigation measures

Avoid breathing dust/mist

Use only outdoors or in a well-ventilated area

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Avoid contact with skin and eyes.

Avoid release to the environment

Application, maintenance and repair activities shall be conducted within a contained area to prevent losses and minimise emissions to the environment. This means that activities must take place on impermeable hard standing with bunding or on soil covered with an impermeable material. Any losses or waste containing antifouling biocides shall be collected for reuse or disposal.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Avoid release to the environment.

Emergency measures for the environment:

Application solutions must be collected and disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer.

Methods and material for containment and cleaning up: Use absorbent material and dispose of material or solid residues at an authorized site.

5.4. Instructions for safe disposal of the product and its packaging

Product/Packaging: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Storage temperature: 5 to 30 °C

Store in the original package in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Shelf-life: up to 12 months.

6. Other information

The label of the biocidal product must provide advise on how to perform the deployment of the treated nets. As a minimum, the label must specify that gloves and eye protection/face protection should be used during net deployment. Other PPE should be specified according to the authorisation holder's recommendation.

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Aquanet RFU360	Market area: NO	
Authorisation number	NO-0026503-0003 1-3		
(R4BP 3 asset reference number - National Authorisation)			

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Dicopper oxide		Active Substance	1317-39-1	215-270-7	12,3
Copper thiocyanate		Active Substance	1111-67-7	214-183-1	1,72