

Summary of product characteristics for a biocidal product

Product name: Mosquito Milk Roll On 20% DEET

Product type(s): PT19 - Repellents and attractants (Pest control)

Authorisation number: NL 14230 N

R4BP 3 asset reference number: PT-0008137-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	4
5.1. Instructions for use	4
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5

Administrative information

1.1. Trade names of the product

Previpiq 20% Roller

1.2. Authorisation holder

Name and address of the authorisation holder	Name	MEDINFAR CONSUMER HEALTH – PRODUTOS FARMACÊUTICOS, LDA.
	Address	Rua Henrique Paiva Couceiro, Nº 27 2700-451 Venda Nova Portugal
Authorisation number	NL 14230 N	
R4BP 3 asset reference number	PT-0008137-0000	
Date of the authorisation	08/11/2013	
Expiry date of the authorisation	31/01/2025	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Jaico RDP nv
Address of the manufacturer	Nijverheidslaan 1545 3660 Opglabbeek Belgium
Location of manufacturing sites	Nijverheidslaan 1545 3660 Opglabbeek Belgium

1.4. Manufacturer(s) of the active substance(s)

Active substance	23 - N,N-diethyl-meta-toluamide
Name of the manufacturer	Vertellus Performance Materials Inc.
Address of the manufacturer	2110 High Point Road NC 27403 Greensboro United States
Location of manufacturing sites	2110 High Point Road NC 27403 Greensboro United States

Active substance	23 - N,N-diethyl-meta-toluamide
Name of the manufacturer	Clariant Corporation
Address of the manufacturer	625 E. Catawba Avenue NC 28120 Mt. Holly United States
Location of manufacturing sites	625 E. Catawba Avenue NC 28120 Greensboro Belgium

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
N,N-diethyl-meta-toluamide		Active Substance	134-62-3	205-149-7	20
Ethanol		Non-active substance	64-17-5	200-578-6	33,64

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements	Flammable liquid and vapour. Causes serious eye damage.
--------------------------	--

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Do not eat, drink or smoke when using this product.

IF IN EYES:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER.

4. Authorised use(s)

4.1 Use description

Use 1 - Insect Repellent for human use.

Product type

PT19 - Repellents and attractants (Pest control)

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

Scientific name: Culicidae:
Common name: Aedes mosquitoes
Development stage: Adults

Scientific name: Culicidae:
Common name: Anopheles mosquitoes
Development stage: Adults

Scientific name: Culicidae:
Common name: House mosquito
Development stage: Adults

Field(s) of use

Indoor

Outdoor

Application method(s)

Method: Spraying
Detailed description:
Roll evenly and soft over the skin that needs to be protected.

Application rate(s) and frequencies

Application Rate: 1 ml/ 600 cm²
Dilution (%): 0
Number and timing of application:
2 times/ day

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Bottle - Glass - 50 mL

Bottle - Plastic: HDPE - 50 mL

4.1.1 Use-specific instructions for use

this product gives an average of 7 hours of protection against the most common mosquito species in the Netherlands. The duration can be shorter for some tropical species, with an average of 4 hours of protection for the yellow fever mosquito and 6 hours against malaria mosquito. Factors like temperature, humidity and sweating may affect the efficacy of the product.. Roll evenly and soft over the skin that needs to be protected. Repeat application if necessary after swimming, bathing or when efficacy decreases.

4.1.2 Use-specific risk mitigation measures

Avoid contact with eyes, mucous membranes and damaged skin. Avoid contact with food, plastics and painted surfaces. Use only outdoors or in a well ventilated place. Do not use more then twice a day. Do not use in children under 12 years.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Prevent release to the environment and do not reuse packaging. Avoid contact with eyes, mucous membranes and damaged skin. Avoid contact with food, plastics and painted surfaces. Use only outdoors or in a well ventilated place. Do not use more then twice a day. Do not use in children under 12 years

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Prevent release to the environment and do not reuse packaging.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children, store in a dry place, out of direct sunlight. Keep container tightly shut. Shelf-life: 2 years.

5. General directions for use**5.1. Instructions for use**

this product gives an average of 7 hours of protection against the most common mosquito species in the Netherlands. The duration can be shorter for some tropical species, with an average of 4 hours of protection for the yellow fever mosquito and 6 hours against malaria mosquito. Factors like temperature, humidity and sweating may affect the efficacy of the product.. Roll evenly and soft over the skin that needs to be protected. Repeat application if necessary after swimming, bathing or when efficacy decreases.

5.2. Risk mitigation measures

Avoid contact with eyes, mucous membranes and damaged skin. Avoid contact with food, plastics and painted surfaces. Use only outdoors or in a well ventilated place. Do not use more than twice a day. Do not use in children under 12 years. Do not apply on the face.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Prevent release to the environment and do not reuse packaging. Avoid contact with eyes, mucous membranes and damaged skin. Avoid contact with food, plastics and painted surfaces. Use only outdoors or in a well ventilated place. Do not use more than twice a day. Do not use in children under 12 years

5.4. Instructions for safe disposal of the product and its packaging

Prevent release to the environment and do not reuse packaging.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children, store in a dry place, out of direct sunlight. Keep container tightly shut. Shelf-life: 2 years.

6. Other information