PROPICONAZOLE

Dossier for Directive 98/8/EC Document IIIA

Section 1: Applicant

Section 2: Identity

From
Tier I - Section 1 - Annex II
of 91/414 dossier:
Identity and general information

Doc III A 1_2 Page 1 of 6

| | Section 1 | APPLICANT | |
|-----------------------------|-----------|----------------------------------|--|
| Document IIIA – BPD 98/8 | | | |
| 91/414 Annex | П | Identity of the Active Substance | |
| Point addressed | 1 | • | |

1.1 Applicant: Syngenta European Center

Priestley Road GU2 7YH Guildford United Kingdom

Contact person :

1.2 Manufacturer: Syngenta Crop Protection AG

CH - 4002 Basle Switzerland



Doc III A 1_2 Page 2 of 6

Document IIIA – BPD Section 2 IDENTITY 98/8

2.1 Common name: propiconazole

2.2 Chemical name: IUPAC nomenclature:

1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-

yl]methyl]-1H-1,2,4-triazole

CAS nomenclature:

1H-1,2,4-Triazole, 1-[[2-(2,4-dichloro phenyl)-4-propyl-

1,3-dioxolan-2-yl] methyl]-

2.3 SYNGENTA's code number: CGA 64250

2.4 CAS and EC number:

2.4.1 CAS number : 60207-90-1

2.4.2 EINECS number : 262-104-4

2.4.3 CIPAC number : 408

2.5 Molecular and structural formula, molecular mass

2.5.1 Molecular formula : $C_{15}H_{17}Cl_2N_3O_2$

2.5.2 Structural formula:

2.5.3 Molecular mass: 342.2

2.6 Method of manufacture of the active substance

CONFIDENTIAL information - data provided separately

Doc III A 1_2 Page 3 of 6

2.7 Specification of purity of the active ingredient

CONFIDENTIAL information - data provided separately

2.8 Identity of impurities and additives

CONFIDENTIAL information - data provided separately

2.9 The origin of the natural active substance or the precursor(s) of the active substance

Not applicable

Justification: propiconazole is not a natural active substance

2.10 Exposure data


RMS remark: See Doc III A2.10

| Reliability indicator | 1 |
|-----------------------|---|

Doc III A 1_2 Page 4 of 6

| | Evaluation by Competent Authorities |
|-----------------------|---------------------------------------|
| | EVALUATION BY RAPPORTEUR MEMBER STATE |
| Date | 6 March 2006, 9 October 2012 |
| Materials and methods | - |
| Conclusion | - |
| Reliability | |
| Acceptability | |
| Remarks | |
| | |
| | COMMENTS FROM THE NEW APPLICANT |
| Date | October 02, 2012 |

Doc III A 1_2 Page 5 of 6



Doc III A 1_2 Page 6 of 6

Section A2.10

Annex Point IIA2.10

Exposure data in conformity with Annex VIIA to Council Directive 92/32/EEC (OJ No L, 05.06.1992, p. 1) amending Council Directive 67/548/EEC

| Subsection | | | Official use only |
|------------|---|--|-------------------|
| 2.10.1 | Human exposure towards active substance | | |
| 2.10.1. | 1 Production | | |
| | i) Description of process | see confidential part of dossier | |
| | ii) Workplace description | The principles of good occupational hygiene practice set a clear hierarchy of control which places primacy to removing the hazard or controlling it by engineering or procedural means, before the use of personal protective equipment (PPE) and respiratory protective equipment (RPE). | |
| | | This hierarchy of control is clearly followed in Syngenta and includes consideration of aspects such as design and construction of the plant, the cleanliness of the workplace and equipment, working practices and personal hygiene. | |
| | | For exposure to any substance that can be hazardous by ingestion, absorption or inhalation control must be to a standard that eliminates any health effects. | |
| | iii) Inhalation exposure | The plant design aims to contain, as far as is possible, chemical exposure by use of total or partial enclosure and appropriate extraction systems. The plant is designed using the Occupational Exposure Limits (OEL) (see below). The material is practically nonvolatile according to data sheet classification (i.e. 0.056 mPa at 25°C). | |
| | iv) Dermal exposure | The plant design aims to contain, as far as is possible, chemical exposure by use of total or partial enclosure. Suitable PPE is worn by operators where there is potential for skin exposure. | |
| 2.10.1. | 2 Intended use(s) | | |
| 1. Prof | essional Users | | |
| | i) Description of application process | Connecting/Disconnecting transfer lines | |
| | ii) Workplace description | Industrial formulation of paints and adhesives | |
| | iii) Inhalation exposure | Negligible | |
| | iv) Dermal exposure | 0.0083 / 0.00083 mg/kg/day (-/+ gloves) | |

November 2014

Section A2.10

Annex Point IIA2.10

Exposure data in conformity with Annex VIIA to Council Directive 92/32/EEC (OJ No L, 05.06.1992, p. 1) amending Council Directive 67/548/EEC

2. Non-professional Users including the general public

(i) via inhalational

0.0431 mg/kg bw/day (spray painting)

contact

(ii) via skin contact 0.107 mg/kg bw/day (spray painting)

(iii) via drinking

water

Not relevant

(iv) via food

Not relevant

(v) indirect via environment Not relevant

2.10.2 Environmental exposure towards active substance

2.10.2.1 Production

2.10.2.2 Intended use(s)

The a.s. is blended into paints or adhesives to protect the paint or adhesive film against fungal infestation. It will be used in coatings on wood.

Affected

compartment(s):

Water and sediment (via STP), soil

water

Surface water as indirect target via STP, no direct emissions

sediment

Emission of sediment via STP, no direct emission

air

Emission to atmosphere are not relevant due to low volatility (vapour pressure at 25°C is approximately 5.6×10^{-5} Pa and Henry's law constant is 9.2×10^{-5} Pa m³ mol⁻¹) and a very fast atmospheric degradation (half-life in the atmosphere ranging from 2 and 3.5 hours).

soil

For the industrial use of propiconazole in coating on wooden surfaces emissions to soil are only possible during on-site storage of pretreated timber. For the use the a.s. on mineral surfaces soil compartment is only regarded assuming the countryside scenario

Predicted

concentration in the

affected

compartment(s)


water 30days time step, worst case

PEC_{STP} [μg x L⁻¹]: 2.2 (amateur), 2.1 (professional) PEC_{surface water} [μg x L⁻¹]: 0.2 (amateur), 0.2 (professional)

| Competent Authority Report Rapporteur Finland | Propiconazole as film preservative (PT7) | November 2014 |
|--|--|---------------|
| Section A2.10 Annex Point IIA2.10 | Exposure data in conformity with Annex VIIA to Council Directive 92/32/EEC (OJ No L, 05.06.1992, p. 1) amending Council Directive 67/548/EEC | 5 |
| sediment | 30days time step, worst case PEC _{Sediment} [μg/kg wt]: 4.8 (amateur), 4.5 (professional) | |
| air | Not relevant due to the vapour pressure and the Henry's law cons of propiconazole | tant |
| soil | 30days time step, countryside approach, worst case PECsoil (10) [mg/kg wwt]: 0.0461 (amateur), 0.0293 (profession | al) |

Section A2.10 Annex Point IIA2.10

Exposure data in conformity with Annex VIIA to Council Directive 92/32/EEC (OJ No L, 05.06.1992, p. 1) amending Council Directive 67/548/EEC



PROPICONAZOLE

Dossier for Directive 98/8/EC Document IIIA

Section 3: Physical & Chemical Properties

From
Tier I - Section 1 - Annex II
of 91/414 dossier :
Identity, chemistry data and
general information

Doc III A 3 Page 1 of 19

| Document IIIA – BPD 98/8 | Section 3 | PHYSICAL AND CHEMICAL PROPERTIES |
|--------------------------|-----------|--|
| 91/414 Annex | П | Physical and Chemical Properties of the Active Substance |
| Point addressed | 2 | |

3.1 Melting Point, Boiling Point, Relative density

3.1.1 Freezing point

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on freezing temperature |
| Project number: | PP-94 / 37P.MPR |
| Author: | A. Geoffroy |
| Syngenta file number (SAM): | 64250 - 2441 |
| Name and address of testing facility: | SYNGENTA., CH-4002 Basle, Switzerland |
| Date of report: | September 9, 1994 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | EEC A.1 |
| Test substance: | CGA 64250 pure |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |

Findings:

The **freezing temperature** of the test substance (glass transition temperature of a liquid sample) was determined to be:

-23°C

| Evaluation by Competent Authorities |
|-------------------------------------|
| 1 December 2005 |

3.1.2 Boiling point

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on boiling point / boiling range |
| Project number: | 16313 |
| Author: | R. Das |
| Syngenta file number (SAM): | 64250 - 2290 |
| Name and address of testing facility: | SYNGENTA Münchwilen AG, CH-4333 Münchwilen, Switzerland |
| Date of report: | November 8, 1993 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | EEC A.2, OECD No. 103 |
| Test substance: | CGA 64250 tech. |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |


Page 2 of 19

Findings:

The **boiling point** of the active substance was determined to be:

>250°C (> 523 K) at 101.325 kPa 120°C (= 392.2 K) at 1.9 Pa.

Thermal decomposition begins around 355°C



3.1.3 Relative density

| General Information | | |
|---------------------------------------|--|-------|
| Title of the study: | Report on density | |
| Project number: | 16314 | |
| Author: | R. Das | |
| Syngenta file number (SAM): | 64250 - 2289 | |
| Name and address of testing facility: | SYNGENTA Münchwilen AG, CH-4333 Münchwilen, Switzerland | |
| Date of report: | November 8, 1993 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | EEC A.3, OECD No. 109 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | - 882 |
| Data Protection Claim | Yes | |

Findings:

The density of the test substance is

1289 kg/m³ (= 1.289 g/cm³) at 20°C

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| 20 April 2007. | |

Doc III A 3 Page 3 of 19

3.2 Vapour pressure, volatility

3.2.1 Henry's law constant

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on vapour pressure curve |
| Project number: | AG - 88 / 02 P |
| Author: | B.F. Rordorf / N. Burkhard |
| Syngenta file number (SAM): | 64250 - 2087, 64250 - 2403 |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland |
| Date of report: | June 15, 1988 / September 12, 1994 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | OECD No. 104 |
| Test substance: | CGA 64250 pure |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |

Findings:

The vapour pressure of propiconazole was determined to be

The Henry's Law Constant, H, is calculated from the following equation:

$$H = P_{VP} / S_W \quad [Pa \cdot m^3 / mol]$$

 $P_{VP} =$ vapour pressure [Pa]


 $[mol/m^3]$ $S_{\mathbf{W}} =$ water solubility

The following data are used for the calculation of Henry's Law Constant for CGA 64250, propiconazole (mol. weight MW = 342.2 g/mol).

> water solubility at 20°C: $100 \, \text{g} / \text{m}^3$ vapour pressure at 20°C: 2.7 · 10⁻⁵ Pa

Based on these results Henry's Law Constant was estimated to be

Doc III A 3 Page 4 of 19



3.3 Appearance (physical state, colour and odour)

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on general physico-chemical properties |
| Project number: | 20751 (pure active ingredient) / 16311 (technical grade active ingredient) |
| Author: | R. Das |
| Syngenta file number (SAM): | 64250- 2334 (pure a.i.) / 64250 - 2083 (technical grade a.i.) |
| Name and address of testing facility: | SYNGENTA Münchwilen AG, CH-4333 Münchwilen, Switzerland |
| Date of report: | March 22, 1994 (pure a.i.) / November 8, 1993 (technical grade a.i.) |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | visual and organoleptic test |
| Test substance: | CGA 64250 |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |

Findings:

| Substance | Property | | |
|-----------------------------------|------------|-----------------------|---------------------------|
| | Colour | Aspect | Odour |
| Pure active ingredient | colourless | clear, viscous liquid | weak, slightly sweet |
| Technical grade active ingredient | yellowish | clear, viscous liquid | very slight mild odour |

| Evaluation by Competent Authorities | |
|-------------------------------------|---|
| 1 December 2005 | I |

Page 5 of 19

3.4 Spectra (UV /VIS, IR, NMR, MS), Molecular extinction at relevant wavelengths

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on spectra |
| Project number: | 28042 |
| Author: | W. Käser |
| Syngenta file number (SAM): | 64250 - 2097 |
| Name and address of testing facility: | SYNGENTA Münchwilen AG, CH-4333 Münchwilen, Switzerland |
| Date of report: | December 20, 1994 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | |
| Test substance: | CGA 64250 pure |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |

Findings:

IR spectrum

Operating procedures

Sample preparation: tel quel, between 2 NaCl plates

Instrument: Perkin Elmer 1420

- Peak list:

3000 - 3100 cm⁻¹ (C - H) stretch (aromatic) 2900 - 3000 cm⁻¹ (C - H) stretch (aliphatic) 1460 / 1500 / 1580 cm⁻¹ (C - C) stretch (aromatic) 1270 / 1130 / 1020 cm⁻¹ (C - O -C) stretch (asymmetric)

UV / VIS spectrum

Operating procedures

Instrument: Hitachi U-3200 Concentration and solvent: 3.11 mg in 100 ml methanol Quartz cell: 10 mm pathlength Reference solvent: methanol

List of characteristic bands

| Wavelength [nm] | Molecular extinction coefficient [I · mol ⁻¹ · cm ⁻¹] |
|-----------------|--|
| 220.4 | 11666 |

No absorption was observed between 340 nm and 750 nm

Doc III A 3 Page 6 of 19

H-NMR spectrum

Operating procedures

Operating temperature : room temperature : Instrument : Bruker ACF 300 Solvent : DMSO Nucleus : 1H (300 MHz)

Internal standard: TMS

Structural formula

- Table of chemical shifts

| Chemical shift (ppm) | No. of Protons | Assignment | Multiplicity |
|----------------------|----------------|------------|--|
| 0.85 | 3 | h | two triplets (not resolved) |
| 1.3 | 4 | f, g | multiplet |
| 3.25 / 3.35 | 1 | ď' | multiplets of diastereomeric forms |
| 3.9 / 4.1 | 2 | d,e | multiplets of diastereomeric forms |
| 4.75 | 2 | I | multiplets (not resolved) |
| 7.45 | 2 | b, c | multiplets |
| 7.65 | 1 | a | multiplets |
| 7.85 | 1 | 1 | two singlets of the diastereomeric forms |
| 8.4 | 1 | k | two singlets of the diastereomeric forms |

Mass spectrum

Operating Procedures

Instrument: Finigan 4500 Type of analyzer:

quadrupole

Ionization mode : electron impact Detection :

scan mode

Ionizing energy: 70 eV

Peak List

m/z

341 M⁺ (not detected)

Page 7 of 19

| Competent Authority Report | |
|----------------------------|--|
| Rapporteur Finland | |

55

Propiconazole as film preservative (PT7)

November 2014

| 298 | /300 | M^{+} - C_3H_7 |
|-----|-------|-------------------------------------|
| 259 | / 261 | M+ - CH ₂ - N |
| 191 | / 193 | 259 - C ₅ H ₈ |
| 173 | / 175 | CI C C |
| (| 69 | C ₅ H ₉ |
| | | |

69 - CH₂

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| 1 December 2005. | |

Doc III A 3 Page 8 of 19

3.5 Solubility in water including effect of pH on solubility

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on water solubility |
| Project number: | AG-87 / 22P |
| Author: | K. Jäkel |
| Syngenta file number (SAM): | 64250 - 2085 |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland |
| Date of report: | November 19, 1987 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | EEC A.6, OECD No. 105 |
| Test substance: | CGA 64250 pure |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim Yes | |

Findings:

The solubility of the pure active ingredient in pure water was determined to be:

100 mg/l at 20°C and pH 6.9

In aqueous solution the neutral form of propiconazole is predominantly present at pH > 1.1 (p K_a = 1.09). That means the pH should have no appreciable effect on the water solubility of propiconazole in the pH range 4 to 10.

Information on temperature effects.

Propiconazole is a non-polar organic compound of high solubility in organic media such as toluene, n-octanol and ethyl acetate, in which it is completely miscible. In contrast, propiconazole exhibits very low solubility in water. As defined in the directive, the water solubility of propiconazole was determined at a temperature of 20 °C where a value of 100 mg/litre was observed. However, due to the very low solubility Syngenta does not consider that it is relevant to determine the water solubility at either 10 or 30 °C as such a temperature range will have negligible affect on the solubility of propiconazole.

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| 20 April 2007. | |

Doc III A 3 Page 9 of 19

3.6 Dissociation constant

| General Information | |
|---------------------------------------|--|
| Title of the study: | Report on dissociation constant in water |
| Project number: | EA 133549 |
| Author: | K. Jäkel / J. Stulz |
| Syngenta file number (SAM): | 64250 - 2287 / 64250 - 2455 |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland |
| Date of report: | August 8, 1990 / October 26, 1994 |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] |
| Test guidelines used: | OECD No. 112 |
| Test substance: | CGA 64250 pure |
| Batch identification: | |
| Purity of the test substance: | |
| Reliability indicator | 1 |
| Data Protection Claim | Yes |

Findings:

The dissociation constant of propiconazole was determined to be

$$pK_a = 1.09$$
 at $20^{\circ}C$

The constant describes the protonation of propiconazole according to the following equation:

$$CH_{2}CH_{2}CH_{3}$$
 + $H_{3}O^{+}$ + $H_{2}O$

II shows one of the possible forms of protonated propiconazole. It can not be decided, which of the nitrogen atoms of the triazole ring is protonated.

In aqueous solutions the neutral form I is predominantly present at pH > 1.09, the protonated form II at pH < 1.09.

| Evaluation by Comp | oetent Authorities | |
|--------------------|--------------------|--|
| 20 April 2007. | | |

Doc III A 3 Page 10 of 19

3.7 Solubility in organic solvents

| General Information | | |
|---------------------------------------|--|--|
| Title of the study: | Report on solubility in organic solvents | |
| Project number: | 20752 | |
| Author: | J. Stulz | |
| Syngenta file number (SAM): | 64250 - 2084 | |
| Name and address of testing facility: | SYNGENTA Münchwilen AG, CH-4333 Münchwilen, Switzerland | |
| Date of report: | March 15, 1994 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | SOP 433.1.209 | |
| Test substance: Batch identification: | CGA 64250 tech. | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The **solubilities** of the technical grade active ingredient in different **organic solvents** at a temperature of 25°C were found to be :

| Chemical class | Solvent | Solubility |
|-------------------------|-----------------|---------------------|
| Aliphatic hydrocarbon | n-hexane | 47 g/1 |
| Aromatic hydrocarbon | toluene | completely miscible |
| Halogenated hydrocarbon | dichloromethane | completely miscible |
| Alcohol | ethanol | completely miscible |
| | n-octanol | completely miscible |
| Ketone | acetone | completely miscible |
| Ester | ethyl acetate | completely miscible |

| Evaluation by Competent Authorities |
|-------------------------------------|
| 20 April 2007 |

Doc III A 3 Page 11 of 19

3.8 Stability in organic solvents:

According to the TNsG on Data Requirements (current version on the ECB web site), stability in organic solvent must be stated if the active ingredient as manufactured includes organic solvent; This is not applicable to propionazole because it does not contain organic solvents.

Propiconazole as film preservative (PT7)

| Evaluation by Competent Authorities |
|--|
| 31 January 2011. |

3.9 Partition coefficient n-octanol / water including effect of pH

| General Information | | |
|---------------------------------------|--|--|
| Title of the study: | Report on partition coefficient | |
| Project number: | AG-87 / 22P | |
| Author: | K. Jäkel | |
| Syngenta file number (SAM): | 64250 - 2086 | |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland | |
| Date of report: | November 20, 1987 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | EEC A.8, OECD No. 107 | |
| Test substance: | CGA 64250 pure | |
| Batch identification: | | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The logarithm of the octanol / water partition coefficient of the pure active ingredient was determined to be:

$$log P_{OW} = 3.72$$
 at pH 6.6 and 25°C

Information on temperature effects required.

As already stated (3.5), due to the high solubility of propiconazole in n-octanol, in which it is completely miscible, and the very low solubility of the compound in water, the octanol-water partition coefficient will not be significantly affected by temperature, over the range 10 or 30 °C i.e. both parameters are essentially unchanged and therefore the log of their ratio will also effectively remain constant. Syngenta therefore considers that it is not relevant to measure the coefficient at the noted additional temperatures.

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| | |
| 20 April 2007. | |

Doc III A 3 Page 12 of 19

3.10 Thermal Stability:

| General Information | | |
|---------------------------------------|---|--|
| Title of the study: | Report on thermal stability and stability in air | |
| Project number: | 20753 | |
| Author: | H. Schürch | |
| Syngenta file number (SAM): | 64250 - 2335 | |
| Name and address of testing facility: | SYNGENTA Werke Schweizerhalle AG, CH-4133 Schweizerhalle, Switzerland | |
| Date of report: | April 18, 1994 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | OECD 113 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The sample shows no exothermic peak between room temperature and 150°C.

| Evaluation by Competent Authorities |
|-------------------------------------|
| 20 April 2007. |

3.11 Flammability including auto-flammability


| General Information | | |
|---------------------------------------|---|--|
| Title of the study: | Report on auto-flammability of liquids | |
| Project number: | PP - 94 / 10T.AFG | |
| Author: | H. Schürch | |
| Syngenta file number (SAM): | 64250 - 2338 | |
| Name and address of testing facility: | SYNGENTA Werke Schweizerhalle AG, CH-4133 Schweizerhalle, Switzerland | |
| Date of report: | April 18, 1994 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | EEC A.10 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The self-ignition temperature of propiconazole was determined to be

430°C

Doc III A 3 Page 13 of 19



Doc III A 3 Page 14 of 19


3.12 Flash point

| General Information | | |
|---------------------------------------|---|--|
| Title of the study: | Report on determination of flash point | |
| Project number: | PP - 94 / 10T.FLP | |
| Author: | H. Schürch | |
| Syngenta file number (SAM): | 64250 - 2336 | |
| Name and address of testing facility: | SYNGENTA Werke Schweizerhalle AG, CH-4133 Schweizerhalle, Switzerland | |
| Date of report: | April 18, 1994 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | EEC A.9 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | - | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The flash point of propiconazole was determined to be

200 °C (1013 mbar)



Doc III A 3 Page 15 of 19


3.13 Surface tension

| General Information | | |
|---------------------------------------|--|--|
| Title of the study: | Report on surface tension of aqueous solutions | |
| Project number: | PP - 94 / 21T.SUR | |
| Author: | M. Ryser | |
| Syngenta file number (SAM): | 64250 - 2413 | |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland | |
| Date of report: | September 19, 1994 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | OECD No. 115 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | | |
| Reliability indicator | 1 | |
| Data Protection Claim | Yes | |

Findings:

The surface tension of an aqueous suspension at 20°C by the Wilhelmy plate method was determined to be :

$$\delta = 46.6 - 48.4 \text{ mN/m}$$
. (filtrates of 10.0 g/l suspensions)
 $\delta = 55.8 - 62.3 \text{ mN/m}$ (filtrates of 1.0 g/l suspensions)



Doc III A 3 Page 16 of 19

3.14 Viscosity:

| General Information | | | |
|---------------------------------------|--|--|--|
| Title of the study: | Report on viscosity of liquids | | |
| Project number: | PP - 96 / 32T.VIL | | |
| Author: | M. Ryser | | |
| Syngenta file number (SAM): | 64250 - 3017 | | |
| Name and address of testing facility: | SYNGENTA Ltd., CH-4002 Basle, Switzerland | | |
| Date of report: | June 24, 1996 | | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | | |
| Test guidelines used: | OECD No. 114 | | |
| Test substance: | CGA 64250 tech. | | |
| Batch identification: | | | |
| Purity of the test substance: | | | |
| Reliability indicator | 1 | | |
| Data Protection Claim | Yes | | |

Findings:

At 20°C : 69.630 +/- 0.379 Pa*s at shear rate $D = 0.10 < D < 10.0 \ sec^{-1}$ At 40°C : 3.509 +/- 0.39 Pa*s at shear rate $D = 0.10 < D < 10.0 \ sec^{-1}$

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| | |
| 20 April 2007. | |

Doc III A 3 Page 17 of 19

3.15 Explosive properties

| General Information | | | |
|---------------------------------------|---|--|--|
| Title of the study: | Report on explosive properties | | |
| Project number: | PP - 94 / 10T.EXP | | |
| Author: | H. Schürch | | |
| Syngenta file number (SAM): | 64250 - 2337 | | |
| Name and address of testing facility: | SYNGENTA Werke Schweizerhalle AG, CH-4133 Schweizerhalle, Switzerland | | |
| Date of report: | April 18, 1994 | | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | | |
| Test guidelines used: | EEC A.14 | | |
| Test substance: | CGA 64250 tech. | | |
| Batch identification: | | | |
| Purity of the test substance: | - | | |
| Reliability indicator 1 | | | |
| Data Protection Claim Yes | | | |

Findings:

The substance is not considered an explosive, as concluded from test results on :

- Thermal sensitivity (effect of a flame)
- Mechanical sensitivity (shock)

Mechanical sensitivity (friction): not tested The testing method is not suitable for liquids.

| Evaluation by Competent Authorities | | |
|-------------------------------------|----------------|--|
| | 20 April 2007. | |


Doc III A 3 Page 18 of 19

3.16 Oxidizing properties

| General Information | | |
|---------------------------------------|---|--|
| Title of the study: | Oxidizing properties (liquids) of CGA 64250 tech | |
| Project number: | 81905 | |
| Author: | H. Angly | |
| Syngenta file number (SAM): | 64250 - 4299 | |
| Name and address of testing facility: | SYNGENTA Institute of Safety and Security, Testing Laboratory, Basle, Switzerland | |
| Date of report: | March 31, 2000 | |
| Compliance with GLP: | Yes [X] No, but complies with sound scientific principles [] | |
| Test guidelines used: | section 34, UN 1999 | |
| Test substance: | CGA 64250 tech. | |
| Batch identification: | | |
| Purity of the test substance: | - | |
| Reliability indicator 1 | | |
| Data Protection Claim Yes | | |

Findings:

The substance is not considered an oxidizing substance.



3.17 Reactivity towards container material

The corrosion characteristics of propiconazole technical material were assessed for; tin plate, iron steel and stainless steel. For all three test materials no weight change was observed over the test period and it was therefore concluded that technical propiconazole is not corrosive to these packaging materials.

In addition, technical propiconazole is not oxidizing, not explosive, is thermally stable to at least 150 °C and has a flash point of 200 °C demonstrating its low reactivity.

Furthermore, technical propiconazole has been in large-scale manufacture and storage for in excess of twenty years without significant incident in relation to reactivity to its packaging material.

| Evaluation by Competent Authorities | |
|-------------------------------------|--|
| 1 December 2005. | |

Doc III A 3 Page 19 of 19

PROPICONAZOLE

Dossier for Directive 98/8/EC Document IIIA

Section 6: Toxicological and Metabolic Studies

From
Tier I - Section 3 - Annex II
of 91/414 dossier :

Toxicology and metabolism studies on the active substance

Doc IIIA 6 Page 1 of 267

| 98/8 Doc IIIA section No. | 6.1.1/01 | Acute toxicity – Oral |
|---------------------------|------------|-----------------------|
| 91/414 Annex | 11 | Acute toxicity - oral |
| Point addressed | 5.2.1 / 01 | |

| 1.2 | Title | Acute oral LD ₅₀ in the rat of technical CGA 64'250 | |
|------------------------------------|----------------------------------|---|--|
| 1.3 project N° Syngenta File | Report and/or N° (SAM) | 64250 / 1528 | |
| 1.4 | Lab. Report N° | 78 52 44 | |
| 1.5 Reference to or report | 91/414 Cross original study / | 5.2.1 / 01 | |
| 1.6 | Authors | Report: Summary: | |
| 1.7 | Date of report | December 7, 1978 | |
| 1.8 owner | Published I | Unpublished / Syngenta | |
| 2.1 | Testing facility | | |
| 2.2 experimental | Dates of work | October 19 to November 8, 1978 | |
| 3. | Objectives | Investigation of acute oral toxicity in rats | |
| | | | |
| 4.1 | Test substance | CGA 64'250, technical grade active ingredient | |
| 4.2 | Specification | | |
| 4.3 | Storage | not applicable (single treatment only) | |
| stability 4.4 | Stability in | mot anni i achia | |
| vehicle | Stability in | not applicable | |
| 4.5 vehicle | Homogeneity in | not applicable | |
| 4.6 | Validity | not applicable | |
| 5 | Vehicle / | 2% aqueous carboxymethylcellullose (CMC) | |
| solvent 6 | Physical form | viscous liquid | |
| | | | |
| 7.1 | Test method | not specified | |
| 7.2 | Justification | The procedures followed are in-line with current Guideline requirements. | |
| 7.3 | Copy of method | A description of the method is part of the original study report as submitted under Reference 5.2.1 / 01. | |
| 8 method | Choice of | Standard procedure for the intended purpose | |
| 9 | Deviations | Only formal deviations (see details below) from EC Directive 92/69 B1. | |
| 10.1 laboratory | Certified | not applicable | |
| 10.2 authority | Certifying | not applicable | |

Doc IIIA 6 Page 2 of 267

Competent Authority Report Rapporteur Finland November 2014

10.3 GLP no

10.4 Justification When the study was performed, GLP was not compulsory

11.1 GEP not applicable

11.2 Type of facility

(official

or officially recognised)

11.3 Justification not applicable

x12.1 Test system Strain: Rat, Sprague-Dawley derived. Tif: RAIf (SPF)

Source
Age: young adult (7 to 8 weeks)

12.2 Procedure Dose levels: 500, 1'000, 3'000 and 4'000 mg/kg b.w.

Group size: 5 males and 5 females

Dose regimen: single oral gavage of 10 or 20 ml/kg. The animals were fasted

overnight before the treatment.

Observation period: 14 days. Body weights were measured weekly.

x13 Findings

| Dose | Mortality | Onset of death | Clinical signs, Autopsy |
|--|----------------------------------|-----------------------------|---|
| Males | | | |
| 500 mg/kg 1'000 mg/kg 3'000 mg/kg 4'000 mg/kg | 0 / 5 1 / 5 3 / 5 5 / 5 | Day 1 Day 1 - 2 Day 1 | Sedation, Dyspnea, Abnormal Body Position, Ruffled Fur were observed in all groups with increasing severity. No effects on body weight gain. |
| Females | | | |
| 500 mg/kg 1'000 mg/kg 3'000 mg/kg 4'000 mg/kg | 0 / 5 3 / 5 4 / 5 5 / 5 | Day 2 Day 1 - 2 Day 1 | Sedation, Dyspnea, Abnormal Body Position, Ruffled Fur were observed in all groups with increasing severity. No effects on body weight gain. |
| LD ₅₀ : 1'517 mg/kg (958 - 2'291 mg/kg) calculated according to the logit model including 95% confidence limits | | git model | All symptoms were reversible within 8 - 14 days. No substance related gross organ changes were seen. |

14 Statistics see above
15 References None
(published)

16 Unpublished None


data

x17 Reliability 1

Indicator

| Data Protection Claim | Voc |
|-----------------------|-----|
| Data Frotection Claim | 168 |

Doc IIIA 6 Page 3 of 267



PP 2.504/WM/ 24.10.1994

Doc IIIA 6 Page 4 of 267