

Summary of product characteristics for a biocidal product

Product name: Deltasect

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: PL/2017/0274/MR

R4BP 3 asset reference number: PL-0002466-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	14
5.1. Instructions for use	14
5.2. Risk mitigation measures	14
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	14
5.4. Instructions for safe disposal of the product and its packaging	14
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	14
6. Other information	15

Administrative information

1.1. Trade names of the product

Deltasect

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Sharda Europe B.V.B.A
	Address	Heedstraat 58 1730 Asse Belgium
Authorisation number	PL/2017/0274/MR	
R4BP 3 asset reference number	PL-0002466-0000	
Date of the authorisation	28/09/2017	
Expiry date of the authorisation	30/03/2027	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Sharda Cropchem España S.L.
Address of the manufacturer	Edificio Atalayas Business Center, Carril Condomina N°3 Planta 12 30006 Murcia Spain
Location of manufacturing sites	I.R.C.A. Service SpA, Strada Statale Cremasca 591, 10, 24040 Forno San Giovanni Italy
	DTS OABE, Pol. Bengoetxea, S/N 48419 Bengoetxea, Orozco (Vizcaya) Spain

1.4. Manufacturer(s) of the active substance(s)

Active substance	24 - deltamethrin
Name of the manufacturer	Sharda Cropchem Limited (Formerly known as Sharda Worldwide Exports Pvt. Ltd.)
Address of the manufacturer	Domnic Holm 29th Road, Bandra (W) 400050 Mumbai India
Location of manufacturing sites	101/102, Kanchanganga Factory Lane, Borivali – (W) 400092 Mumbai India

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
deltamethrin	(S)-a-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylate	Active Substance	52918-63-5	258-256-6	2,394

2.2. Type of formulation

SC - Suspension concentrate (= flowable concentrate)

3. Hazard and precautionary statements

Hazard statements	<p>Very toxic to aquatic life.</p> <p>Very toxic to aquatic life with long lasting effects.</p> <p>Contains 1,2-benzoizotiazolin-3(2H)-on i masę reakcji 5-chloro-2-metylo-2H-izotiazol-3-onu i 2-metylo-2H-izotiazol-3-onu (3:1).. May produce an allergic reaction.</p>
Precautionary statements	<p>If medical advice is needed, have product container or label at hand.</p> <p>Keep out of reach of children.</p> <p>Read carefully and follow all instructions.</p> <p>Avoid release to the environment.</p>

Collect spillage.

Dispose of contents to autoryzowanego zakładu unieszkodliwiania odpadów, zgodnie z lokalnymi/krajowymi przepisami..

Dispose of container to autoryzowanego zakładu unieszkodliwiania odpadów, zgodnie z lokalnymi/krajowymi przepisami..

4. Authorised use(s)

4.1 Use description

Use 1 - Professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Crawling insects
I.3.4 Cockroaches (Blattodea)
I.3.10 Ants Hymenoptera: Formicidae)
Adult

Target organism(s) (including development stage)

Scientific name: Blattodea:
Common name: Cockroaches
Development stage: Adults

Scientific name: Formicinae:
Common name: Ants
Development stage: Adults

Field(s) of use

Indoor

Application method(s)

Method: Spraying
Detailed description:
VI.1. Spraying
Crack and crevice treatment via low pressure sprayer (handheld and backpack sprayer)

Application rate(s) and frequencies

Application Rate: 50 mL of product diluted in 5L of water to treat 100 m2 surface
Dilution (%): 1:100

	<p>Number and timing of application:</p> <p>Maximum 6-8 applications/year. Treatment can be repeated after 2 months.</p>
<p>Category(ies) of users</p>	<p>Trained professional</p> <p>Professional</p>
<p>Pack sizes and packaging material</p>	<p>Bottles made of HDPE or COEX containing 25, 50, 100, 500, 1000 and 5000 ml</p> <p>The bottle is sealed with a sheet of complex material (plastic: LDPE + aluminium + paper)</p> <p>Screw cap</p>

4.1.1 Use-specific instructions for use

It is advisable to apply DELTASECT through devices such as pumps or sprays, being careful to apply the solution in cracks and crevices only. The product shall be diluted at a rate of 1:100 in water. The solutions obtained must be sprayed at a dose of 1 litre of in-use solution for 20 m². The in-use dilution will be applied through a low pressure sprayer (hand-held or knapsack sprayer). Application must be performed to a band of 0.1 m width on the treated surfaces.

The product must not be applied on livestock premises.

4.1.2 Use-specific risk mitigation measures

FOR USE ONLY AS AN INSECTICIDE.
FOR INDOOR USE ONLY.
Store the product in its original packaging out the reach of children and pets.
Wash hands after handling, processing and before meals.
Do not mix with other chemicals and products.
Avoid contact with treated surfaces.
Do not apply in presence of people (especially children), pets or animals.
Diluted insecticide solution should never be kept. A new solution must be prepared every time.

Do not apply in presence of food/feedstuff.
Remove any food/feedstuff from the application site.
Remove any tool that may enter into contact with food/feedstuff during treatment.
Cover water tanks, feed troughs and other surfaces or equipment that may enter into contact with feed/foodstuffs before treatment to avoid any contamination.

Treated areas can be re-occupied by the general public, pets and other animals once the sprayed surfaces are dry.
Shake well before use.
Contains deltamethrin, may be dangerous/toxic to pets (e.g. cats, fish and other aquatic organisms).
Keep cats away from treated surfaces. Due to their particular sensitivity to deltamethrin, the product can cause severe adverse reactions in cats.
Resistance Management:
Deltamethrin is used in biocidal products in a limited period and therefore it is not expected to contribute to the development of resistance in target organisms. In order to avoid any resistance development in target organisms it is recommended to alternate the use of deltamethrin-based products with other insecticidal products not containing pyrethroids.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects: May cause transient irritation of skin, eyes and mucous membranes.
First aid instructions: General: Remove victim to fresh air. Immediately remove all contaminated clothing. Keep patient at rest. Maintain body temperature. If the person is unconscious, shorten side with the head lower than the rest of the body and the knees bended. Control breathing, if necessary, artificial respiration. Do not just leave the patient under any circumstance. Remove to fresh to hospital and, whenever possible, take the container or label.
Ingestion: If swallowed do not induce vomiting.
Inhalation: Seek fresh air to the victim (move outdoors). If you notice discomfort, seek medical attention.
Skin Contact: After contact with skin, wash immediately with soap and water, without rubbing.
Eye Contact: Rinse immediately with plenty of water for at least 15 minutes with the eyelid held wide open, not forget to remove the lenses. If you notice discomfort, seek medical attention.
Emergency measures to protect the environment: Precautions: Prevent product from entering the environment (surface and ground water), sewerage, drainage, etc. with the construction of protective barriers and closing drains.
Communicate to the competent authorities of tipping leaks into waterways, drains, sewers
Methods and materials for containment and cleaning: Absorb spill on inert material (sand, kaolin), collect and place in containers for later properly identified as a hazardous waste management.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Diluted insecticide solution should never be kept and must be disposed of in accordance with local waste management regulations. A new solution must be prepared every time.

Do not contaminate ponds/lakes, water pipes or ditches with the diluted product or with empty container.
Do not empty into drains.
Do not reuse packaging.
Dispose of contents/container in accordance with local waste management regulations.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

The product should be stored in tightly closed original containers in a cool, dry, well-ventilated area.
Avoid high temperatures and direct action of sunlight. Protect from moisture. The containers must be placed in such a way as to allow free air circulation. Do not store with oxidizers, alkalis (caustic solutions), or acids. Keep away from foodstuffs, beverages and feed. Check stocks regularly for damage. Under these conditions, Deltasect can be stored for 4 years.

--

4.2 Use description

Use 2 - Non-professional users

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Suspension concentrate insecticide for use against crawling insects including cockroaches and ants by crack and crevice treatment.
Target organism(s) (including development stage)	Scientific name: Blattidae: Common name: Cockroaches Development stage: Adults Scientific name: Formicinae: Common name: Ants Development stage: Adults
Field(s) of use	Indoor Stosować produkt w postaci roztworu poprzez spryskiwanie na pęknięcia i szczeliny za pomocą opryskiwacza niskociśnieniowego
Application method(s)	Method: Spraying Detailed description: VI.1. Spraying Crack and crevice treatment via low pressure sprayer (handheld and backpack sprayer)
Application rate(s) and frequencies	Application Rate: 1 ml of product diluted in 100ml of water to treat 2 m2 surface Dilution (%): 1:100 Number and timing of application: Maximum 2 applications/year. Treatment can be repeated after 2 months.
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Bottle with screw cap made of HDPE or COEX containing 25 ml of product. 1 ml pipette attached with bottle. The bottle is sealed with a sheet of complex material (plastic: LDPE + aluminium + paper)



4.2.1 Use-specific instructions for use

It is advisable to apply DELTASECT through devices such as pumps or sprays, being careful to apply the solution in cracks and crevices only. The product shall be diluted at a rate of 1:100 in water.
Use the attached pipette to dose the product when preparing the solution.
The solutions obtained must be sprayed at a dose of 100 ml of in-use solution for 2 m². The in-use dilution will be applied through a low pressure sprayer (hand-held and backpack sprayer). Application must be performed to a band of 0.1 m width on the treated surfaces.
The product must not be applied on livestock premises.

4.2.2 Use-specific risk mitigation measures

FOR USE ONLY AS AN INSECTICIDE
FOR INDOOR USE ONLY
Store the product in its original packaging out the reach of children and pets.
Wash hands after handling, processing and before meals.
Do not apply in presence of food/feedstuff.
Diluted insecticide solution should never be kept. A new solution must be prepared every time.
Keep away from foodstuffs, beverages and feed.
Remove any tool that may enter into contact with food/feedstuff during treatment.
Cover water tanks, feed troughs and other surfaces or equipment that may enter into contact with feed/foodstuffs before treatment to avoid any contamination.
Treated areas can be re-occupied by the general public, pets and other animals once the sprayed surfaces are dry.
Shake well before use.
Contains deltamethrin, may be dangerous/toxic to pets (e.g. cats, fish and other aquatic organisms).
Keep cats away from treated surfaces. Due to their particular sensitivity to deltamethrin, the product can cause severe adverse reactions in cats.
Resistance Management:
Deltamethrin is used in biocidal products in a limited period and therefore it is not expected to contribute to the development of resistance in target organisms. In order to avoid any resistance development in target organisms it is recommended to alternate the use of deltamethrin-based products with other insecticidal products not containing pyrethroids.

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects: May cause transient irritation of skin, eyes and mucous membranes.
First aid instructions: General: Remove victim to fresh air. Immediately remove all contaminated clothing. Keep patient at rest. Maintain body temperature. If the person is unconscious, shorten side with the head lower than the rest of the body and the knees bended. Control breathing, if necessary, artificial respiration. Do not just leave the patient under any circumstance. Remove to fresh to hospital and, whenever possible, take the container or label.

Ingestion: If swallowed do not induce vomiting.
Inhalation: Seek fresh air to the victim (move outdoors). If you notice discomfort, seek medical attention.
Skin Contact: After contact with skin, wash immediately with soap and water, without rubbing.
Eye Contact: Rinse immediately with plenty of water for at least 15 minutes with the eyelid held wide open, not forget to remove the lenses. If you notice discomfort, seek medical attention.
Emergency measures to protect the environment: **Precautions:** Prevent product from entering the environment (surface and ground water), sewerage, drainage, etc. with the construction of protective barriers and closing drains.
 Communicate to the competent authorities of tipping leaks into waterways, drains, sewers.
 Methods and materials for containment and cleaning: Absorb spill on inert material (sand, kaolin ...), collect and place in containers for later properly identified as a hazardous waste management.

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Diluted insecticide solution should never be kept and must be disposed of in accordance with local waste management regulations. A new solution must be prepared every time
 Do not contaminate ponds/lakes, water pipes or ditches with the diluted product or with empty container. Do not empty into drains. Dispose of contents/container in accordance with local waste management regulations.

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

The product should be stored in tightly closed original containers in a cool, dry, well-ventilated area. Avoid high temperatures and direct action of sunlight. Protect from moisture. The containers must be placed in such a way as to allow free air circulation. Do not store with oxidizers, alkalis (caustic solutions), or acids. Keep away from foodstuffs, beverages and feed. Check stocks regularly for damage. Under these conditions, Deltasect can be stored for 4 years.

4.3 Use description

Use 3 - Control of flies and wasps by professional users

Product type	PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)
Where relevant, an exact description of the authorised use	Suspension concentrate insecticide for use against flies and wasps by spot treatment
Target organism(s) (including development stage)	<p>Scientific name: <i>Musca domestica</i> Common name: House fly Development stage: Adults</p> <p>Scientific name: <i>vespula garmanica</i> Common name: German wasp Development stage: Adults</p>

Field(s) of use

	Indoor
Application method(s)	Method: Spraying Detailed description: Spot treatment via low pressure sprayer (handheld and backpack sprayer)
Application rate(s) and frequencies	Application Rate: Apply working solution at a rate of 50 ml per 1 m ² . Dilution (%): 10 mL of product diluted in 1L of water to treat 20 m ² surface. Number and timing of application: Frequency: Maximum 6 applications/year. Treatment can be repeated after 2 months.
Category(ies) of users	Professional
Pack sizes and packaging material	Bottles made of HDPE or COEX containing 25, 50, 100, 500, 1000 and 5000 mL

4.3.1 Use-specific instructions for use

The product shall be diluted at a rate of 1:100 in water.
The solutions obtained must be sprayed at a dose of 1 litre of in-use solution for 20 m².
The in-use dilution will be applied through a low pressure sprayer (hand-held or knapsack sprayer).
A special spray device, e.g. spray lance must be attached to the sprayer to target the area of product application.
Identify where insects usually settle and spray the product only as a spot treatment.
The product must not be applied on livestock premises.
Knockdown effect against flies is expected 8 hours after the exposure of the insects to the treated surfaces.
The persons responsible for cleaning the treated areas are to be informed by the professional user about the risk mitigation measures to ensure that the product does not enter the sewer system.

4.3.2 Use-specific risk mitigation measures

In private houses:
Identify where insects usually settle and spray the product only as a spot treatment in locations not regularly wet cleaned (e.g. on window frames, around windows and edges, on walls or ceilings). Do not use the product more than 6 times per year.

FOR USE ONLY AS AN INSECTICIDE.
FOR INDOOR USE ONLY.

Store the product in its original packaging out the reach of children and pets.
Wash hands after handling, processing and before meals.
Do not mix with other chemicals and products.
Avoid contact with treated surfaces.
Do not apply in presence of people (especially children), pets or animals.
Diluted insecticide solution should never be kept. A new solution must be prepared every time.
Do not apply in presence of food/feedstuff.
Remove any food/feedstuff from the application site.
Remove any tool that may enter into contact with food/feedstuff during treatment.
Cover water tanks, feed troughs and other surfaces or equipment that may enter into contact with feed/foodstuffs before treatment to avoid any contamination.
Treated areas can be re-occupied by the general public, pets and other animals once the sprayed surfaces are dry.
Shake well before use.
Contains deltamethrin, may be dangerous/toxic to pets (e.g. cats, fish and other aquatic organisms).
Keep cats away from treated surfaces. Due to their particular sensitivity to deltamethrin, the product can cause severe adverse reactions in cats.

Resistance Management:
Deltamethrin is used in biocidal products in a limited period and therefore it is not expected to contribute to the development of resistance in target organisms. In order to avoid any resistance development in target organisms it is recommended to alternate the use of deltamethrin-based products with other insecticidal products not containing pyrethroids.

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects:
May cause transient irritation of skin, eyes and mucous membranes.

First aid instructions:
General: Remove victim to fresh air. Immediately remove all contaminated clothing. Keep patient at rest. Maintain body temperature. If the person is unconscious, shorten side with the head lower than the rest of the body and the knees bended. Control breathing, if necessary, artificial respiration. Do not just leave the patient under any circumstance. Remove to fresh to hospital and, whenever possible, take the container or label.
Ingestion: If swallowed do not induce vomiting.
Inhalation: Seek fresh air to the victim (move outdoors). If you notice discomfort, seek medical attention.
Skin Contact: After contact with skin, wash immediately with soap and water, without rubbing.
Eye Contact: Rinse immediately with plenty of water for at least 15 minutes with the eyelid held wide open, not forget to remove the lenses. If you notice discomfort, seek medical attention.

Emergency measures to protect the environment:
Precautions: Prevent product from entering the environment (surface and ground water), sewerage, drainage, etc. with the construction of protective barriers and closing drains.
Communicate to the relevant authorities of tipping leaks into waterways, drains, sewers.
Methods and materials for containment and cleaning: Absorb spill on inert material (sand, kaolin), collect and place in containers for later properly identified as a hazardous waste management.

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Diluted insecticide solution should never be kept and must be disposed of in accordance with local waste management regulations.
A new solution must be prepared every time.
Do not contaminate ponds/lakes, water pipes or ditches with the diluted product or with empty container.

Do not empty into drains.
Dispose of contents/container in accordance with local waste management regulations.

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

The product should be stored in tightly closed containers in a cool, dry, well-ventilated area.
Avoid high temperatures and direct action of sunlight.
Protect from moisture.
The containers must be placed in such a way as to allow free air circulation.
Do not store with oxidizers, alkalis (caustic solutions), or acids.
Keep away from foodstuffs, beverages and feed.
Check stocks regularly for damage.
Under these conditions Deltasect can be stored for 4 years.

4.4 Use description

Use 4 - Control of flies and wasps by non-professional users

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Suspension concentrate insecticide for use against flies and wasps by spot treatment.

Target organism(s) (including development stage)

Scientific name: *musca domestica*
Common name: House fly
Development stage: Adults

Scientific name: *Vespula germanica*
Common name: German wasp
Development stage: Adults

Field(s) of use

Indoor

Use in domestic buildings such as houses and apartments

Application method(s)

Method: Spraying

Detailed description:

Spot treatment via a suitable pump sprayer bottle with attached extension to target the area of product application

Application rate(s) and frequencies

Application Rate: Apply working solution at a rate of 50 ml per 1 m2.
Dilution (%): 1 ml of product diluted in 100ml of water to treat 2 m2 surface.
Number and timing of application:
Frequency: Maximum 6 applications/year.
Treatment can be repeated after 2 months.

Category(ies) of users

General public (non-professional)

Pack sizes and packaging material

Bottle with screw cap made of HDPE or COEX containing 25 ml of product. 1 ml dosing pipette attached to bottle.
The bottle is sealed with a sheet of complex material (plastic: LDPE + aluminium + paper)
A suitable pump sprayer bottle with attached extension to target the area of product application is a part of the product packaging.

4.4.1 Use-specific instructions for use

The product shall be diluted at a rate of 1:100 in water. Use the attached pipette to dose the product when preparing the solution. The solutions obtained must be sprayed at a dose of 100 ml of in-use solution for 2 m2. Do not treat more than 2 m2 of surface in one application.
The in-use dilution will be applied through a suitable pump sprayer bottle with attached extension to target the area of product application.

The product must not be applied on livestock premises.
Knockdown effect against flies is expected 8 hours after the exposure of the insects to the treated surfaces.
If the infestation persists, contact a professional.

4.4.2 Use-specific risk mitigation measures

Identify where insects usually settle and spray the product only as a spot treatment in locations not regularly wet cleaned, i.e. on window frames, around windows and edges, on walls or ceilings.
Do not use the product more than 6 times per year.

**FOR USE ONLY AS AN INSECTICIDE.
FOR INDOOR USE ONLY.**

Store the product in its original packaging out the reach of children and pets.
Wash hands after handling, processing and before meals.
Do not mix with other chemicals and products.
Avoid contact with treated surfaces.
Do not apply in presence of people (especially children), pets or animals.
Diluted insecticide solution should never be kept. A new solution must be prepared every time.
Do not apply in presence of food/feedstuff.
Remove any food/feedstuff from the application site.
Remove any tool that may enter into contact with food/feedstuff during treatment.

Cover water tanks, feed troughs and other surfaces or equipment that may enter into contact with feed/foodstuffs before treatment to avoid any contamination.
Treated areas can be re-occupied by the general public, pets and other animals once the sprayed surfaces are dry.
Shake well before use.

Contains deltamethrin, may be dangerous/toxic to pets (e.g. cats, fish and other aquatic organisms).
Keep cats away from treated surfaces. Due to their particular sensitivity to deltamethrin, the product can cause severe adverse reactions in cats.

Resistance Management:

Deltamethrin is used in biocidal products in a limited period and therefore it is not expected to contribute to the development of resistance in target organisms. In order to avoid any resistance development in target organisms it is recommended to alternate the use of deltamethrin-based products with other insecticidal products not containing pyrethroids.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Particulars of likely direct or indirect effects:

May cause transient irritation of skin, eyes and mucous membranes.

First aid instructions:

General: Remove victim to fresh air. Immediately remove all contaminated clothing. Keep patient at rest. Maintain body temperature. If the person is unconscious, shorten side with the head lower than the rest of the body and the knees bended. Control breathing, if necessary, artificial respiration. Do not just leave the patient under any circumstance. Remove to fresh to hospital and, whenever possible, take the container or label.

Ingestion: If swallowed do not induce vomiting.

Inhalation: Seek fresh air to the victim (move outdoors). If you notice discomfort, seek medical attention.

Skin Contact: After contact with skin, wash immediately with soap and water, without rubbing.

Eye Contact: Rinse immediately with plenty of water for at least 15 minutes with the eyelid held wide open, not forget to remove the lenses. If you notice discomfort, seek medical attention.

Emergency measures to protect the environment:

Precautions: Prevent product from entering the environment (surface and ground water), sewerage, drainage, etc. with the construction of protective barriers and closing drains.

Communicate to the relevant authorities of tipping leaks into waterways, drains, sewers.

Methods and materials for containment and cleaning: Absorb spill on inert material (sand, kaolin), collect and place in containers for later properly identified as a hazardous waste management.

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Diluted insecticide solution should never be kept and must be disposed of in accordance with local waste management regulations.

A new solution must be prepared every time.

Do not contaminate ponds/lakes, water pipes or ditches with the diluted product or with empty container.

Do not empty into drains.

Dispose of contents/container in accordance with local waste management regulations.

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

The product should be stored in tightly closed containers in a cool, dry, well-ventilated area.

Avoid high temperatures and direct action of sunlight.

Protect from moisture.

The containers must be placed in such a way as to allow free air circulation.

Do not store with oxidizers, alkalis (caustic solutions), or acids.
Keep away from foodstuffs, beverages and feed.
Check stocks regularly for damage.
Under these conditions Deltasect can be stored for 4 years.

5. General directions for use

5.1. Instructions for use

See Authorised uses

5.2. Risk mitigation measures

See Authorised uses

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See Authorised uses

5.4. Instructions for safe disposal of the product and its packaging

See Authorised uses

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

See Authorised uses

6. Other information