

Summary of product characteristics for a biocidal product family

Family name: Vivexyl Plus

Product type(s): PT08 - Wood preservatives (Preservatives)

Authorisation number: 2248-2

R4BP 3 asset reference number: BG-0014791-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	3
Part II.- Second information level - meta SPC(s)	4
1. Meta SPC administrative information - meta SPC	4
2. Meta SPC composition	5
3. Hazard and precautionary statements of the meta SPC	6
4. Authorised use(s) of the meta SPC	7
5. General directions for use of the meta SPC	39
6. Other information	46
7. Third information level: individual products in the meta SPC	49

Part I.- First information level

1. Administrative information

1.1. Family name

Vivexyl Plus

1.2. Product type(s)

PT08 - Wood preservatives (Preservatives)

1.3. Authorisation holder

Name and address of the authorisation holder

Name	Akzo Nobel Decorative Coatings B.V.
Address	Christian Neefestraat 2 - Attn. Director PSRAQ 1077 WW Amsterdam Netherlands

Authorisation number

2248-2

R4BP 3 asset reference number

BG-0014791-0000

Date of the authorisation

22/06/2015

Expiry date of the authorisation

31/07/2025

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer

Akzo Nobel Decorative Paints SA

Address of the manufacturer

Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

Location of manufacturing sites

Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

Name of the manufacturer	Akzo Nobel Decorative Coatings Sp.z.o.o.
Address of the manufacturer	ul. Krakowiaków 48 02-255 Warszawa Poland
Location of manufacturing sites	ul. Przemysłowa 3 08-440 Piława Poland

Name of the manufacturer	VIVECHROM S.A.
Address of the manufacturer	P.O. Box 4 192 00 Elefsis Greece
Location of manufacturing sites	P.O. Box 4 192 00 Elefsis Greece

Name of the manufacturer	Akzo Nobel Decorative Paints
Address of the manufacturer	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France
Location of manufacturing sites	Z.I. "Les Bas Prés", C.S. 70113 60160 Montataire France

1.5. Manufacturer(s) of the active substance(s)

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Corporation
Address of the manufacturer	8 Vreeland Road, Florham Park 07932 New Jersey United States
Location of manufacturing sites	One Avenue L NJ 07105 Newark United States

Active substance	39 - 3-iodo-2-propynylbutylcarbamate (IPBC)
Name of the manufacturer	TROY Chemical Corporation
Address of the manufacturer	One Avenue L NJ 07105 Newark United States
Location of manufacturing sites	12e Uiverlaan 3145 Maassluis Netherlands

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7 - 0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		21,394 - 23,373
2-butanonoxime		Non-active substance	96-29-7		0,388 - 0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86 - 35,86
Linseed oil		Non-active substance	8001-26-1		2,5 - 2,5
Organic bentonite		Non-active substance	68953-58-2		0,571 - 0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057 - 0,057
Calcium preparation		Non-active substance	68551-41-7		1,99 - 1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994 - 1,994
Manganese preparation		Non-active substance	15956-58-8		0,1 - 0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2 - 0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5 - 1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14 - 0,14

component of polyphase AF3	Non-active substance		1,633 - 1,633
water	Non-active substance	7732-18-5	28,02 - 28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2 - 0,2
decanedioidic acid	Non-active substance	129757-67-1	0,1 - 0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67 - 0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0 - 0,88
CI pigment red 101	Non-active substance	1309-37-1	0 - 4
CI pigment yellow 42	Non-active substance	20344-49-4	0 - 4
CI pigment white 6	Non-active substance	13463-67-7	0 - 0,5
CI pigment blue 15:4	Non-active substance	147-14-8	0 - 1,08
CI pigment red 122	Non-active substance	980-26-7	0 - 0,8
CI pigment green 7	Non-active substance	1328-53-6	0 - 0,86
C.I. pigment violet 23	Non-active substance	6358-30-1	0 - 0,88

2.2. Type(s) of formulation

AL - Any other liquid

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT08 - Wood preservatives (Preservatives)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7 - 0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		21,394 - 23,373
2-butanonoxime		Non-active substance	96-29-7		0,388 - 0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86 - 35,86
Linseed oil		Non-active substance	8001-26-1		2,5 - 2,5
Organic bentonite		Non-active substance	68953-58-2		0,571 - 0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057 - 0,057
Calcium preparation		Non-active substance	68551-41-7		1,99 - 1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994 - 1,994
Manganese preparation		Non-active substance	15956-58-8		0,1 - 0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2 - 0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5 - 1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14 - 0,14
component of polyphase AF3		Non-active substance			1,633 - 1,633
water		Non-active substance	7732-18-5		28,02 - 28,02

substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2 - 0,2
decanediiodic acid	Non-active substance	129757-67-1	0,1 - 0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67 - 0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0 - 0,88
CI pigment red 101	Non-active substance	1309-37-1	0 - 4
CI pigment yellow 42	Non-active substance	20344-49-4	0 - 4
CI pigment white 6	Non-active substance	13463-67-7	0 - 0,5
CI pigment blue 15:4	Non-active substance	147-14-8	0 - 1,08
CI pigment red 122	Non-active substance	980-26-7	0 - 0,8
CI pigment green 7	Non-active substance	1328-53-6	0 - 0,86
C.I. pigment violet 23	Non-active substance	6358-30-1	0 - 0,88

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Harmful to aquatic life with long lasting effects.
 Repeated exposure may cause skin dryness or cracking.
 Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime. May produce an allergic reaction.

Precautionary statements

If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Do not get in eyes, on skin, or on clothing.
 Avoid release to the environment.
 Call a POISON CENTER if you feel unwell.
 Dispose of contents to local rules.

Call a POISON CENTER if you feel unwell.

Dispose of container to local rules.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.
Target organism(s) (including development stage)	Scientific name: <i>Aureobasidium pullulans</i> spp. Common name: Sapstain fungi Development stage:
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): No dilution Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	Can /Tin, Metal: , 0.75L - 20L (0.75L; 1L; 2.5L; 3L; 5L; 5.5L; 6L; 9L; 9.5L; 10L; 11L; 11.5L; 12L; 20L)

4.1.1 Use-specific instructions for use

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carpports, shutters and balcony railings. Not for indoor use.

4.1.2 Use-specific risk mitigation measures

Keep out of reach of children. Wear suitable protective clothing and gloves

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.
After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.
If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.
After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

4.2 Use description

Use 2 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.2.1 Use-specific instructions for use

see other section

4.2.2 Use-specific risk mitigation measures

see other section

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.3 Use description

Use 3 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m2 Dilution (%): 0 Number and timing of application: 200-250 g/m2

Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.3.1 Use-specific instructions for use

see other section

4.3.2 Use-specific risk mitigation measures

see other section

4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.3.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.4 Use description

Use 4 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.4.1 Use-specific instructions for use

see other section

4.4.2 Use-specific risk mitigation measures

see other section

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.4.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.4.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.5 Use description

Use 5 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.5.1 Use-specific instructions for use

see other section

4.5.2 Use-specific risk mitigation measures

see other section

4.5.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.5.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.5.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.6 Use description

Use 6 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.6.1 Use-specific instructions for use

see other section

4.6.2 Use-specific risk mitigation measures

see other section

4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.7 Use description

Use 7 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.7.1 Use-specific instructions for use

see other section

4.7.2 Use-specific risk mitigation measures

see other section

4.7.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.7.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.7.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.8 Use description

Use 8 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.8.1 Use-specific instructions for use

see other section

4.8.2 Use-specific risk mitigation measures

see other section

4.8.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.8.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.8.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.9 Use description

Use 9 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.9.1 Use-specific instructions for use

see other section

4.9.2 Use-specific risk mitigation measures

see other section

4.9.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.9.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.9.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.10 Use description

Use 10 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.10.1 Use-specific instructions for use

see other section

4.10.2 Use-specific risk mitigation measures

see other section

4.10.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.10.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.11 Use description

Use 11 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.11.1 Use-specific instructions for use

see other section

4.11.2 Use-specific risk mitigation measures

see other section

4.11.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.11.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.11.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.12 Use description

Use 12 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.12.1 Use-specific instructions for use

see other section

4.12.2 Use-specific risk mitigation measures

see other section

4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.13 Use description

Use 13 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.13.1 Use-specific instructions for use

see other section

4.13.2 Use-specific risk mitigation measures

see other section

4.13.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.13.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.13.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.14 Use description

Use 14 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.14.1 Use-specific instructions for use

see other section

4.14.2 Use-specific risk mitigation measures

see other section

4.14.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.14.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.14.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.15 Use description

Use 15 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.15.1 Use-specific instructions for use

see other section

4.15.2 Use-specific risk mitigation measures

see other section

4.15.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.15.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.15.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.16 Use description

Use 16 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.16.1 Use-specific instructions for use

see other section

4.16.2 Use-specific risk mitigation measures

see other section

4.16.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.16.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.16.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.17 Use description

Use 17 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.17.1 Use-specific instructions for use

see other section

4.17.2 Use-specific risk mitigation measures

see other section

4.17.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.17.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.17.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.18 Use description

Use 18 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.18.1 Use-specific instructions for use

see other section

4.18.2 Use-specific risk mitigation measures

see other section

4.18.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.18.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.18.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.19 Use description

Use 19 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.19.1 Use-specific instructions for use

see other section

4.19.2 Use-specific risk mitigation measures

see other section

4.19.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.19.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.19.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.20 Use description

Use 20 - Against wood discolouring fungi

Product type	PT08 - Wood preservatives (Preservatives)
Where relevant, an exact description of the authorised use	Not available
Target organism(s) (including development stage)	Scientific name: Common name: wood discolouring fungi Development stage: Not available
Field(s) of use	Indoor Outdoor
Application method(s)	Method: Open system: brush treatment Detailed description: Not available
Application rate(s) and frequencies	Application Rate: 200-250 ml/m ² Dilution (%): 0 Number and timing of application: 200-250 g/m ²
Category(ies) of users	Professional General public (non-professional)
Pack sizes and packaging material	can, not available , 1 1-20L

4.20.1 Use-specific instructions for use

see other section

4.20.2 Use-specific risk mitigation measures

see other section

4.20.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.20.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.20.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

4.21 Use description

Use 21 - Against wood discolouring fungi

Product type

PT08 - Wood preservatives (Preservatives)

Where relevant, an exact description of the authorised use

Not available

Target organism(s) (including development stage)

Scientific name:
Common name: wood discolouring fungi
Development stage: Not available

Field(s) of use

Indoor
Outdoor

Application method(s)

Method: Open system: brush treatment
Detailed description:
Not available

Application rate(s) and frequencies

Application Rate: 200-250 ml/m²
Dilution (%): 0
Number and timing of application:
200-250 g/m²

Category(ies) of users

Professional
General public (non-professional)

Pack sizes and packaging material

can, not available , 1

1-20L

4.21.1 Use-specific instructions for use

see other section

4.21.2 Use-specific risk mitigation measures

see other section

4.21.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see other section

4.21.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see other section

4.21.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see other section

5. General directions for use of the meta SPC

5.1. Instructions for use

Sikkens Cetol HLS plus(BP)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and outer parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Hazel)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Boxwood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Blue)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Ebony)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Teak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Dark Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Oregon)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Colourless)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Olive Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Cedar)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Fir green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Mahogany)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Chestnut)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Light Oak)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Old Pine)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Larch)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Rosewood)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

Sikkens Cetol HLS plus (BP) (Russian Green)

For all outside wood, which is not in direct contact to soil or surface water and not stressed statically, e.g. facades, windows (inner and out parts), carports, shutters and balcony railings. Not for indoor use.

5.2. Risk mitigation measures

Sikkens Cetol HLS plus(BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Hazel)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Boxwood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Blue)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Ebony)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Teak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Oregon)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Colourless)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Olive Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Cedar)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Fir green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Mahogany)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Chestnut)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Light Oak)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Old Pine)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Larch)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Rosewood)

Keep out of reach of children. Wear suitable protective clothing and gloves.

Sikkens Cetol HLS plus (BP) (Russian Green)

Keep out of reach of children. Wear suitable protective clothing and gloves.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Sikkens Cetol HLS plus(BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur.

If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs.

After inhalation: Move affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Hazel)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Boxwood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Blue)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Ebony)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Teak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Dark Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in

recovery position and get medical attention immediately.
Sikkens Cetol HLS plus (BP) (Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Oregon)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Colourless)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Olive Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Cedar)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Fir green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Mahogany)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Chestnut)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Light Oak)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Old Pine)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Larch)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Rosewood)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

Sikkens Cetol HLS plus (BP) (Russian Green)

After skin contact: Take off immediately all contaminated clothing and wash skin immediately with plenty of water and soap. Obtain medical attention if symptoms occur.

After contact with eyes: Rinse immediately with plenty of water and seek medical if symptoms occur. If swallowed: Do not induce vomiting unless expressly instructed by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

After inhalation: Move the affected person into fresh air. Keep person warm and at rest. Provide artificial respiration by trained person if breathing is irregular or arrested. Seek medical advice if symptoms are severe or long lasting. If unconscious place in recovery position and get medical attention immediately.

5.4. Instructions for safe disposal of the product and its packaging

Sikkens Cetol HLS plus(BP)

European waste code (EWC): 03 02 05: other wood preservatives containing dangerous substances / 20 01 27: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Hazel)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks,

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Old Pine)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Larch)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Rosewood)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

Sikkens Cetol HLS plus (BP) (Russian Green)

European waste code (EWC): 02 0205: other wood preservatives containing dangerous substances / 20 0127: Municipal wastes (household, waste and similar commercial, industrial and institutional wastes) including separately collected fractions: paint, inks, adhesives and resins containing dangerous substances.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Sikkens Cetol HLS plus(BP)

Store product in tightly closed original containers at temperatures about 5 - 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Hazel)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Boxwood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Blue)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Ebony)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Teak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Dark Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Oregon)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Colourless)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room

temperature.

Sikkens Cetol HLS plus (BP) (Olive Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Cedar)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Fir green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Mahogany)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Chestnut)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Light Oak)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Old Pine)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Larch)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Rosewood)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

Sikkens Cetol HLS plus (BP) (Russian Green)

Store product in tightly closed original containers at temperatures about 5 – 30°C. The product is stable for 3 years at room temperature.

6. Other information

Sikkens Cetol HLS plus(BP), DK
Sikkens Cetol HLS plus(BPR), IT
Sikkens Cetol HLS plus(BPR), CH
Xyladecor Holzschutzlasur BPR, AT
Xyladecor Classic HP(BPR), CZ
Xyladecor Classic HP(BPR), SK
Vivexyl Plus, GR
SADOLIN Classic HP(BPR), HU
SADOLIN Classic HP(BPR), PL
SADOLIN IMPREGNAT CLASSIC HP(BPR), PL
SADOLIN Classic(BPR), PL
SADOLIN IMPREGNAT CLASSIC(BPR), PL
Vivexyl Plus, CY
Vivexyl Plus, BG
Sikkens Cetol HLS plus(BP)

Use biocides safely. Always read the label and product information before use.

P501: Dispose of container to local rules

Sikkens Cetol HLS plus (BP) (Hazel)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Boxwood)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Blue)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Ebony)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Teak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Dark Oak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Pine)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Oregon)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Colourless)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Olive Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Cedar)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Fir green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Mahogany)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Chestnut)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Light Oak)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Old Pine)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Larch)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Rosewood)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Sikkens Cetol HLS plus (BP) (Russian Green)

Use biocides safely. Always read the label and product information before use.

Supplementary statement under Labelling: "Contains 3-iodo-2-propynyl butylcarbamate and 2-butanone oxime."

Bilag 1

Oplysninger til etiket og brugsanvisning for Sikkens Cetol HLS Plus (BP), BPR-reg. nr. 782-7

Rettelse: Tilføjet H412 til bilag 1.

I. Etiketten skal udformes i overensstemmelse med artikel 69 i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP Forordningen¹.

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel (PT8)

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1."

2) I advarselsfeltet:

"FORSIGTIG

Skadelig for vandlevendeorganismer, medlangvarige virkninger (H412)

Undgå udledning til miljøet (P273)

Vær opmærksom på, at Arbejdstilsynet har regler for arbejde med bekæmpelsesmidler. Læs nærmere i det eventuelt lovpligtige sikkerhedsdatablad samt i Arbejdstilsynets informationsmateriale om bekæmpelsesmidler.

Vask huden efter arbejde.

1 Europa-Parlamentets og Rådets forordning (EF) Nr. 1272/2008 af 16. december 2008

om klassificering, mærkning og emballering af stoffer og blandinger og om ændring og ophævelse af direktiv 67/548/EØF og 1999/45/EF og om ændring af forordning (EF) nr. 1907/2006

Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

Må kun anvendes over jord som træbeskyttelse mod blåsplint. Må kun anvendes i brugsklasse 2 og 3 jf. DS/EN335-1.

Må kun anvendes i doseringer på 200-250 ml/m² ved pensling.

Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.

Må ikke anvendes indendørs.

Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.

Opbevares utilgængeligt for børn.

Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer.

Evt. oplysninger om førstehjælp.

3) I deklarationsfeltet:

a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 782-7. Aktivstof og biocidholdigt produkt er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".

b) Oplysning om præparattype: "væske" for dette præparat.

c) Indholdet af aktivstof i vægtprocent og g/L ved 20 °C

d) Sætningen: "Indeholder IPBC og 2-butanonoxim. Kan udløse allergisk reaktion"

e) Udløbsdatoen skal anføres. Denne dato må højst være 3 år efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.

f) Batchnummer eller – betegnelse skal anføres.

g) Pakningsstørrelse i liter.

h) Navn og firmaadresse, herunder telefonnummer, for en i en medlemsstat etableret fysisk eller juridisk person, som er ansvarlig for markedsføringen (godkendelsesindehaveren).

4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Indholdet/beholderen bortskaffes i overensstemmelse med kommunale regler for affaldshåndtering."

Derudover skal mærkningen ske efter følgende retningslinjer:

Tom emballage og rester bortskaffes i henhold til kommunale retningslinjer.

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	Sikkens Cetol HLS plus(BP) Hazel	Market area: DK
	SADOLIN IMPREGNAT CLASSIC HP + Mahoń	Market area: PL
	SADOLIN IMPREGNAT CLASSIC + Mahoń	Market area: PL
	SADOLIN CLASSIC HP + Mahoń	Market area: PL
	SADOLIN CLASSIC + Mahoń	Market area: PL
	SADOLIN Classic HP (BPR) mahagóní	Market area: HU
Authorisation number (R4BP 3 asset reference number - National Authorisation)	BG-0014791-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		21,843

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solition	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,311
CI pigment red 101		Non-active substance	1309-37-1	0,475
CI pigment yellow 42		Non-active substance	20344-49-4	0,744

Trade name(s)

Sikkens Cetol HLS plus(BP) Boxwood

Market area: DK

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0002 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,1097
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14
component of polyphase AF3		Non-active substance			1,633
water		Non-active substance	7732-18-5		28,02

substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment red 101	Non-active substance	1309-37-1	0,019
CI pigment yellow 42	Non-active substance	20344-49-4	0,189
CI pigment white 6	Non-active substance	13463-67-7	0,055
CI pigment blue 15:4	Non-active substance	147-14-8	0,0003

Trade name(s)

Sikkens Cetol HLS plus(BP) Blue

Market area: DK

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0003 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,372
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571

Refined soy lecithin	Non-active substance	8002-43-5	0,057
Calcium preparation	Non-active substance	68551-41-7	1,99
Zirconium preparation	Non-active substance	22464-99-9	1,994
Manganese preparation	Non-active substance	15956-58-8	0,1
silicon-free polymer	Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment blue 15:4	Non-active substance	147-14-8	0,001

Trade name(s)

Sikkens Cetol HLS plus(BP) Ebony	Market area: DK
SADOLIN Classic HP(BPR) paliszander	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Palisander	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Palisander	Market area: PL
SADOLIN CLASSIC HP + Palisander	Market area: PL

SADOLIN CLASSIC + Palisander	Market area: PL
Sikkens Cetol HLS plus(BPR) Ebenholz	Market area: CH
Xyladecor Holzschutzlasur BPR Ebenholz	Market area: AT
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0004 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,351
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2

methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,618
CI pigment red 101	Non-active substance	1309-37-1	0,359
CI pigment red 122	Non-active substance	980-26-7	0,045

Trade name(s)

Sikkens Cetol HLS plus(BP) Teak	Market area: DK
SADOLIN Classic HP (BPR) teak	Market area: HU
SADOLIN IMPREGNAT Classic HP + Tek	Market area: PL
SADOLIN CLASSIC + Tek	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Tek	Market area: PL
SADOLIN Classic HP + Tek	Market area: PL
Sikkens Cetol HLS plus (BPR) Teak	Market area: IT
Xyladecor Holzschutzlasur BP Teak	Market area: AT

Sikkens Cetol HLS plus (BPR) Teak

Market area: CH

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0005 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,04
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14

component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,063
CI pigment red 101	Non-active substance	1309-37-1	0,635
CI pigment yellow 42	Non-active substance	20344-49-4	0,635

Trade name(s)

Sikkens Cetol HLS plus (Walnut)	Market area: DK
SADOLIN Classic HP(BPR) dio	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Orzech Wloski	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Orzech Wloski	Market area: PL
SADOLIN CLASSIC + Orzech Wloski	Market area: PL
SADOLIN CLASSIC HP + Orzech Wloski	Market area: PL
Sikkens Cetol HLS plus(BPR) Nussbaum	Market area: CH
Sikkens Cetol HLS plus(BPR) Noce	Market area: IT
Xyladecor Holzschutzlasur BPR Nussbaum	Market area: AT

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0006 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,373
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14
component of polyphase AF3		Non-active substance			1,633
water		Non-active substance	7732-18-5		28,02

substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediolic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,207
CI pigment red 101	Non-active substance	1309-37-1	1,139
CI pigment yellow 42	Non-active substance	20344-49-4	0,075

Trade name(s)

Sikkens Cetol HLS plus(BP) Dark Oak	Market area: DK
Sikkens Cetol HLS plus(BPR) Eiche Dunkel	Market area: CH
Sikkens Cetol HLS plus(BPR) Quercia Scuro	Market area: IT
Xyladecor Holzschutzlasur BPR Eiche	Market area: AT
<p>Authorisation number</p> <p>BG-0014791-0007 1-1</p> <p>(R4BP 3 asset reference number - National Authorisation)</p>	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,157
2-butanonoxime		Non-active substance	96-29-7		0,388

Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,079
CI pigment red 101		Non-active substance	1309-37-1	0,553
CI pigment yellow 42		Non-active substance	20344-49-4	0,584

Trade name(s)

Sikkens Cetol HLS plus(BP) Pine	Market area: DK
---------------------------------	-----------------

SADOLIN Classic HP (BPR) fenyő	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Piniowy	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Piniowy	Market area: PL
SADOLIN CLASSIC HP + Piniowy	Market area: PL
SADOLIN CLASSIC + Piniowy	Market area: PL
Sikkens Cetol HLS plus(BPR) Kiefer	Market area: CH
Sikkens Cetol HLS plus(BPR) Pino	Market area: IT
Xyladecor Holzschutzlasur BPR Pinie	Market area: AT
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0008 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,042
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86

Linseed oil	Non-active substance	8001-26-1	2,5
Organic bentonite	Non-active substance	68953-58-2	0,571
Refined soy lecithin	Non-active substance	8002-43-5	0,057
Calcium preparation	Non-active substance	68551-41-7	1,99
Zirconium preparation	Non-active substance	22464-99-9	1,994
Manganese preparation	Non-active substance	15956-58-8	0,1
silicon-free polymer	Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment red 101	Non-active substance	1309-37-1	0,06
CI pigment yellow 42	Non-active substance	20344-49-4	1,271

Trade name(s)

Sikkens Cetol HLS plus(BP) Oregon	Market area: DK
Xyladecor Holzschutzlasur BPR Oregon	Market area: AT

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

BG-0014791-0009 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,199
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14
component of polyphase AF3		Non-active substance			1,633
water		Non-active substance	7732-18-5		28,02

substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,007
CI pigment red 101	Non-active substance	1309-37-1	0,13
CI pigment yellow 42	Non-active substance	20344-49-4	1,037

Trade name(s)

Sikkens Cetol HLS plus(BP) Colourless	Market area: DK
SADOLIN Classic HP (BPR) színtelen	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Bezbarwny	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Bezbarwny	Market area: PL
SADOLIN CLASSIC HP + Bezbarwny	Market area: PL
SADOLIN CLASSIC + Bezbarwny	Market area: PL
Sikkens Cetol HLS plus(BPR) Farblos	Market area: CH
Sikkens Cetol HLS plus(BPR) Transparente	Market area: IT
Xyladecor Holzschutzlasur BPR Farblos	Market area: AT
Vivexyl Plus Colorless 501	Market area: CY
Vivexyl Plus Colorless 501	Market area: BG

Vivexyl Plus Colorless 501

Market area: GR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0010 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,373
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14

component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67

Trade name(s)

Sikkens Cetol HLS plus(BP) Olive Green	Market area: DK
SADOLIN IMPREGNAT CLASSIC HP + Akacja	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Akacja	Market area: PL
SADOLIN CLASSIC HP + Akacja	Market area: PL
SADOLIN CLASSIC + Akacja	Market area: PL
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0011 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,38
2-butanonoxime		Non-active substance	96-29-7		0,388

Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,306
CI pigment red 101		Non-active substance	1309-37-1	0,208
CI pigment yellow 42		Non-active substance	20344-49-4	0,389
CI pigment green 7		Non-active substance	1328-53-6	0,09

Trade name(s)

Sikkens Cetol HLS plus(BP) Cedar	Market area: DK
----------------------------------	-----------------

Xyladecor Holzschutzlasur BPR Zeder

Market area: AT

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0012 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,483
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14

component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,031
CI pigment red 101	Non-active substance	1309-37-1	0,215
CI pigment yellow 42	Non-active substance	20344-49-4	0,644

Trade name(s)

Sikkens Cetol HLS plus(BP) Fir Green	Market area: DK
Xyladecor Holzschutzlasur BPR Tannengrün	Market area: AT
<p>Authorisation number</p> <p>(R4BP 3 asset reference number - National Authorisation)</p> <p>BG-0014791-0013 1-1</p>	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,23
2-butanonoxime		Non-active substance	96-29-7		0,388

Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,401
CI pigment red 101		Non-active substance	1309-37-1	0,231
CI pigment yellow 42		Non-active substance	20344-49-4	0,407
CI pigment green 7		Non-active substance	1328-53-6	0,104

Trade name(s)

Sikkens Cetol HLS plus(BP) Mahogany	Market area: DK
-------------------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Xyladecor Holzschutzlasur BPR Mahagoni	Market area: AT
BG-0014791-0014 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		21,908
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14

component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanedioidic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,124
CI pigment red 101	Non-active substance	1309-37-1	1,016
CI pigment white 6	Non-active substance	13463-67-7	0,11
CI pigment red 122	Non-active substance	980-26-7	0,215

Trade name(s)

Sikkens Cetol HLS plus(BP) Chestnut	Market area: DK
Xyladecor Holzschutzlasur BPR Kastanie	Market area: AT
<p>Authorisation number</p> <p>BG-0014791-0015 1-1</p> <p><small>(R4BP 3 asset reference number - National Authorisation)</small></p>	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,099

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,128
CI pigment red 101		Non-active substance	1309-37-1	0,402
CI pigment yellow 42		Non-active substance	20344-49-4	0,744

Trade name(s)

Sikkens Cetol HLS plus(BP) Light Oak	Market area: DK
--------------------------------------	-----------------

SADOLIN Classic HP (BPR) vilagostolgy	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Dab jasny	Market area: PL
SADOLIN CLASSIC HP + Dab jasny	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Dab jasny	Market area: PL
SADOLIN CLASSIC + Dab jasny	Market area: PL
Sikkens Cetol HLS plus(BPR) Eiche Hell	Market area: CH
Sikkens Cetol HLS plus(BPR) Quercia Chiaro	Market area: IT
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0016 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,245
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571

Refined soy lecithin	Non-active substance	8002-43-5	0,057
Calcium preparation	Non-active substance	68551-41-7	1,99
Zirconium preparation	Non-active substance	22464-99-9	1,994
Manganese preparation	Non-active substance	15956-58-8	0,1
silicon-free polymer	Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,031
CI pigment red 101	Non-active substance	1309-37-1	0,243
CI pigment yellow 42	Non-active substance	20344-49-4	0,854

Trade name(s)

Sikkens Cetol HLS plus(BP) Old Pine	Market area: DK
SADOLIN IMPREGNAT CLASSIC HP + Kukurydza	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Kukurydza	Market area: PL
SADOLIN CLASSIC HP + Kukurydza	Market area: PL

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

SADOLIN CLASSIC + Kukurydza	Market area: PL
Sikkens Cetol HLS plus(BPR) Altkiefer	Market area: CH
Sikkens Cetol HLS plus(BPR) Abete	Market area: IT
BG-0014791-0017 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,313
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2

methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,013
CI pigment red 101	Non-active substance	1309-37-1	0,054
CI pigment yellow 42	Non-active substance	20344-49-4	0,993

Trade name(s)

Sikkens Cetol HLS plus(BP) Larch	Market area: DK
SADOLIN Classic HP (BPR) svedvoros	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Szwedzka czerwien	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Szwedzka czerwien	Market area: PL
SADOLIN CLASSIC HP + Szwedzka czerwien	Market area: PL
SADOLIN CLASSIC + Szwedzka czerwien	Market area: PL
Xyladecor Holzschutzlasur BPR Lärche	Market area: AT

Authorisation number

(R4BP 3 asset reference number - National
Authorisation)

BG-0014791-0018 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,188
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14
component of polyphase AF3		Non-active substance			1,633
water		Non-active substance	7732-18-5		28,02

substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,048
CI pigment red 101	Non-active substance	1309-37-1	0,137

Trade name(s)

Sikkens Cetol HLS plus(BP) Rosewood	Market area: DK
SADOLIN Classic HP (BPR) rusztikus tolgó	Market area: HU
SADOLIN IMPREGNAT CLASSIC HP + Drzewo wiśniowe	Market area: PL
SADOLIN IMPREGNAT CLASSIC + Drzewo wiśniowe	Market area: PL
SADOLIN CLASSIC HP + Drzewo wiśniowe	Market area: PL
SADOLIN CLASSIC + Drzewo wiśniowe	Market area: PL
Xyladecor Holzschutzlasur BPR Palisander	Market area: AT
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0019 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7

Dearomatised hydrocarbon		Non-active substance	64742-47-8	22,676
2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solition	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,204
CI pigment red 101		Non-active substance	1309-37-1	0,228
CI pigment red 122		Non-active substance	980-26-7	0,265

Trade name(s)

Sikkens Cetol HLS plus(BP) Russian Green

Market area: DK

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0020 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		21,394
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solition	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8		0,14

component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydroxyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,248
CI pigment yellow 42	Non-active substance	20344-49-4	1,256
CI pigment green 7	Non-active substance	1328-53-6	0,475

Trade name(s)

Vivexyl Plus Oak 502	Market area: BG
Vivexyl Plus Oak 502	Market area: CY
Vivexyl Plus Oak 502	Market area: GR
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0021 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,921

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solition	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,021
CI pigment red 101		Non-active substance	1309-37-1	0,35
CI pigment yellow 42		Non-active substance	20344-49-4	0,086

Trade name(s)

Vivexyl Plus Light Walnut 503	Market area: BG
-------------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Vivexyl Plus Light Walnut 503	Market area: CY
Vivexyl Plus Light Walnut 503	Market area: GR
BG-0014791-0022 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,132
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5

magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,087
CI pigment red 101	Non-active substance	1309-37-1	0,159

Trade name(s)

Vivexyl Plus Teak 504	Market area: BG
Vivexyl Plus Teak 504	Market area: CY
Vivexyl Plus Teak 504	Market area: GR
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0023 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,222

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solition	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,113
CI pigment red 101		Non-active substance	1309-37-1	0,488
CI pigment yellow 42		Non-active substance	20344-49-4	0,555

Trade name(s)

Vivexyl Plus Mahogany 505	Market area: BG
---------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Vivexyl Plus Mahogany 505	Market area: CY
Vivexyl Plus Mahogany 505	Market area: GR
BG-0014791-0024 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,576
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5

magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,038
CI pigment red 101	Non-active substance	1309-37-1	0,764

Trade name(s)

Vivexyl Plus Deep Walnut 506	Market area: BG
Vivexyl Plus Deep Walnut 506	Market area: CY
Vivexyl Plus Deep Walnut 506	Market area: GR
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0025 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,832

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,117
CI pigment red 101		Non-active substance	1309-37-1	0,429

Trade name(s)

Vivexyl Plus Palisander 507	Market area: BG
-----------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Vivexyl Plus Palisander 507	Market area: CY
Vivexyl Plus Palisander 507	Market area: GR
BG-0014791-0026 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,619
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5

magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,255
CI pigment red 101	Non-active substance	1309-37-1	0,504

Trade name(s)

Vivexyl Plus Pine 508	Market area: BG
Vivexyl Plus Pine 508	Market area: CY
Vivexyl Plus Pine 508	Market area: GR

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

BG-0014791-0027 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,799

2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solition	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,015
CI pigment red 101		Non-active substance	1309-37-1	0,08
CI pigment yellow 42		Non-active substance	20344-49-4	0,484

Trade name(s)

Vivexyl Plus Oregon 509	Market area: BG
-------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Vivexyl Plus Oregon 509	Market area: CY
Vivexyl Plus Oregon 509	Market area: GR
BG-0014791-0028 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		22,717
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5

magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,017
CI pigment red 101	Non-active substance	1309-37-1	0,201
CI pigment yellow 42	Non-active substance	20344-49-4	0,443

Trade name(s)

Vivexyl Plus Chestnut 510	Market area: BG
Vivexyl Plus Chestnut 510	Market area: CY
Vivexyl Plus Chestnut 510	Market area: GR
<p>Authorisation number</p> <p>(R4BP 3 asset reference number - National Authorisation)</p> <p>BG-0014791-0029 1-1</p>	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7

Dearomatised hydrocarbon		Non-active substance	64742-47-8	22,474
2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,104
CI pigment red 101		Non-active substance	1309-37-1	0,8

Trade name(s)

Vivexyl Plus Green 511	Market area: BG
------------------------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

Vivexyl Plus Green 511	Market area: CY
Vivexyl Plus Green 511	Market area: GR
BG-0014791-0030 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,039
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1
silicon-free polymer		Non-active substance	64741-65-7		0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6		1,5

magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,057
CI pigment yellow 42	Non-active substance	20344-49-4	0,242
CI pigment green 7	Non-active substance	1328-53-6	0,04

Trade name(s)

Vivexyl Plus Blue 512	Market area: BG
Vivexyl Plus Blue 512	Market area: CY
Vivexyl Plus Blue 512	Market area: GR
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0031 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7

Dearomatised hydrocarbon		Non-active substance	64742-47-8	22,965
2-butanonoxime		Non-active substance	96-29-7	0,388
Alkyd solution	Alkyd solution	Non-active substance		35,86
Linseed oil		Non-active substance	8001-26-1	2,5
Organic bentonite		Non-active substance	68953-58-2	0,571
Refined soy lecithin		Non-active substance	8002-43-5	0,057
Calcium preparation		Non-active substance	68551-41-7	1,99
Zirconium preparation		Non-active substance	22464-99-9	1,994
Manganese preparation		Non-active substance	15956-58-8	0,1
silicon-free polymer		Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate		Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat		Non-active substance	10034-99-8	0,14
component of polyphase AF3		Non-active substance		1,633
water		Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole		Non-active substance	127519-17-9	0,2
decanediodic acid		Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv		Non-active substance	96556-05-7	0,67
CI pigment carbon black 7		Non-active substance	1333-86-4	0,042
CI pigment blue 15:4		Non-active substance	147-14-8	0,364
C.I. pigment violet 23		Non-active substance	6358-30-1	0,007

Trade name(s)

Vivexyl Plus Ebony 513	Market area: BG
Vivexyl Plus Ebony 513	Market area: CY
Vivexyl Plus Ebony 513	Market area: GR
Authorisation number (R4BP 3 asset reference number - National Authorisation) BG-0014791-0032 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		Active Substance	55406-53-6	259-627-5	0,7
Dearomatised hydrocarbon		Non-active substance	64742-47-8		23,029
2-butanonoxime		Non-active substance	96-29-7		0,388
Alkyd solution	Alkyd solution	Non-active substance			35,86
Linseed oil		Non-active substance	8001-26-1		2,5
Organic bentonite		Non-active substance	68953-58-2		0,571
Refined soy lecithin		Non-active substance	8002-43-5		0,057
Calcium preparation		Non-active substance	68551-41-7		1,99
Zirconium preparation		Non-active substance	22464-99-9		1,994
Manganese preparation		Non-active substance	15956-58-8		0,1

silicon-free polymer	Non-active substance	64741-65-7	0,2
methylen diaminomethyl polycondensate	Non-active substance	9011-05-6	1,5
magnesium sulphate heptahydrat	Non-active substance	10034-99-8	0,14
component of polyphase AF3	Non-active substance		1,633
water	Non-active substance	7732-18-5	28,02
substance of the hydrolyphenyl-benzotriazole	Non-active substance	127519-17-9	0,2
decanediodic acid	Non-active substance	129757-67-1	0,1
1,4,7 trimethyl-1,4,7 osv	Non-active substance	96556-05-7	0,67
CI pigment carbon black 7	Non-active substance	1333-86-4	0,349