

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Vertox 25 Pasta Bait

Product type(s)

PT14: Rodenticides

Authorisation number: 2582-1, 2582-2

R4BP asset number: BG-0021557-0000

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	VERTOX 2.5 Pasta MUMIA Pasta
---------------	---------------------------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	PelGar International Limited
	Address	18 rue des Remparts d'Ainay 69002 Lyon France
Authorisation number	2582-1, 2582-2	
<i>R4BP asset number</i>	BG-0021557-0000	
Date of the authorisation	18/07/2013	
Expiry date of the authorisation	31/12/2026	

1.3. Manufacturer(s) of the product

Name of manufacturer	PelGar International Limited
Address of manufacturer	Unit 13, Newman Lane GU34 2QR Alton, Hants United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Unit 13, Newman Lane GU34 2QR Alton, Hants United Kingdom of Great Britain and Northern Ireland (the)

1.4. Manufacturer(s) of the active substance(s)

Active substance	Brodifacoum
Name of manufacturer	PelGar International Limited
Address of manufacturer	Unit 13, Newman Lane GU34 2QR Alton, Hants United Kingdom of Great Britain and Northern Ireland (the)
Location of manufacturing sites	Prazska 54 280 02 Kolin Czechia

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin	active substance	56073-10-0	259-980-5	0,0025 % (w/w)

2.2. Type(s) of formulation

RB - Bait (ready for use): paste

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H373: May cause damage to organs blood through prolonged or repeated exposure ..
Precautionary statements	P314: Get medical advice if you feel unwell. P501: Dispose of contents to in accordance with national regulations.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. House mice – general public – indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides.
Target organism(s) (including development stage)	Scientific name: <i>Mus musculus</i> Common name: house mouse Development stage: Adults and juveniles
Field(s) of use	indoor use Indoors
Application method(s)	Method: bait application Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations.
Application rate(s) and frequency	Application rate: For mice use 1 sachet (12g or 15g) or 1 - 2 sachets (10g) 2-5m apart in tamper-resistant bait stations. Dilution (%): 0 Number and timing of application: For mice use 1 sachet (12g or 15g) or 1 - 2 sachets (10g) 2-5m apart in tamper-resistant bait stations. Secure 1 sachet (12g or 15g) or 1 - 2 sachets (10g) in tamper resistant baiting stations spaced 5m apart (2m apart in areas of high infestation) in areas where mice are active.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	10, 12 or 15 g individually packed bait in edible paper tea-bag packed in outer PE/PP container (tubs or pails) Inner packaging: paper tea-bag Outer Packaging: PE PP tub or pail 20g 24g 30g 36g 40g 48g 50g 10, 12 or 15g individually packed bait in edible paper tea-bag packed in PE lined cardboard outer or carton or PE bags in cardboard box Inner packaging: paper teabag Outer Packaging: PE lined cardboard outer or carton or PE bags in cardboard box 20g 24g 30g 36g 40g 48g 50g 10, 12 or 15g Individually packed bait in edible paper tea-bag packed in paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Inner packaging: paper teabag Outer Packaging: paper/PE/PE/AL, PP, PET/PE or laminated PP pouches 20g 24g 30g 36g 40g 48g 50g Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a

heat-sealed lid. The trays are packed in multiples in cardboard outers Inner packaging: fibreboard, PVC, PS, PET/PE, PP or PE bait trays with heat-sealed lid
 Outer Packaging: cardboard outers 10g 15g 20g 25g 30g 40g 50g
 Multiples up to 50g (mice only)
 Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: bait trays with heat-sealed lid
 Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 10g 15g 20g 25g 30g 40g 50g
 Multiples up to 50g (mice only)
 1 or 2 x 10g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station
 Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 10g, 20g, 40g
 Multiples up to 50 g
 1 x 12g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station
 Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 12g, 24g, 48g
 Multiples up to 50g
 1 x 15g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station
 Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 15g, 30g, 45g
 Multiples up to 50 g

4.1.1. Use-specific instructions

For mice use 1 sachet (12g or 15g) or 1 - 2 sachets (10g) 2-5m apart in tamper-resistant bait stations. Secure 1 sachet (12g or 15g) or 1 - 2 sachets (10g) in tamper resistant baiting stations spaced 5m apart (2m apart in areas of high infestation) in areas where mice are active. Regularly check bait consumption and replace consumed or spoiled bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings). Mice are very inquisitive and it may help the control program to move baits every 2-3 days at the time when bait points are inspected or topped up. Make frequent inspections of the bait points during the first 10-14 days and replace any bait eaten by rodents or that has been damaged by

water or contaminated by dirt. If all the bait has been eaten from certain areas, increase the quantity of bait by placing more bait points. Do not increase the bait point size. Replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt.

The bait stations should be visited at least every 2 to 3 days at the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service. Do not use this product for permanent or pulse-baiting.

4.1.2. Use-specific risk mitigation measures

None.

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None.

4.2. Use description

Table 2. Rats – general public – indoor

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides.
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: All
Field(s) of use	indoor use Indoors
Application method(s)	Method: bait application

	Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations.
Application rate(s) and frequency	<p>Application rate: For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart.</p> <p>Dilution (%): 0</p> <p>Number and timing of application: For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart. Secure sachets in tamper resistant-baiting stations spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active.</p>
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	<p>Maximum quantity of bait per pack 150g 10, 12 or 15 g individually packed bait in edible paper tea-bag packed in outer PE/PP container (tubs or pails) Inner packaging: paper tea-bag Outer Packaging: PE PP tub or pail 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g 10, 12 or 15g individually packed bait in edible paper tea-bag packed in PE lined cardboard outer or carton or PE bags in cardboard box Inner packaging: paper teabag Outer Packaging: PE lined cardboard outer or carton or PE bags in cardboard box 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g 10, 12 or 15g Individually packed bait in edible paper tea-bag packed in paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Inner packaging: paper teabag Outer Packaging: paper/PE/PE/AL, PP, PET/PE or laminated PP pouches 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers Inner packaging: fibreboard, PVC, PS, PET/PE, PP or PE bait trays with heat-sealed lid Outer Packaging: cardboard outers 10g 15g 20g 25g 30g 40g 50g 60g 80g 100g 120g 140g 150g Multiples up to 50g (mice only) or 150 g (rats/rats and mice) Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: bait trays with heat-sealed lid</p> <p>Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 10g 15g 20g 25g 30g 40g 50g 60g 80g 100g 120g 140g 150g</p>

	<p>or 150 g (rats/rats and mice)</p> <p>1, 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station</p> <p>Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 15g, 30g, 45g, 60g, 75g 90g, 105g 120g 135g 150g</p> <p>Multiples up to 150 g</p> <p>1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamper-proof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station</p> <p>Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Multiples up to 150 g</p> <p>10g – 1, 2, 4, 6, 8, 12</p> <p>20g – 1, 2, 4, 6</p> <p>30g – 1, 2, 4</p> <p>40g – 1, 2</p> <p>50g – 1, 2</p> <p>60g – 1, 2</p> <p>80g – 1</p> <p>90g – 1</p> <p>100g – 1</p> <p>120g – 1</p> <p>150g – 1</p>
--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.2.1. Use-specific instructions

For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart.

Secure sachets in tamper resistant-baiting stations spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active. Do not move or disturb bait points for several days after laying bait. If no signs of rat activity are seen near the bait after 7-10 days, move the bait to an area of higher rat activity.

Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings). Do not move or disturb bait points for several days after laying bait.

If no signs of rat activity are seen near the bait after 7-10 days, move the bait to an area of higher rat activity.

If all the bait has been eaten from certain areas, increase the quantity of bait by placing more bait points.

Do not increase the bait point size. Replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt.

The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.

Do not use this product for permanent or pulse-baiting.

4.2.2. Use-specific risk mitigation measures

None

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

4.3. Use description

Table 3. Rats – general public – outdoor around buildings

Product type	PT14: Rodenticides
Where relevant, an exact description of the authorised use	Not relevant for rodenticides.
Target organism(s) (including development stage)	Scientific name: <i>Rattus norvegicus</i> Common name: brown rat Development stage: Other - all
Field(s) of use	outdoor use Outdoor around buildings
Application method(s)	Method: bait application Detailed description: Ready-to-use bait to be used in tamper-resistant bait stations.
Application rate(s) and frequency	Application rate: For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart. Dilution (%): 0 Number and timing of application: For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart.

	Secure sachets in tamper resistant-baiting stations spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	<p>Maximum quantity of bait per pack 150g 10, 12 or 15 g individually packed bait in edible paper tea-bag packed in outer PE/PP container (tubs or pails) Inner packaging: paper tea-bag Outer Packaging: PE PP tub or pail 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g</p> <p>10, 12 or 15g individually packed bait in edible paper tea-bag packed in PE lined cardboard outer or carton or PE bags in cardboard box Inner packaging: paper teabag Outer Packaging: PE lined cardboard outer or carton or PE bags in cardboard box 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g</p> <p>10, 12 or 15g Individually packed bait in edible paper tea-bag packed in paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Inner packaging: paper teabag Outer Packaging: paper/PE/PE/AL, PP, PET/PE or laminated PP pouches 20g 24g 30g 36g 40g 48g 50g 60g 80g 84g 90g 100g 120g 140g 150g</p> <p>Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers Inner packaging: fibreboard, PVC, PS, PET/PE, PP or PE bait trays with heat-sealed lid Outer Packaging: cardboard outers 10g 15g 20g 25g 30g 40g 50g 60g 80g 100g 120g 140g 150g or 150 g (rats)</p> <p>Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: bait trays with heat-sealed lid Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 10g 15g 20g 25g 30g 40g 50g 60g 80g 100g 120g 140g 150g or 150 g (rats)</p> <p>1 , 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station</p>

	<p>Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper 15g, 30g, 45g, 60g, 75g 90g, 105g 120g 135g 150g Multiples up to 150 g</p> <p>1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamper-proof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Inner packaging: t-bags in HDPE or PP bait station</p> <p>Outer Packaging: cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Multiples up to 150 g</p> <p>10g – 1, 2, 4, 6, 8, 12 20g – 1, 2, 4, 6 30g – 1, 2, 4 40g – 1, 2 50g – 1, 2 60g – 1, 2 80g – 1 90g – 1 100g – 1 120g – 1 150g – 1</p>
--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

4.3.1. Use-specific instructions

For rats use 1-4 x 15g or 1-5 x 12 g sachets or 1-6 x 10 g sachets 5-10m apart.

Secure sachets in tamper resistant-baiting stations spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active. Do not move or disturb bait points for several days after laying bait. If no signs of rat activity are seen near the bait after 7-10 days, move the bait to an area of higher rat activity.

Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings). Do not move or disturb bait points for several days after laying bait.

If no signs of rat activity are seen near the bait after 7-10 days, move the bait to an area of higher rat activity.

If all the bait has been eaten from certain areas, increase the quantity of bait by placing more bait points.

Do not increase the bait point size. Replace any bait eaten by rodents or that has been damaged by water or contaminated by dirt.

The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.

Place the bait station in areas not liable to flooding.

Do not use this product for permanent or pulse-baiting.

4.3.2. Use-specific risk mitigation measures

None

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

None

4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

None

4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

None

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.

Consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.

Prior to the use of rodenticide products, non-chemical control methods (e.g. traps) should be considered.

Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.

Do not open the sachets containing the bait (only for sachet packs, not loose bait).

Bait stations should be placed in the immediate vicinity where rodent activity has been observed.

Where possible, bait stations must be fixed to the ground or other structures.

Do not place bait stations near water drainage systems where they can come into contact with water.

Place bait stations away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.

Place bait stations out of the reach of children, birds, pets, farm animals and other non-target animals.

When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.

Professionals and trained professionals: Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.

Professionals & Trained Professionals: If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodents so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.

Remove the remaining bait or the bait stations at the end of the treatment period.

5.2. Risk mitigation measures

Dispose of dead rodents in accordance with local requirements [The method of disposal shall be described specifically in the national SPC and be reflected on the product label].

Search for and remove dead rodents during treatment, at least as often as bait stations are inspected.

Using this product should eliminate rodents within 35 days. The product information (i.e. label and/or leaflet) shall clearly recommend that in case of suspected lack of efficacy by the end of the treatment (i.e. rodent activity is still observed), the user should seek advice from the product supplier or call a pest control service.

[For products to be authorised for professional users:] The product information (i.e. label and/or leaflet) shall clearly show that the product shall not be supplied to the general public (e.g. "for professionals only").

[For products to be authorised for trained professional users:] The product information (i.e. label and/or leaflet) shall clearly show that the product shall only be supplied to trained professional users holding certification demonstrating compliance with the applicable training requirements (e.g. "for trained professionals only").

[For products to be authorised for professional and trained professional users:] Where possible, prior to the treatment inform any possible bystanders about the rodent control campaign.

[For products to be authorised for professional users:] Do not wash the bait stations with water between applications.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

[For products to be authorised for trained professional users:] Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.

Do not wash the bait stations or utensils used in covered and protected bait points with water between applications.”

Trained professionals:

Do not use in areas where resistance to the active substance can be suspected.

Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.

Antidote: Vitamin K1 administered by medical/veterinary personnel only.

In case of: Dermal exposure, wash skin with water and then with water and soap.

Eye exposure, rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.

Oral exposure, rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label.

Contact a veterinary surgeon in case of ingestion by a pet.

Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of incident, call the National Poisons Information Centre (01) 809 2166".

Hazardous to wildlife.

5.4. Instructions for safe disposal of the product and its packaging

At the end of the treatment, dispose of uneaten bait and the packaging in accordance with local requirements.

Use of gloves is recommended.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.

Store in places prevented from the access of children, birds, pets and farm animals.

Keep in the original container.

6. OTHER INFORMATION

Because of their delayed mode of action, anticoagulant rodenticides may take from 4 to 10 days to be effective after effective consumption of the bait.

Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.

This product contains a bittering agent and a dye.