

Summary of product characteristics for a biocidal product

Product name: BRODY PASTE

Product type(s): PT14 - Rodenticides (Pest control)

Authorisation number: RO/2017/0195/MRA/IT/2016/00348/AUT

R4BP 3 asset reference number: RO-0010769-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	4
5.1. Instructions for use	4
5.2. Risk mitigation measures	4
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5

Administrative information

1.1. Trade names of the product

BRODY PASTE

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Kollant S.r.l.
	Address	Via C.Colombo, 7/7A 30030 Vigonovo Italy
Authorisation number	RO/2017/0195/MRA/IT/2016/00348/AUT	
R4BP 3 asset reference number	RO-0010769-0000	
Date of the authorisation	18/10/2016	
Expiry date of the authorisation	01/07/2024	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	KOLLANT S.r.l.
Address of the manufacturer	Via Trieste, 49/53 35121 Padova Italy
Location of manufacturing sites	Via C.Colombo, 7/7A 30030 Vigonovo (VE) Italy

1.4. Manufacturer(s) of the active substance(s)

Active substance	11 - Brodifacoum
Name of the manufacturer	ACTIVA S.r.l.
Address of the manufacturer	Via Feltre, 32 20132 Milano Italy
Location of manufacturing sites	Dr TEZZA, Via Tre Ponti, 22 37059 S.Maria di Zevio (VR) Italy

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Brodifacoum	3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin	Active Substance	56073-10-0	259-980-5	0,005

2.2. Type of formulation

PA - Paste

3. Hazard and precautionary statements

Hazard statements	<p>May damage the unborn child.</p> <p>May cause damage to organs through prolonged or repeated exposure .</p>
Precautionary statements	<p>Keep out of reach of children.</p> <p>Do not handle until all safety precautions have been read and understood.</p> <p>Wear protective gloves.</p> <p>IF exposed or concerned: Get medical advice.</p> <p>Dispose of contents to according to national rules.</p>

4. Authorised use(s)

4.1 Use description

Use 1 - Rat and Mice - Professional user

Product type	PT14 - Rodenticides (Pest control)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Rattus norvegicus Common name: Brown rat Development stage: Adults Scientific name: Rattus norvegicus Common name: Brown rat Development stage: Juveniles Scientific name: Mus musculus Common name: House mouse Development stage: Adults Scientific name: Mus musculus Common name: House mouse Development stage: Juveniles
Field(s) of use	Indoor Outdoor in and around buildings (warehouses and holds included), in open areas and waste dumps.
Application method(s)	Method: Bait application Detailed description: ready to use
Application rate(s) and frequencies	Application Rate: House mouse: g 40 x 10 m2 Brown rat: g 60 x 10 m2; in case of strong infestation increase the dose up to 100 g x 10 m2 Dilution (%): 0 Number and timing of application: Replace weekly the bait boxes if necessary. The operator shall evaluate the placement of the number of stations in regard to the type and the intensity of the infestation.
Category(ies) of users	Professional Trained professional
Pack sizes and packaging material	Bag /Sack, Plastic: PET , Kg 1 – 2 – 5 – 10 – 20 - 25 containing rodenticide baits 10 g each , food paper

4.1.1 Use-specific instructions for use

see section Directions for use

4.1.2 Use-specific risk mitigation measures

Baits to be used without bait boxes must be secured to structures so that they do not enter the sewer flow and are washed away.

see also section Directions for use

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

see section Directions for use

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

see section Directions for use

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

see section Directions for use

5. General directions for use

5.1. Instructions for use

The rodenticide bait is placed in an appropriate bait box, protected from the atmospheric agents, the ingestion of non-target species and dispersion in the environment.

Observe the area of infestation and place the bait box that contains the bait at the dens, along their routes and places of major attendance.

Replace weekly the bait boxes, if necessary. Remove as soon as possible dead animals and discarded according to local rules. The product is not intended for permanent use, organize treatments lasting up to 6 weeks. At the end of treatment eliminate bait boxes containing the bait remained, according to current rules.

5.2. Risk mitigation measures

Bait boxes should be placed in a secure manner, in order to minimize the risk of tampering and accidental ingestion of the bait by children or non-target animals. Always ensure that bait boxes are secured properly and that the bait cannot be dragged away by rodents. Keep away from food, drinks and animal feeding stuffs. In case of contamination wash hands thoroughly with soap and plenty of water. In case of suspected ingestion consult a Poison Control Center. In public areas (such as business premises, schools, hospitals, etc) it must be clearly signed that rodenticide control is in operation. Signage must provide information on the risk of interfering with the product and dead rodents. Products shall not be used as tracking powder. Dead rodent bodies must be collected during all control operations to minimise the risk of consumption and poisoning to children, companion animals and other non-target animals. Wash hands and face after application and use of the product and before eating, drinking or smoking. Do not use in agriculture. - Wear adequate protective gloves when disposing of dead rodents. Do not open sachets. The applicant shall recommend how bait residues shall be remediated (e.g. moistly cloth).

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

MECHANISM OF ACTION: The active substance in the product is an antagonist competitor of vitamin K and decreases the hepatic synthesis of K-dependent factors. **SYMPTOMS:** severe poisoning from ingestion inhibits vitamin K, causing bleeding skin and mucous haemorrhages membranes. The symptomatology of the other systems and apparatus is mainly hemorrhagic.

TREATMENT: In case of ingestion of large quantities, induce vomiting, perform gastric lavage and monitor prothrombin activity, if reduced, administered vitamin K. Follow proper medical protocol. **CONTRAINDICATIONS:** anticoagulants. Consult a Poison Control Center.

5.4. Instructions for safe disposal of the product and its packaging

Do not release to the environment, but dispose of in accordance with current rules.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

24 months shelf-life.
Keep in the original tightly closed container and in dry and well ventilated place.

6. Other information