

CLH report

Proposal for Harmonised Classification and Labelling

**Based on Regulation (EC) No 1272/2008 (CLP Regulation),
Annex VI, Part 2**

Substance Name: Methyl 2,5-dichlorobenzoate

EC Number: 220-815-7

CAS Number: 2905-69-3

Index Number: -

Contact details for dossier submitter:

BAuA

Federal Institute for Occupational Safety and Health
Federal Office for Chemicals
Friedrich-Henkel-Weg 1-25
D-44149 Dortmund, Germany

Version number: 1.1 (post ACCheck)

Date: July 2011

CONTENTS

Part A.

1	PROPOSAL FOR HARMONISED CLASSIFICATION AND LABELLING	6
1.1	SUBSTANCE	6
1.2	HARMONISED CLASSIFICATION AND LABELLING PROPOSAL	6
	PROPOSED NOTES ASSIGNED TO AN ENTRY:	10
2	BACKGROUND TO THE CLH PROPOSAL	13
2.1	HISTORY OF THE PREVIOUS CLASSIFICATION AND LABELLING	13
2.2	SHORT SUMMARY OF THE SCIENTIFIC JUSTIFICATION FOR THE CLH PROPOSAL.....	13
2.3	CURRENT HARMONISED CLASSIFICATION AND LABELLING	13
2.3.1	<i>Current classification and labelling in Annex VI, Table 3.1 in the CLP Regulation</i>	<i>13</i>
2.3.2	<i>Current classification and labelling in Annex VI, Table 3.2 in the CLP Regulation</i>	<i>13</i>
2.4	CURRENT SELF-CLASSIFICATION AND LABELLING	13
2.4.1	<i>Current self-classification and labelling based on the CLP Regulation criteria.....</i>	<i>13</i>
2.4.2	<i>Current self-classification and labelling based on DSD criteria.....</i>	<i>13</i>
3	JUSTIFICATION THAT ACTION IS NEEDED AT COMMUNITY LEVEL.....	13

Part B.

	SCIENTIFIC EVALUATION OF THE DATA.....	14
1	IDENTITY OF THE SUBSTANCE	14
1.1	NAME AND OTHER IDENTIFIERS OF THE SUBSTANCE	14
	STRUCTURAL FORMULA:.....	15
1.2	COMPOSITION OF THE SUBSTANCE.....	15
1.3	PHYSICO-CHEMICAL PROPERTIES.....	16
2	MANUFACTURE AND USES	16
2.1	MANUFACTURE	16
2.2	IDENTIFIED USES.....	16
3	CLASSIFICATION FOR PHYSICO-CHEMICAL PROPERTIES.....	17
3.1	<i>[INSERT HAZARD CLASS WHEN RELEVANT AND REPEAT SECTION IF NEEDED]</i>	<i>17</i>
3.1.1	<i>Summary and discussion of.....</i>	<i>17</i>
3.1.2	<i>Comparison with criteria.....</i>	<i>17</i>
3.1.3	<i>Conclusions on classification and labelling</i>	<i>17</i>
4	HUMAN HEALTH HAZARD ASSESSMENT.....	18
4.1	TOXICOKINETICS (ABSORPTION, METABOLISM, DISTRIBUTION AND ELIMINATION)	18
4.1.1	<i>Non-human information.....</i>	<i>18</i>
4.1.2	<i>Human information.....</i>	<i>18</i>
4.1.3	<i>Summary and discussion on toxicokinetics</i>	<i>18</i>

4.2	ACUTE TOXICITY	19
4.2.1	<i>Non-human information</i>	19
4.2.1.1	Acute toxicity: oral	19
4.2.1.2	Acute toxicity: inhalation	20
4.2.1.3	Acute toxicity: dermal	20
4.2.1.4	Acute toxicity: other routes.....	20
4.2.2	<i>Human information</i>	20
4.2.3	<i>Summary and discussion of acute toxicity</i>	20
4.2.4	<i>Comparison with criteria</i>	20
4.2.5	<i>Conclusions on classification and labelling</i>	21
4.3	SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE (STOT SE).....	21
4.3.1	<i>Summary and discussion of Specific target organ toxicity – single exposure</i>	21
4.3.2	<i>Comparison with criteria</i>	21
4.3.3	<i>Conclusions on classification and labelling</i>	21
4.4	IRRITATION.....	21
4.4.1	<i>Skin irritation</i>	21
4.4.1.1	Non-human information	22
4.4.1.2	Human information.....	22
4.4.1.3	Summary and discussion of skin irritation	22
4.4.1.4	Comparison with criteria	22
4.4.1.5	Conclusions on classification and labelling	22
4.4.2	<i>Eye irritation</i>	23
4.4.2.1	Non-human information	23
4.4.2.2	Human information.....	24
4.4.2.3	Summary and discussion of eye irritation.....	25
4.4.2.4	Comparison with criteria	25
4.4.2.5	Conclusions on classification and labelling	25
4.4.3	<i>Respiratory tract irritation</i>	25
4.4.3.1	Non-human information	25
4.4.3.2	Human information.....	26
4.4.3.3	Summary and discussion of respiratory tract irritation	26
4.4.3.4	Comparison with criteria	26
4.4.3.5	Conclusions on classification and labelling	26
4.5	CORROSIVITY	26
4.5.1	<i>Non-human information</i>	26
4.5.2	<i>Human information</i>	26
4.5.3	<i>Summary and discussion of corrosivity</i>	26
4.5.4	<i>Comparison with criteria</i>	26
4.5.5	<i>Conclusions on classification and labelling</i>	26
4.6	SENSITISATION	27
4.6.1	<i>Skin sensitisation</i>	27
4.6.1.1	Non-human information	27
4.6.1.2	Human information.....	27
4.6.1.3	Summary and discussion of skin sensitisation	27
4.6.1.4	Comparison with criteria	27
4.6.1.5	Conclusions on classification and labelling	27
4.6.2	<i>Respiratory sensitisation</i>	27
4.6.2.1	Non-human information	27
4.6.2.2	Human information.....	27
4.6.2.3	Summary and discussion of respiratory sensitisation	27
4.6.2.4	Comparison with criteria	28
4.6.2.5	Conclusions on classification and labelling	28
4.7	REPEATED DOSE TOXICITY	29
4.7.1	<i>Non-human information</i>	29
4.7.1.1	Repeated dose toxicity: oral.....	29
4.7.1.2	Repeated dose toxicity: inhalation.....	30
4.7.1.3	Repeated dose toxicity: dermal	30
4.7.1.4	Repeated dose toxicity: other routes	30
4.7.1.5	Human information.....	30
4.7.1.6	Other relevant information.....	30
4.7.1.7	Summary and discussion of repeated dose toxicity	30
4.7.1.8	Summary and discussion of repeated dose toxicity findings relevant for classification according to DSD	31
4.7.1.9	Comparison with criteria of repeated dose toxicity findings relevant for classification according to DSD	31

4.7.1.10	Conclusions on classification and labelling of repeated dose toxicity findings relevant for classification according to DSD	31
4.8	SPECIFIC TARGET ORGAN TOXICITY (CLP REGULATION) – REPEATED EXPOSURE (STOT RE).....	31
4.8.1	<i>Summary and discussion of repeated dose toxicity findings relevant for classification as STOT RE according to CLP Regulation</i>	31
4.8.2	<i>Comparison with criteria of repeated dose toxicity findings relevant for classification as STOT RE</i>	31
4.8.3	<i>Conclusions on classification and labelling of repeated dose toxicity findings relevant for classification as STOT RE</i>	32
4.9	GERM CELL MUTAGENICITY (MUTAGENICITY)	32
4.9.1	<i>Non-human information</i>	32
4.9.1.1	In vitro data.....	32
4.9.1.2	In vivo data.....	32
4.9.2	<i>Human information</i>	32
4.9.3	<i>Other relevant information</i>	32
4.9.4	<i>Summary and discussion of mutagenicity</i>	33
4.9.5	<i>Comparison with criteria</i>	33
4.9.6	<i>Conclusions on classification and labelling</i>	33
4.10	CARCINOGENICITY	33
4.10.1	<i>Non-human information</i>	33
4.10.1.1	Carcinogenicity: oral.....	33
4.10.1.2	Carcinogenicity: inhalation.....	33
4.10.1.3	Carcinogenicity: dermal.....	33
4.10.2	<i>Human information</i>	33
4.10.3	<i>Other relevant information</i>	33
4.10.4	<i>Summary and discussion of carcinogenicity</i>	33
4.10.5	<i>Comparison with criteria</i>	33
4.10.6	<i>Conclusions on classification and labelling</i>	34
4.11	TOXICITY FOR REPRODUCTION	34
4.11.1	<i>Effects on fertility</i>	34
4.11.1.1	Non-human information	34
4.11.1.2	Human information.....	34
4.11.2	<i>Developmental toxicity</i>	34
4.11.2.1	Non-human information	34
4.11.2.2	Human information.....	34
4.11.3	<i>Other relevant information</i>	34
4.11.4	<i>Summary and discussion of reproductive toxicity</i>	34
4.11.5	<i>Comparison with criteria</i>	34
4.11.6	<i>Conclusions on classification and labelling</i>	34
4.12	OTHER EFFECTS.....	35
4.12.1	<i>Non-human information</i>	35
4.12.1.1	Neurotoxicity.....	35
4.12.1.2	Immunotoxicity	35
4.12.1.3	Specific investigations: other studies.....	35
4.12.1.4	Human information.....	35
4.12.2	<i>Summary and discussion</i>	35
4.12.3	<i>Comparison with criteria</i>	35
4.12.4	<i>Conclusions on classification and labelling</i>	35
5	ENVIRONMENTAL HAZARD ASSESSMENT	36
5.1	DEGRADATION	36
5.1.1	<i>Stability</i>	36
5.1.2	<i>Biodegradation</i>	37
5.1.2.1	Biodegradation estimation	37
5.1.2.2	Screening tests	37
5.1.2.3	Simulation tests.....	37
5.1.3	<i>Summary and discussion of degradation</i>	37
5.2	ENVIRONMENTAL DISTRIBUTION	38
5.2.1	<i>Adsorption/Desorption</i>	38
5.2.2	<i>Volatilisation</i>	38
5.2.3	<i>Distribution modelling</i>	38
5.3	AQUATIC BIOACCUMULATION.....	38
5.4	AQUATIC TOXICITY	38

5.4.1	<i>Fish</i>	39
5.4.1.1	Short-term toxicity to fish.....	39
5.4.1.2	Long-term toxicity to fish.....	39
5.4.2	<i>Aquatic invertebrates</i>	40
5.4.2.1	Short-term toxicity to aquatic invertebrates.....	40
5.4.2.2	Long-term toxicity to aquatic invertebrates	40
5.4.3	<i>Algae and aquatic plants</i>	40
5.4.4	<i>Other aquatic organisms (including sediment)</i>	41
5.5	COMPARISON WITH CRITERIA FOR ENVIRONMENTAL HAZARDS (SECTIONS 5.1 – 5.4)	41
5.6	CONCLUSIONS ON CLASSIFICATION AND LABELLING FOR ENVIRONMENTAL HAZARDS (SECTIONS 5.1 – 5.4) .	42
6	OTHER INFORMATION	42
7	REFERENCES	42
8	ANNEXES	44

Part A.

1 PROPOSAL FOR HARMONISED CLASSIFICATION AND LABELLING

1.1 Substance

Table 1: Substance identity

Substance name:	<i>Methyl 2,5-dichlorobenzoate</i>
EC number:	<i>220-815-7</i>
CAS number:	<i>2905-69-3</i>
Annex VI Index number:	-
Degree of purity:	<i>> 99.5 %</i>
Impurities:	<i>no relevant impurities</i>

1.2 Harmonised classification and labelling proposal

Table 2: The current Annex VI entry and the proposed harmonised classification

	CLP Regulation (2nd ATP)	Directive 67/548/EEC (Dangerous Substances Directive; DSD)
Current entry in Annex VI, CLP Regulation	-	-
Current proposal for consideration by RAC	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-factor = 1	Xn; R22 N, R50-53 Concentration Classification C ≥ 25% N; R50-53 2.5% ≤ C < 25% N; R51-53 0.25% ≤ C < 2.5% R52-53 where C is the concentration of Methyl 2,5 dichlorobenzoate in the preparation
Resulting harmonised classification (future entry in Annex VI, CLP)	Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-factor = 1	Xn; R22 N, R50-53 Concentration Classification

<p>Regulation)</p>		<p> $C \geq 25\%$ N; R50-53 $2.5\% \leq C < 25\%$ N; R51-53 $0.25\% \leq C < 2.5\%$ R52-53 where C is the concentration of Methyl 2,5 dichlorobenzoate in the preparation </p>
---------------------------	--	--

The criteria of the 2nd ATP to the CLP Regulation have been considered.

As there is no valid long-term ecotoxicological data available, the 2nd ATP does not change the proposed classification for environmental hazards.

Proposed harmonised classification and labelling based on CLP Regulation and/or DSD criteria

Table 3: Proposed classification according to the CLP Regulation

CLP Annex I ref	Hazard class	Proposed classification	Proposed SCLs and/or M-factors	Current classification ¹⁾	Reason for no classification ²⁾
2.1.	Explosives				
2.2.	Flammable gases				
2.3.	Flammable aerosols				
2.4.	Oxidising gases				
2.5.	Gases under pressure				
2.6.	Flammable liquids				
2.7.	Flammable solids				
2.8.	Self-reactive substances and mixtures				
2.9.	Pyrophoric liquids				
2.10.	Pyrophoric solids				
2.11.	Self-heating substances and mixtures				
2.12.	Substances and mixtures which in contact with water emit flammable gases				
2.13.	Oxidising liquids				
2.14.	Oxidising solids				
2.15.	Organic peroxides				
2.16.	Substance and mixtures corrosive to metals				
3.1.	Acute toxicity - oral	Acute Tox. 4; H302			
	Acute toxicity - dermal				Conclusive but not sufficient for classification
	Acute toxicity - inhalation				Data lacking
3.2.	Skin corrosion / irritation				Conclusive but not sufficient for classification
3.3.	Serious eye damage / eye irritation				Inconclusive
3.4.	Respiratory sensitisation				Data lacking
3.4.	Skin sensitisation				Conclusive but not sufficient for classification
3.5.	Germ cell mutagenicity				Conclusive but not sufficient for classification
3.6.	Carcinogenicity				Data lacking
3.7.	Reproductive toxicity				Data lacking
3.8.	Specific target organ toxicity				Conclusive but not

CLH REPORT FOR METHYL 2,5-DICHLOROBenzoATE

	-single exposure				sufficient for classification
3.9.	Specific target organ toxicity – repeated exposure				Conclusive but not sufficient for classification
3.10.	Aspiration hazard				Data lacking
4.1.	Hazardous to the aquatic environment	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	M-factor: 1		
5.1.	Hazardous to the ozone layer				Data lacking

¹⁾Including specific concentration limits (SCLs) and M-factors

²⁾Data lacking, inconclusive, or conclusive but not sufficient for classification

<u>Labelling:</u>	<u>Pictograms:</u>	GHS07, GHS09
	<u>Signal Word:</u>	Warning
	<u>Hazard statements:</u>	H302 Harmful if swallowed H410 Very toxic to aquatic life with long lasting effects
	<u>Precautionary statements:</u>	(P102) Keep out of reach of children P264 Wash ... thoroughly after handling P273 Avoid release to the environment P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P330 Rinse mouth P391 Collect spillage P501 Dispose of contents/container to ...

Proposed notes assigned to an entry:

Table 4: Proposed classification according to DSD

Hazardous property	Proposed classification	Proposed SCLs	Current classification ¹⁾	Reason for no classification ²⁾
Explosiveness				
Oxidising properties				
Flammability				
Other physico-chemical properties <i>[Add rows when relevant]</i>				
Thermal stability				
Acute toxicity	Xn; R22			
Acute toxicity – irreversible damage after single exposure				Conclusive but not sufficient for classification
Repeated dose toxicity				Conclusive but not sufficient for classification
Irritation / Corrosion				Inconclusive
Sensitisation				Conclusive but not sufficient for classification
Carcinogenicity				Data lacking
Mutagenicity – Genetic toxicity				Conclusive but not sufficient for classification
Toxicity to reproduction – fertility				Data lacking
Toxicity to reproduction – development				Data lacking
Toxicity to reproduction – breastfed babies. Effects on or via lactation				Data lacking
Environment	N; R50-53	25 % ≤ Cn ³⁾ classification of preparation is N; R50-53 2.5 % ≤ Cn < 25 % classification of preparation is N; R51-53 0.25 % ≤ Cn < 2.5 % classification of preparation is R52-53		

¹⁾ Including SCLs²⁾ Data lacking, inconclusive, or conclusive but not sufficient for classification³⁾ Cn is the concentration of methyl 2,5-dichlorobenzoate in the preparation**Labelling:** Hazard Symbols,Indications of danger:R-phrases:

Xn Harmful
 N Dangerous for the environment
 R22 Harmful if swallowed
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment

- S-phrases:
- (S2) Keep out of the reach of children
 - S22 Do not breathe dust
 - S60 This material and its container must be disposed of as hazardous waste
 - S61 Avoid release to the environment. Refer to special instructions/ safety data sheets

2 BACKGROUND TO THE CLH PROPOSAL

2.1 History of the previous classification and labelling

2.2 Short summary of the scientific justification for the CLH proposal

2.3 Current harmonised classification and labelling

2.3.1 Current classification and labelling in Annex VI, Table 3.1 in the CLP Regulation

There is no entry for methyl 2,5-dichlorobenzoate available in Annex VI, Table 3.1 in the CLP Regulation.

2.3.2 Current classification and labelling in Annex VI, Table 3.2 in the CLP Regulation

There is no entry for methyl 2,5-dichlorobenzoate available in Annex VI, Table 3.2 in the CLP Regulation.

2.4 Current self-classification and labelling

2.4.1 Current self-classification and labelling based on the CLP Regulation criteria

2.4.2 Current self-classification and labelling based on DSD criteria

3 JUSTIFICATION THAT ACTION IS NEEDED AT COMMUNITY LEVEL

Methyl 2,5-dichlorobenzoate is an active substance in the meaning of Directive 91/414/EEC and therefore subject to harmonised classification and labelling (Regulation EC 1272/2008 article 36.2).

Part B.

SCIENTIFIC EVALUATION OF THE DATA


1 IDENTITY OF THE SUBSTANCE

1.1 Name and other identifiers of the substance


Table 5: Substance identity

EC number:	220-815-7
EC name:	methyl 2,5-dichlorobenzoate
CAS number (EC inventory):	2905-69-3
CAS number:	2905-69-3
CAS name:	Benzoic acid, 2,5-dichloro-, methyl ester
IUPAC name:	methyl 2,5-dichlorobenzoate
CLP Annex VI Index number:	-
Molecular formula:	C ₈ H ₆ Cl ₂ O ₂
Molecular weight range:	205

Structural formula:



Säure



Methylester

1.2 Composition of the substance

Table 6: Constituents (non-confidential information)

Constituent	Typical concentration	Concentration range	Remarks
methyl 2,5-dichlorobenzoate	> 99.5		

1.3 Physico-chemical properties

Table 7: Summary of physico - chemical properties

Property	Value	Reference	Comment (e.g. measured or estimated)
State of the substance at 20°C and 101,3 kPa	yellow crystals	Draft Assessment Report	
Melting/freezing point	34.6 °C		
Boiling point	250.6 °C		
Relative density	1.48		
Vapour pressure	370 Pa at 25 °C		
Surface tension	ca. 60 mN/m at concentration 8 mg/L		measured at 10 % of saturation concentration
Water solubility	0.087 g/L at 20 °C		
Partition coefficient n-octanol/water	3.46 at 20 °C		
Flash point	133 °C		
Flammability	not flammable		
Explosive properties	no explosive properties		
Self-ignition temperature	no up to the melting point		
Oxidising properties	no oxidising properties		
Granulometry	not available	-	
Stability in organic solvents and identity of relevant degradation products	not available	-	
Dissociation constant	not relevant	-	
Viscosity	not available	-	

2 MANUFACTURE AND USES

2.1 Manufacture

2.2 Identified uses

Plant growth regulator and fungicide for grafting of grapevines

3 CLASSIFICATION FOR PHYSICO-CHEMICAL PROPERTIES

Table 8: Summary table for relevant physico-chemical studies

Method	Results	Remarks	Reference

3.1 *[Insert hazard class when relevant and repeat section if needed]*

3.1.1 Summary and discussion of

3.1.2 Comparison with criteria

3.1.3 Conclusions on classification and labelling

4 HUMAN HEALTH HAZARD ASSESSMENT

In this report, only summaries are given. A more extensive description of the studies and of the observed findings are included in the draft assessment report, which is attached to the IUCLID dossier.

There are no toxicological studies performed with impurities. The technical active substance methyl 2,5-dichlorobenzoate used in formulations is equivalent to methyl 2,5-dichlorobenzoate that has been used in the toxicological studies. The chemical composition of both is similar. Any component other than the pure active substance, which is present in the technical active substance as manufactured (impurities including non-active isomers) originating from the manufacturing process or from degradation during storage is covered by the toxicological studies. Therefore, no further toxicological studies with impurities have been performed.

4.1 Toxicokinetics (absorption, metabolism, distribution and elimination)

4.1.1 Non-human information

Orally administered methyl 2,5-dichlorobenzoate (2,5-dichlorobenzoic acid methylester = 2,5-DCBME) was almost completely absorbed in rats. 2,5-DCBME was rapidly metabolised and eliminated. Regardless of the route of administration and the dose, roughly the complete radioactivity was eliminated within 24 h. Faecal excretion is negligible and plays only a minor role at the high dose. Besides the excretion relevant organs, no particular accumulation in other organs has been observed. No sex specific differences in the elimination occurred. The free acid and the glycine conjugate were identified and characterised as major metabolites. In addition, acylglucuronide-isomers were detected dose dependently. In the 24 h urine samples the recovered radioactivity of the total dose ranged 73.4 % for 2,5-dichlorobenzoic acid (M11.7) followed by 2,5-dichlorobenzoylglycine (M7.2) with 18.6 % and the three acylglucuronide-isomers amounted each up to 2 % following low dose administration (Ferser-Zügner, 2004 ASB2007-1336).

4.1.2 Human information

No other relevant information is available.

4.1.3 Summary and discussion on toxicokinetics

In rat the absolute bioavailability of 2,5-DCBME was almost 100 % comparing the total renal excretion of oral and intravenous application indicating a complete absorption. 2,5-DCBME was rapidly metabolised and eliminated within 24 h. Faecal excretion is negligible and plays only a minor role at the high dose. Besides the excretion relevant organs no particular accumulation in other organs has been observed. No sex specific differences in the elimination occurred. As major metabolites the free acid and the glycine conjugate were identified and characterised. In addition, acylglucuronide-isomers were detected dose dependently.

4.2 Acute toxicity

4.2.1 Non-human information

The results of the acute toxicity studies including irritancy and skin sensitization are summarised in Table 11.

Table 9: Summary table of relevant acute toxicity studies

Method	Results	Remarks	Reference
Acute oral LD ₅₀ , Rat / Wistar	LD ₅₀ : 1175 mg/kg bw males LD ₅₀ : 1030 mg/kg bw females Mortality: ≥ 750 mg/kg bw after 24 hours		(Dickhaus et al., 1982 TOX2002-544)
Acute oral LD ₅₀ , Mouse / CFI	LD ₅₀ : 910 mg/kg bw males & females Mortality: ≥ 700 mg/kg bw after 24 hours		(Dickhaus et al., 1982 TOX2002-545)
Acute dermal LD ₅₀ , Rat / Wistar	LD ₅₀ : > 10000 mg/kg bw		(Dickhaus et al., 1982 TOX2002-546)
Acute inhalation LC ₅₀ , Rat / CRL:(WI) BR	Not determined	No spray or dust feasibly	(Hirka et al., 2004 ASB2007-1347)
Skin irritation, Rabbit / White New Zealand	Slight reversible edema on the shaved and shaved/scarified skin in 5 out of 8 sacrificed animals		(Dickhaus et al., 1982 TOX2002-547)
Eye irritation, Rabbit / White New Zealand	Up to 8 hours after the application the conjunctiva showed redness, chemosis and secretion; after 24 hours post application no irritations	10 % dilution of the substance	(Dickhaus et al., 1982 TOX2002-548)
Skin Sensitisation (Maximisation Test), Guinea pigs / Dunkin Hartley	Not sensitising		(Stahl, 2005 ASB2007-1376)

4.2.1.1 Acute toxicity: oral

The acute oral toxicity of 2,5-DCBME was in same order of magnitude in rats and mice. The acute oral LD₅₀ was 1030 mg/kg bw in rats and 910 mg/kg bw in mice. In rats in all dosage groups essentially abdominal ache syndrome, exophthalmus, gasping, ataxia, disturbances of coordination were observed already a few minutes post application. These symptoms changed into sedation and coma. Mortality was observed at ≥ 750 mg/kg bw in rats. In mice in all dosage groups essentially abdominal ache syndrome, reduced activity, reduced frequency of respiration, titubation, tremor, piloerection, convulsions and reduced readiness for reflexing was observed. During the following time of observation the surviving mice showed sedation and reduced readiness for reflexing. Mortality was observed at ≥ 700 mg/kg bw in mice.

4.2.1.2 Acute toxicity: inhalation

Due to technical problems to reach the necessary concentrations in the aerosol caused by the physico-chemical properties of the active substance (e.g. low melting point, poor solubility in water) it was not feasible to perform spray or dust of satisfying concentration. Also trials with melted material failed. It was impossible to produce continuous mass flow for duration of more than 10 minutes although different nebulisers of several producers were tested. The study was interrupted due to technical reasons.

4.2.1.3 Acute toxicity: dermal

The dermal toxicity in rats was low. The acute dermal LD50 in rats was greater than 10000 mg/kg bw.

4.2.1.4 Acute toxicity: other routes

No other relevant information is available.

4.2.2 Human information

No other relevant information is available.

4.2.3 Summary and discussion of acute toxicity

The acute oral toxicity of 2,5-DCBME was in same order of magnitude in rats and mice. The acute oral LD50 was 1030 mg/kg bw in rats and 910 mg/kg bw in mice. Mortality was observed at ≥ 750 mg/kg bw in rats and at ≥ 700 mg/kg bw in mice. The acute dermal LD50 in rats was greater than 10000 mg/kg bw. The acute inhalation toxicity in rats could not be determined because no spray or dust was feasible in the test.

4.2.4 Comparison with criteria

Table 12 presents the toxicological results in comparison with DSD and CLP criteria.

Table 10: Comparison of the toxicological results

Toxicological result	DSD criteria	CLP criteria
Oral LD ₅₀ , rat, males: 1175 mg/kg Oral LD ₅₀ , rat, females: 1030 mg/kg LD ₅₀ , mouse: 910 mg/kg bw, males & females	Harmful: LD ₅₀ per oral, rat: 200 < LD ₅₀ ≤ 2 000 mg/kg	Cat. 4: 300 < LD ₅₀ ≤ 2000 mg/kg (oral)
Inhalation LC ₅₀ , rat: Not determined (no spray or dust feasible)	-	-
Dermal LD ₅₀ , rat: > 10000 mg/kg	Harmful: LD50 dermal, rat or rabbit: 400 < LD ₅₀ ≤ 2 000 mg/kg	Cat. 4: 1 000 < LD ₅₀ ≤ 2 000 mg/kg (dermal)

4.2.5 Conclusions on classification and labelling

The acute oral toxicity of 2,5-DCBME meets the DSD and CLP criteria. Based on the results of the acute oral toxicity studies 2,5-DCBME has to be classified as harmful and assigned the symbol “Xn” and the indication of danger “harmful” accordingly. The following risk phrase should be assigned: “R22 Harmful if swallowed”.

The results of the acute dermal toxicity studies do not meet the DSD and CLP criteria. Classification and labelling of 2,5-DCBME concerning acute dermal toxicity is not required.

There are no results of the acute inhalation toxicity study to compare with the DSD and CLP criteria. No conclusion can be drawn on acute inhalation toxicity.

4.3 Specific target organ toxicity – single exposure (STOT SE)

4.3.1 Summary and discussion of Specific target organ toxicity – single exposure

There are no relevant data to discuss specific target organ toxicity.

4.3.2 Comparison with criteria

There are no relevant data to compare with criteria.

4.3.3 Conclusions on classification and labelling

Classification and labelling is not required.

4.4 Irritation

4.4.1 Skin irritation

The results of the skin irritation study are summarised in Table 13.

Table 11: Summary table of relevant skin irritation studies

Method	Results	Remarks	Reference
Skin irritation, Rabbit / White New Zealand	Slight reversible edema on the shaved and shaved/scarified skin in 5 out of 8 sacrificed animals	-	(Dickhaus et al., 1982 TOX2002-547)

4.4.1.1 Non-human information

After 24 hours a very slight reversible edema was observed on the shaved and shaved/scarified skin in 5 out of 8 sacrificed animals. According to the index of primary irritation of 0.31 the substance is judged to be mild irritant.

4.4.1.2 Human information

No relevant information is available.

4.4.1.3 Summary and discussion of skin irritation

Slight to moderate but transient signs of dermal irritation were noted after application to the skin of rabbits.

4.4.1.4 Comparison with criteria

Table 14 in comparison with DSD and CLP criteria.

Table 12: Summary of the toxicological results

Toxicological result	DSD criteria	CLP criteria
After 24 hours a very slight reversible edema on the shaved and shaved/scarified skin in 5 out of 8 sacrificed animals Index of primary irritation: 0.31	R38 Irritating to skin: Significant inflammation of the skin which persists for at least 24 hours after an exposure period of up to four hours; mean value of the scores for either erythema and eschar formation or oedema formation, calculated over all the animals tested, is 2 or more	Category 2 Irritant: Inflammation that persists to the end of the observation period normally 14 days in at least 2 animals, particularly taking into account alopecia (limited area), hyperkeratosis, hyperplasia, and scaling

4.4.1.5 Conclusions on classification and labelling

Slight to moderate but transient signs of dermal irritation were noted after application to the skin of rabbits. Since the mean values of the readings after 24 to 72 hours after application were below the thresholds defined in Directive 2001/59/EC and Regulation No 1272/2008 classification of 2,5-DCBME is not required.

4.4.2 Eye irritation

The results of the eye irritation study are summarised in Table 15.

Table 13: Summary table of relevant eye irritation studies

Method	Results	Remarks	Reference
Eye irritation, Rabbit / White New Zealand	Up to 8 hours after the application the conjunctiva showed redness, chemosis and secretion; after 24 hours post application no irritations	10 % dilution of the substance	(Dickhaus et al., 1982 TOX2002-548)

4.4.2.1 Non-human information

The substance 2,5-DCBME was tested diluted in a primary eye irritation test in rabbit eye. 2,5-DCBME was diluted 10 %. Up to 8 hours after the application the conjunctiva showed redness, chemosis and secretion. After 24 hours post application no irritations have been observed.

Individual scores in animals treated with the 10 % solution of 2,5-DCBME (Dickhaus et al., 1982 TOX2002-548):

		Hour Stunden					Day Tage						
		1	2	4	8	24	2	3	4	5	6	7	
<u>Tier-Nr. 1</u>													
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	2	1	1	1	0	0	0	0	0	0	0	0
	B	2	2	1	0	0	0	0	0	0	0	0	0
	C	3	2	2	0	0	0	0	0	0	0	0	0
<u>Tier-Nr. 2</u>													
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	1	1	1	1	0	0	0	0	0	0	0	0
	B	2	2	1	0	0	0	0	0	0	0	0	0
	C	2	2	2	1	0	0	0	0	0	0	0	0
<u>Tier-Nr. 3</u>													
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	1	1	1	1	0	0	0	0	0	0	0	0
	B	1	1	1	0	0	0	0	0	0	0	0	0
	C	3	3	2	1	0	0	0	0	0	0	0	0

CLH REPORT FOR METHYL 2,5-DICHLOROBEZOATE

		Stunden					Tage					
		1	2	4	8	24	2	3	4	5	6	7
<u>Tier-Nr. 4</u>												
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	2	1	1	1	0	0	0	0	0	0	0
	B	2	2	1	1	0	0	0	0	0	0	0
	C	2	2	2	1	0	0	0	0	0	0	0

<u>Tier-Nr. 5</u>												
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	1	1	1	1	0	0	0	0	0	0	0
	B	2	2	1	0	0	0	0	0	0	0	0
	C	2	2	1	1	0	0	0	0	0	0	0

<u>Tier-Nr. 6</u>												
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	2	1	1	1	0	0	0	0	0	0	0
	B	2	2	1	0	0	0	0	0	0	0	0
	C	3	2	2	1	0	0	0	0	0	0	0

		Stunden					Tage					
		1	2	4	8	24	2	3	4	5	6	7
<u>Tier-Nr. 7</u>												
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	2	1	1	1	0	0	0	0	0	0	0
	B	2	2	1	1	0	0	0	0	0	0	0
	C	2	2	1	0	0	0	0	0	0	0	0

<u>Tier-Nr. 8</u>												
1. Cornea	A	0	0	0	0	0	0	0	0	0	0	0
	B	0	0	0	0	0	0	0	0	0	0	0
2. Iris	A	0	0	0	0	0	0	0	0	0	0	0
3. Conjunktiva	A	1	1	1	1	0	0	0	0	0	0	0
	B	1	1	1	0	0	0	0	0	0	0	0
	C	2	1	1	0	0	0	0	0	0	0	0

4.4.2.2 Human information

No other relevant information is available.

4.4.2.3 Summary and discussion of eye irritation

Slight to moderate but transient signs of ocular irritation were noted after application to the eyes of rabbits. In the eye-irritation study, only a 10 % dilution of the substance was used. The authors of the study as well as the PRAPeR Expert Meeting (PRAPeR Expert Meeting 54 Sub-group 2 (07 – 11 July 2008) 11 July 2008, Dichlorobenzoic acid) proposed to classify the product of 10 % test substance as “slightly irritant” according to the used code as a precautionary principle, because it could not be ruled out that the concentrate would not lead to stronger irritation to the eyes (EFSA Scientific Report (2008) 180, 1-50, Conclusion on the peer review of 2,5-dichlorobenzoic acid methylester).

4.4.2.4 Comparison with criteria

Table 14 presents the toxicological results in comparison with DSD and CLP criteria.

Table 14: Summary the toxicological results

Toxicological result	DSD criteria	CLP criteria
Up to 8 hours after the application the conjunctiva showed redness, chemosis and secretion; after 24 hours post application no irritations	R36 Irritating to eyes: Significant ocular lesions which occur within 72 hours after exposure and which persist for at least 24 hours cornea opacity equal to or greater than 2 but less than 3 Iris lesion equal to or greater than 1 but not greater than 1,5 redness of the conjunctivae equal to or greater than 2,5 Oedema of the conjunctivae (chemosis) equal to or greater than 2	Irritating to eyes (Category 2): at least in 2 of 3 tested animals, a positive response of: corneal opacity ≥ 1 and/or iritis ≥ 1 , and/or conjunctival redness ≥ 2 and/or conjunctival oedema (chemosis) ≥ 2 calculated as the mean scores following grading at 24, 48 and 72 hours after installation of the test material, and which fully reverses within an observation period of 21 days

The mean values of the readings after 24 to 72 hours after application were below the thresholds defined in Directive 2001/59/EC and Regulation No 1272/2008.

4.4.2.5 Conclusions on classification and labelling

Slight to moderate but transient signs of ocular irritation were noted after application of a 10 % dilution of 2,5-DCBME to the eyes of rabbits. The mean values of the readings after 24 to 72 hours after application were below the thresholds defined in Directive 2001/59/EC and Regulation No 1272/2008. However, no conclusion can be drawn on the classification of 2,5-DCBME because only a 10 % dilution of 2,5-DCBME was tested.

4.4.3 Respiratory tract irritation

4.4.3.1 Non-human information

There are no relevant data.

4.4.3.2 Human information

There are no relevant data.

4.4.3.3 Summary and discussion of respiratory tract irritation

There are no relevant data to discuss respiratory tract irritation.

4.4.3.4 Comparison with criteria

There are no relevant data to compare with criteria.

4.4.3.5 Conclusions on classification and labelling

No conclusion can be drawn on respiratory tract irritation.

4.5 Corrosivity

There is no evidence of corrosivity of 2,5-DCBME (see 4.4).

4.5.1 Non-human information

No relevant data.

4.5.2 Human information

No relevant data.

4.5.3 Summary and discussion of corrosivity

There are no relevant data to discuss corrosivity of 2,5-DCBME.

4.5.4 Comparison with criteria

There are no relevant data to compare with criteria.

4.5.5 Conclusions on classification and labelling

Classification and labelling is not required.

4.6 Sensitisation

4.6.1 Skin sensitisation

4.6.1.1 Non-human information

The results of the skin sensitisation study are summarised in Table 15.

Table 15: Summary table of relevant skin sensitisation studies

Method	Results	Remarks	Reference
Skin Sensitisation (Maximisation Test), Guinea pigs / Dunkin Hartley	Not sensitising	-	(Stahl, 2005 ASB2007-1376)

According to the observations of this study no symptoms of skin sensitisation could be observed. The mean rate of scores was 0 % after 24 h and 48 h.

4.6.1.2 Human information

No relevant data are available.

4.6.1.3 Summary and discussion of skin sensitisation

In a maximisation test by Magnusson and Kligman no symptoms of skin sensitisation could be observed.

4.6.1.4 Comparison with criteria

There are no relevant data to compare with criteria.

4.6.1.5 Conclusions on classification and labelling

Classification and labelling is not required.

4.6.2 Respiratory sensitisation

4.6.2.1 Non-human information

No relevant data are available.

4.6.2.2 Human information

No relevant data are available.

4.6.2.3 Summary and discussion of respiratory sensitisation

There are no relevant data to discuss respiratory sensitisation.

4.6.2.4 Comparison with criteria

There are no relevant data to compare with criteria.

4.6.2.5 Conclusions on classification and labelling

No conclusion can be drawn on respiratory sensitisation potential.

4.7 Repeated dose toxicity

Table 16: Summary table of relevant repeated dose toxicity studies

Method	Results	Remarks	Reference
2-week dose-range-finding study in rats, 100, 300 or 900 mg/kg bw/day by gavage	900 mg/kg bw/day: ataxia, decreased body weight and food consumption NOAEL: 300 mg/kg bw/day	-	(Leuschner, 2004 ASB2007-1381)
28 days subacute toxicity in rats, 100, 300 or 900 mg/kg bw/day by gavage	≥ 300 mg/kg bw/day: reduced motility, impaired gait and wire maneuver, decreased sensitivity to toe pinch and tail pinch, decreased hind leg splay and limb rotation, decreased spontaneous locomotion and grip strength of the fore- and hindlimbs, increased liver weight 900 mg/kg bw/day: pilo-erection, in males reduced body weight, reduced haemoglobin content, number of erythrocytes and haematocrit values, reduced plasma levels of glucose and potassium, increased activity of alanine aminotransferase, in females reduced cholesterol plasma, increased kidney weight, fatty infiltrations in the heart, in males increased oligospermia in the epididymis. NOAEL: 100 mg/kg bw/day	-	(Leuschner, 2004 ASB2007-1382)

4.7.1 Non-human information

4.7.1.1 Repeated dose toxicity: oral

The toxicity of 2,5-DCBME was investigated in a 2-week study to assist the selection of dose levels for a 28-day study in rats. Administration of 900 mg 2,5-DCBME/kg bw/day caused severe ataxia in all animals starting 10 minutes after administration. The symptoms lasted for 4-6 hours. Also at the high dose group the body weight was decreased by 14 % and 20 % (test weeks 1 and 2, respectively) for the male animals (statistically significant at $p \leq 0.01$) and by 7 % for the female animals (statistically not significant). The food consumption was 11 % to 18 % (males) and up to 13 % (females) below the control group values. No effects were observed in dose groups 100 and 300 mg/kg bw/day. The macroscopic post mortem examination on test day 15 did not reveal any test item-related findings. The NOAEL of the study is 300 mg/kg bw/day. On basis of the results dose levels were selected for a 28-day oral study in rats (Leuschner, 2004 ASB2007-1381).

In the 28-day study the test compound was administered once daily by gavage (7 day per week) at doses of 100, 300 and 900 mg/kg bw/day. None of the rats died prematurely.

Animals treated with 300 or 900 mg/kg bw/d showed reduced motility in form of a paralysis of the hind legs from test day 4 or test day 1 onwards to test day 28, respectively, lasting 10 minutes to 6 hours after application. In addition, pilo-erection was noted in all 10 male and 10 female animals of the high dose group during the first treatment week, 4 of 10 males and 2 of 10 females showed an abdominal position from test day 1 to 4. Neurological screening was done. Animals treated with 300 or 900 mg/kg bw/d showed a dose-related increased incidence of impaired gait and wire maneuver, a decreased sensitivity to toe pinch and tail pinch, and a decreased hind leg splay and limb rotation. In addition, a dose-related significant decrease was noted for the slight and active movements of the spontaneous locomotion and in the grip strength of the fore- and hindlimbs. Male animals treated with 900 mg/kg bw/day showed a reduced body weight a reduced haemoglobin content, a reduced number of erythrocytes, a reduced haematocrit value in test week 4, reduced plasma levels of glucose and potassium and an increased activity of alanine aminotransferase. Female animals of the high dose group showed a reduced cholesterol plasma level at the end of the treatment period. At 300 mg/kg bw/day, an increase in the absolute and relative liver weight was noted for the males. Animals treated with 900 mg/kg bw/day showed an increase in the relative organ weights of the liver for male and female animals, the absolute liver weight of females and of relative kidney weight of the female animals. Animals treated with 900 mg/kg bw/day revealed fatty infiltrations in the heart. Male animals showed an increased oligospermia in the epididymis. Body weight of the male animals did not normalise during the 6-week recovery period. The body weight remained 17 % below the control group. Other findings noted at the end of the treatment period had completely subsided at the end of the 6-week recovery period. The no observed adverse effect level (NOAEL) of the 28-day study was 100 mg/kg bw/day (Leuschner, 2004 ASB2007-1382).

4.7.1.2 Repeated dose toxicity: inhalation

No data are available.

4.7.1.3 Repeated dose toxicity: dermal

No data are available.

4.7.1.4 Repeated dose toxicity: other routes

No data are available.

4.7.1.5 Human information

No data are available.

4.7.1.6 Other relevant information

No other relevant information is available.

4.7.1.7 Summary and discussion of repeated dose toxicity

The toxicity of 2,5-dichloro benzoic acid methylester was investigated in a 2-week study to assist the selection of dose levels for a 28-day study in rats. Administration of 900 mg 2,5-dichlorobenzoic acid methylester/kg bw/day caused severe ataxia in all animals starting 10 minutes after administration. The symptoms lasted for 4-6 hours. The body weight was decreased. The food

consumption was below the control group values. The NOAEL of the study was 300 mg/kg bw/day. On basis of the results dose levels were selected for a 28-day oral study in rats (Leuschner, 2004 ASB2007-1381).

In the 28-day study the test compound was administered once daily by gavage (7 day per week) at doses of 100, 300 and 900 mg/kg bw/day. Animals treated with 300 or 900 mg/kg bw/d showed reduced motility in form of a paralysis of the hind legs. In addition, pilo-erection was noted in the high dose group. Animals treated with 300 or 900 mg/kg bw/d showed a dose-related increased incidence of impaired gait and wire maneuver, a decreased sensitivity to toe pinch and tail pinch, and an decreased hind leg splay and limb rotation. In addition, a dose-related significant decrease was noted for the slight and active movements of the spontaneous locomotion and in the grip strength of the fore- and hindlimbs. Male animals treated with 900 mg/kg bw/day showed a reduced body weight and effects on parameters of haematology and clinical chemistry. At 300 mg/kg bw/day, an increase in the relative liver weight was noted for the males. Animals treated with 900 mg/kg bw/day showed an increase in the organ weights of the liver of male and female animals and of kidneys of the female animals. Animals treated with 900 mg/kg bw/day revealed fatty infiltrations in the heart. Male animals showed an increased oligospermia in the epididymis. Body weight of the male animals did not normalise during the 6-week recovery period. The body weight remained 17 % below the control group. Other findings noted at the end of the treatment period had completely subsided at the end of the 6-week recovery period. The no observed adverse effect level (NOAEL) of the 28-day study was 100 mg/kg bw/day (Leuschner, 2004 ASB2007-1382).

4.7.1.8 Summary and discussion of repeated dose toxicity findings relevant for classification according to DSD

There are no relevant findings to discuss classification according to DSD.

4.7.1.9 Comparison with criteria of repeated dose toxicity findings relevant for classification according to DSD

There are no relevant findings to compare with criteria for classification according to DSD.

4.7.1.10 Conclusions on classification and labelling of repeated dose toxicity findings relevant for classification according to DSD

There are no findings relevant for classification according to DSD

4.8 Specific target organ toxicity (CLP Regulation) – repeated exposure (STOT RE)

4.8.1 Summary and discussion of repeated dose toxicity findings relevant for classification as STOT RE according to CLP Regulation

There are no relevant findings concerning specific target organ toxicity.

4.8.2 Comparison with criteria of repeated dose toxicity findings relevant for classification as STOT RE

There are no relevant findings to compare with criteria for classification as STOT RE.

4.8.3 Conclusions on classification and labelling of repeated dose toxicity findings relevant for classification as STOT RE

There are no findings relevant for classification as STOT RE.

4.9 Germ cell mutagenicity (Mutagenicity)

4.9.1 Non-human information

The mutagenic potential of 2,5-DCBME was studied in in vitro test systems using bacteria and mammalian cells and an in vivo test system using mice. The results of the mutagenicity tests of 2,5-DCBME are summarised in Table 17.

Table 17: Summary table of relevant in vitro and in vivo mutagenicity studies

Method	Results	Remarks	Reference
Bacterial reverse mutation assay, Salmonella typh. and Escherichia coli	Negative (+/- S9)		(Vértesi, 2004 ASB2007-1385)
In vitro chromosome aberration test, Chinese hamster ovary cells	Negative (+/- S9)		(Béres, 2004 ASB2007-1386)
In vitro CHO/HPRT assay, Chinese hamster ovary cells	Negative (+/- S9)		(Béres, 2004 ASB2007-1387)
In vivo Mouse Micronucleus test, CRL:NMRI BR Mice	Negative	Dose range tested: 100-1000 µg/kg bw	(Béres, 2004 ASB2007-1388)

4.9.1.1 In vitro data

2,5-DCBME was negative in the bacterial reverse mutation assay using histidine-requiring auxotroph strains of Salmonella typhimurium (TA 98, TA 100, TA 1535, TA 1537 strains) and the tryptophan-requiring auxotroph strain of Escherichia coli (WP2, uvrA strain) (Vértesi, 2004 ASB2007-1385). No clastogenic effects were seen in an in vitro chromosome aberration test using chinese hamster ovary cells (Béres, 2004 ASB2007-1386). 2,5-DCBME did not induce mutagenic effects in the CHO-HPRT forward mutation assay (Béres, 2004 ASB2007-1387).

4.9.1.2 In vivo data

No mutagenic effects were induced in the mouse micronucleus test in vivo (Béres, 2004 ASB2007-1388).

4.9.2 Human information

No relevant information is available.

4.9.3 Other relevant information

No other relevant information is available.

4.9.4 Summary and discussion of mutagenicity

2,5-DCBME was devoid of any mutagenic activity in in vitro and in vivo test systems.

4.9.5 Comparison with criteria

The results of the in vitro as well as the in vivo studies demonstrated, that 2,5-DCBME has no mutagenic or clastogenic potential.

4.9.6 Conclusions on classification and labelling

Classification and labelling is not required.

4.10 Carcinogenicity

4.10.1 Non-human information

There are no relevant data.

4.10.1.1 Carcinogenicity: oral

There are no relevant data.

4.10.1.2 Carcinogenicity: inhalation

There are no relevant data.

4.10.1.3 Carcinogenicity: dermal

There are no relevant data.

4.10.2 Human information

There are no relevant data.

4.10.3 Other relevant information

There are no other relevant data.

4.10.4 Summary and discussion of carcinogenicity

There are no relevant data to discuss.

4.10.5 Comparison with criteria

There are no relevant data to compare with criteria.

4.10.6 Conclusions on classification and labelling

No conclusion can be drawn on classification and labelling.

4.11 Toxicity for reproduction

4.11.1 Effects on fertility

4.11.1.1 Non-human information

There are no relevant data.

4.11.1.2 Human information

There are no relevant data.

4.11.2 Developmental toxicity

4.11.2.1 Non-human information

There are no relevant data.

4.11.2.2 Human information

There are no relevant data.

4.11.3 Other relevant information

There are no other relevant data.

4.11.4 Summary and discussion of reproductive toxicity

There are no relevant data to discuss.

4.11.5 Comparison with criteria

There are no relevant data to compare with criteria.

4.11.6 Conclusions on classification and labelling

No conclusion can be drawn on classification and labelling.

4.12 Other effects

4.12.1 Non-human information

4.12.1.1 Neurotoxicity

No neurotoxicity studies have been performed.

4.12.1.2 Immunotoxicity

There are no relevant data to discuss.

4.12.1.3 Specific investigations: other studies

No special investigations have been performed.

4.12.1.4 Human information

No information is available.

4.12.2 Summary and discussion

No data are available to discuss.

4.12.3 Comparison with criteria

There are no relevant data to compare with criteria.

4.12.4 Conclusions on classification and labelling

No conclusion can be drawn on classification and labelling.

5 ENVIRONMENTAL HAZARD ASSESSMENT

The environmental fate properties assessment for Methyl 2,5-dichlorobenzoate is based on the Draft Assessment Report and Proposed Decision of Germany prepared in the context of the inclusion of Methyl 2,5-dichlorobenzoate in Annex I of Council Directive 91/414/EEC (DAR June 2007 + Final addendum June 2008; Anonymous, 2008).

5.1 Degradation

The stability of Methyl 2,5-dichlorobenzoate was studied in hydrolysis and photolysis tests in water. The photo-chemical oxidative degradation in air was also studied. The results are summarised in Table 18. Studies on the environmental fate and behaviour of Methyl 2,5-dichlorobenzoate are not available.

Table 18: Summary of relevant information on degradation

Method	Results	Remarks	Reference
Hydrolysis rate of purified active substance - EEC C7 [Test 1 and test 3]	Measured: pH 4: 231 h (50°C) pH 7: 79 h (50°C) pH 9: 1.6 h (50°C) Calculated: pH 4: 686 h (25°C) pH 7: 389 h (25°C) pH 9: 8.8 h (25°C)		Dardemann, 2006 CHE2006-1418, CHE2006-1419 Dardemann, 2007 1691654 Statem., 1691664 Amend.
Direct photolysis in water - OECD Draft Document (August 2000) Direct photolysis rate constants estimated in near surface clear natural water at latitude 50° N:	k_d : 1.160×10^{-3} 1/h DT_{50} : 24.9 d quantum yield: 6.017×10^{-7} (Φ_{chem}) Photolysis rate constant k_d : spring: 2.318×10^{-4} 1/h summer: 3.489×10^{-4} 1/h fall: 1.174×10^{-4} 1/h winter: 5.283×10^{-5} 1/h DT_{50} : spring: 125 d summer: 83 d fall: 246 d winter: 547 d		Lange, 2006 CPP106132
Photo-chemical oxidative degradation in air - Atkinson (AOPWIN-software version 1.90)	Atmospheric DT_{50} : 46.3 d		(Anonymous, 2008)

5.1.1 Stability

Hydrolysis

Under sterile aqueous conditions, at temperatures of 50°C, hydrolysis rates of Methyl 2,5-dichlorobenzoate were found to be 231 h, 79 h and 1.6 h at pH 4, 7 and 9, respectively. The study was performed according to Directive 67/548/EEC Annex V, Method C.7 with Methyl 2,5-

dichlorobenzoate dissolved in sterile buffers at a nominal concentration of approximately 43 mg/L (Dardemann, 2006, CHE2006-1418, CHE2006-1419). In an amendment to the hydrolysis study the DT₅₀ values at 25°C were calculated to be 686 h, 389 h and 8.8 h at pH 4, pH 7 and pH 9, respectively (Dardemann, 2007, 1691664). According to the statement of Dardemann (2007, 1691654) Methyl 2,5-dichloro-benzoate do not form ions but rather hydrolyses, therefore the products of hydrolyses are 2,5-dichloro-benzoic acid and methanol.

Photolysis in water

The direct photolysis rate constant k_d and the DT₅₀ value of Methyl 2,5-dichlorobenzoate under laboratory conditions were determined to be 1.160×10^{-3} 1/h (k_d) and 24.9 days (DT₅₀), respectively. The quantum yield of the test item was 6.017×10^{-7} (Φ_{chem}). Direct photolysis rate constants and half lives for clear natural water during spring, summer, fall and winter at latitude 50° N were estimated based on the laboratory data resulting in DT₅₀ values of 125 d, 83 d, 246 d and 547 d, respectively (Lange, 2006, CPP106132).

Photolysis in soil

No data are available.

Photo-oxidative degradation in air

Based on an overall OH reaction rate of 0.3463×10^{-12} cm³/molecule-sec obtained by addition reactions to aromatic rings of Methyl 2,5-dichlorobenzoate and hydrogen abstraction, and assuming a 12-hours-day with an OH radical concentration of 1.5×10^6 OH radicals/cm³, the half-life of Methyl 2,5-dichlorobenzoate in air was calculated to be 46.3 days using the AOPWIN-software version 1.90 (Frauen, 2001, LUF2002-17). The estimation was principally confirmed by a further worst case simulation performed by the reporting member state assuming a 24-hours-day with an OH radical concentration of 5×10^5 OH radicals/cm³ which results in a DT₅₀ value of 46.3 d (Anonymous, 2008). Therefore the potential for long range atmospheric transport is an intrinsic property of the substance.

5.1.2 Biodegradation

5.1.2.1 Biodegradation estimation

No data are available.

5.1.2.2 Screening tests

No data are available.

5.1.2.3 Simulation tests

No data are available.

5.1.3 Summary and discussion of degradation

Not relevant.

5.2 Environmental distribution

5.2.1 Adsorption/Desorption

No data are available.

5.2.2 Volatilisation

The vapour pressure of Methyl 2,5-dichlorobenzoate was determined using MINIVAP automatic vapour pressure tester according to the EEC Directive 92/69 Annex V Part A.4 (1992) resulting in 0.32 kPa at 20 °C and 0.37 kPa at 25 °C, respectively (Kiss, 2006, 06/148-323AN). Therefore Methyl 2,5-dichlorobenzoate was determined to be a highly volatile compound.

5.2.3 Distribution modelling

No data are available.

5.3 Aquatic Bioaccumulation

No data are available.

5.4 Aquatic toxicity

The acute toxicity to aquatic organisms was studied on fish, daphnia and algae. All submitted studies were evaluated as not valid in the Draft Assessment Report and Proposed Decision of Germany prepared in the context of the inclusion of Methyl 2,5-dichlorobenzoate in Annex I of Council Directive 91/414/EEC (DAR June 2007 + Final addendum June 2008; Anonymous, 2008). A classification and labelling of the active substance based on the available data for aquatic toxicity is not possible. The data however reveal acute toxicity of the substance, therefore a worst case classification and labelling is proposed.

Table 19: Summary of relevant information on aquatic toxicity

Method	Results	Remarks	Reference
--------	---------	---------	-----------

Fish – acute toxicity to <i>Brachydanio rerio</i> - OECD Guideline for Testing of Chemicals No. 203	EC _{50(96h)} : 30.66 mg/L (nom)	Not valid	(Anonymous, 2008)
Invertebrates – acute toxicity to <i>Daphnia magna</i> - OECD Guideline for Testing of Chemicals No. 202	EC _{50(48h)} : 7.5 mg/L (nom)	Not valid	(Anonymous, 2008)
Algae – acute toxicity to <i>Pseudokirchneriella subcapitata</i> - OECD Guideline for Testing of Chemicals No. 201	E _y C _{50(72h)} : 10.49 mg/L E _r C _{50(72h)} : 12.53 mg/L NOEC: 1.4 mg/L	Not valid	(Anonymous, 2008)

5.4.1 Fish

5.4.1.1 Short-term toxicity to fish

To determine the acute toxicity of Methyl 2,5-dichlorobenzoate (purity 99.25 % w/w, specification: batch No.: 370103) to zebra danio the test substance was weighed individually, ultrasonicated for 30 minutes in 1 L of the exposure medium and was transferred and mixed in the respective aquaria the required concentrations. Ten fish were exposed to 8, 14, 23, 39 and 67 mg/L (nom) in whole glass aquaria (10 L) for 96 hours under static conditions. The real measured concentrations at the beginning of the test (0 hours) were 7.62, 22.53 and 65.72 mg/L, respectively. After 96 hours the active substance was not detectable. Control group was maintained with ten fish in water for 96 hours. The environmental conditions were: pH 7.75 – 8.6 temperature 21.2 – 21.6 °C, dissolved oxygen concentration 69 – 89 % and a photoperiod of 12 h dark and 12 h light. After approximately 24, 48 and 96 hours the fish in each test vessel were observed for mortality and adverse effects (behaviour and appearance). Fish were considered dead if they produced no reactions when touched on the caudal peduncle. LC₅₀ (50% lethal concentration) for test substance was estimated at 24, 48, 72 and 96 hours after exposure by cumulative mortality. LC₅₀ for reference substance was determined by Finney's probit analysis (Finney, 1971) using a software NCSS (2000). Based upon the above mortality data, the LC₅₀ of Methyl 2,5-dichlorobenzoate at 24, 48, 72 and 96 h were determined as 43.12, 34.27, 30.66 and 30.66 mg/L, respectively. As the test substance hydrolysed the reported LC₅₀ of Methyl 2,5-dichlorobenzoate was based on the tested nominal concentrations. (Rajini, 2007, 1690641)

Evaluation of the study: The test substance is rapidly degraded in water by hydrolysis. Therefore it was not detectable after 96 hours by the described analytical method. The concentration of the test substance in the different test vessels was measured only twice (after 0 and 96 hours) and only for three of the five concentrations. No LOQ and LOD of the analytical test method were given. Therefore it is not possible to calculate reasonable LC₅₀ values based on real concentrations according to the OECD guidance document No. 23. In general, the wrong test system was chosen in this case. For substances being rapidly degraded a flow through test or at least a semi static test is appropriate. Overall the submitted study is considered to be not acceptable. (Anonymous, 2008)

5.4.1.2 Long-term toxicity to fish

No data are available.

5.4.2 Aquatic invertebrates

5.4.2.1 Short-term toxicity to aquatic invertebrates

To determine the acute toxicity of Methyl 2,5-dichlorobenzoate (purity 99,25 % w/w, specification: batch No.: 370103) to *Daphnia magna*, the test substance was diluted with dilution water to prepare a stock solution and ultrasonicated for 30 minutes. From this stock, appropriate volumes were transferred to the exposure medium to obtain the required concentration. Test organisms were exposed over a period of 48 hours. The test was performed in glass vessels under static conditions. Per test substance concentration four replicates (= for glass vessels) were set up with each test vessel containing five daphnids. The nominal test substance concentrations were 0.0 (control), 2, 3.6, 6.5, 11.7 and 21 mg/L. The environmental conditions were: pH 7.0 - 8.3, total hardness as (CaCO₃) 246 mg/L, conductivity 653 – 696 µS/cm, temperature 19.3 – 20.1 °C, dissolved oxygen concentration 81,4 – 96,3 % and a photoperiod of 8 h dark and 16 h light. Immobilisation was recorded after 48 h and the concentration immobilising 50 % of daphnids (EC₅₀) was calculated by Finney`s Probit analysis. The 48 hours EC₅₀ Methyl 2,5-dichlorobenzoate for *Daphnia magna* was calculated as 7.5 mg/L (nom) and the fiducial limits to EC₅₀ were calculated as 6.63 to 8.37 mg/L. As the test substance hydrolysed, the reported EC₅₀ of Methyl 2,5-dichlorobenzoate based on tested nominal concentrations. (Gopi, 2007, 1690980)

Evaluation of the study: The test substance is rapidly degraded in water by hydrolysis. Therefore it was not detectable after 96 hours by the described analytical method. The concentration of the test substance in the different test vessels was measured only twice (after 0 and 96 hours) and only for three of the five concentrations. No LOQ and LOD of the analytical test method were given. Therefore it is not possible to calculate reasonable LC50 values based on real concentrations according to the OECD guidance document No. 23. In general, the wrong test system was chosen in this case. For highly volatile a flow through test or at least a semi static test is appropriate according to the OECD guidance document No. 23. Overall the submitted study is considered to be not acceptable. (Anonymous, 2008)

5.4.2.2 Long-term toxicity to aquatic invertebrates

No data are available.

5.4.3 Algae and aquatic plants

To determine the acute toxicity of Methyl 2,5-dichlorobenzoate (purity 99,25 % w/w, specification: batch No.: 370103) to green alga *Pseudokirchneriella subcapitata* (alga stock culture maintained at IIBAT, primary culture supplied by Marincio Bioassay laboratory, USA), 20 mg of the test substance was mixed with 250 mL of OECD medium (TG 201) and kept under ultra sonicator for 30 min in order to prepare a stock solution (80 mg/L). After pH adjustment the test substance stock solution was diluted with OECD medium (TG 201) and transferred into sterile 250 mL Erlenmeyer flasks with a final volume of 100 mL per replicate. The study was conducted at 0.0 (control), 0.8, 1.4, 2.6, 4.6, 8.3, and 15 mg/L (nominal) of Methyl 2,5-dichlorobenzoate in test medium with three replications per test concentration and six replications for control. The control and treated flasks were inoculated with *P. subcapitata* from pre-culture to obtain an initial cell concentration of 1 x 10⁴ cells/mL. The test organisms were exposed over a period of 72 hours. The environmental conditions tests were: The inoculated flasks were kept in a shaker incubator and maintained with continuous illumination of 6930 - 7450 lux light intensity at 22.0 - 23.1 °C and pH 7.37 and 8.09. The cell counts of *P. subcapitata* (cells/mL) were visually counted using an Improved Neubaur`s

Haemocytometer at 24, 48 and 72 hours after inoculation. The concentrations of test substance inhibiting the growth and the resulting EyC_{50} and ErC_{50} were determined using regression equations. The EyC_{50} was calculated using the regression equation of $\ln Y = a + b \ln X$ (Y = percent growth inhibition, X = natural log of the concentration of Methyl 2,5-dichlorobenzoate (mg/L), (a = intercept, b = slope). The ErC_{50} was calculated using the regression equation of $\ln Y = a + b \ln X$ (Y = log percent inhibition, X = natural log of the concentration of Methyl 2,5-dichlorobenzoate (mg/L), (a = intercept, b = slope). The NOEC was determined by Duncan's Multiple Comparison Test.

The final cell count in the control flasks at 72 hours was 960000 cells/mL. The cells of *Pseudokirchneriella subcapitata* were increased by approx. 96 times at the end of 72 hours. The nominal 0.8, 4.6, 8.3 and 15 mg/L test concentrations were verified at the initiation and completion of the test. The measured test concentrations at test initiation were 0.77, 4.52, 14.84 mg/L, respectively. The measured test concentrations at test completion after 72 hours were found to be not detectable. The maximum growth inhibition of yield was 99,65 % at 15.0 mg/L of Methyl 2,5-dichlorobenzoate and the minimum was 0.35 % at 0.8 mg/L of Methyl 2,5-dichlorobenzoate. The EyC_{50} (0-72 h) calculated using regression analysis (log concentration vs percent growth inhibition) was 10.49 mg/L. Maximum percent inhibition of specific growth rate was 93.70 % at 15.0 mg/L of Methyl 2,5-dichlorobenzoate and the minimum was 0.08 % at 0.8 mg/L of. The ErC_{50} (0 – 72 h) calculated using regression analysis (log concentration vs. log percent inhibition of the specific growth rate) was 12.53 mg/L.

The results of the study showed that Methyl 2,5-dichlorobenzoate at various concentrations has inhibitory effects on yield and specific growth rate of *Pseudokirchneriella subcapitata*. The EyC_{50} (0-72 h) and the ErC_{50} (0 – 72 h) of Methyl 2,5-dichlorobenzoate were found to be 10.49 mg/L and 12.53 mg/L, respectively. The NOEC of Methyl 2,5-dichlorobenzoate was calculated as 1.4 mg/L for yield and growth rate. (Ayyappan, 2007, 1690981)

Evaluation of the study: The test substance was not detectable after 96 hours by the described analytical method. This is probably caused by hydrolysis of the substance. As the Henrys law constant of Methyl 2,5-dichlorobenzoate is 1,63 Pa*m³/mol and the Erlenmeyer flasks are shaken during the algae study losses due to volatilisation may become significant (for substances with Henry's law constants of 1-10 Pa*m³/mol) according the OECD guidance document No. 23. The concentration of the test substance in the different test vessels was measured only twice (after 0 and 96 hours) and only for three of the five concentrations. No LOQ and LOD of the analytical test method were given. Therefore it is not possible to calculate reasonable LC_{50} values based on real concentrations according to the OECD guidance document No. 23. The statistical determination of EC_{50} and NOEC values was not conducted according the recommendations of the OECD Guideline No. 201 (Probit-/Weibull – Analysis and Dunett's/Williams, respectively). Additionally the information about the 95 % confidence interval was not mentioned. Overall the submitted study is considered to be not acceptable. (Anonymous, 2008)

5.4.4 Other aquatic organisms (including sediment)

No data are available.

5.5 Comparison with criteria for environmental hazards (sections 5.1 – 5.4)

In aquatic toxicity studies acute EC_{50} value for aquatic invertebrates was obtained at nominal methyl 2,5 dichlorobenzoate concentration of 7.5 mg/L. The real concentration of test substance was not determined, but is presumably much lower (< 1 mg/L). There are no results of long- term toxicity studies for algae, invertebrates, fish and sediment dwelling organisms.

There are no data (screening or simulation tests) to assess whether methyl 2,5 dichlorobenzoate is readily biodegradable or not. Considering the results of hydrolysis and photolysis, methyl 2,5 dichlorobenzoate is considered not rapidly biodegradable (a degradation of >70% degradation within 28 days) for purposes of classification and labelling.

Methyl 2,5 dichlorobenzoate has a log Kow of 3.46. There are not experimentally derived BCF values. The log Kow is above the trigger of 3 (criterion for bioaccumulating potential conform Directive 67/548/EEC) for not rapidly biodegradable substances but is not above the trigger of 4 (criterion for bioaccumulating potential conform Regulation EC 1272/2008) for not rapidly biodegradable substances.

5.6 Conclusions on classification and labelling for environmental hazards (sections 5.1 – 5.4)

Conclusion of environmental classification according to Directive 67/548/EEC

Methyl 2,5 dichlorobenzoate fulfils the criteria for classification with N; R50-53.

Based on the lowest nominal toxicity data for *Daphnia magna* (EC50 = 7.5 mg/L) in a 48-h static study the following specific concentration limits should be applied:

Concentration	Classification
$C \geq 25\%$	N; R50-53
$2.5\% \leq C < 25\%$	N; R51-53
$0.25\% \leq C < 2.5\%$	R52-53

where C is the concentration of Methyl 2,5 dichlorobenzoate in the preparation

Conclusion of environmental classification according to Regulation EC 1272/2008

Methyl 2,5 dichlorobenzoate fulfils the criteria for classification as aquatic environmental hazard acute category 1, H400 and aquatic environmental hazard chronic category 1, H410.

The M-factor is 1, based on the lowest nominal acute toxicity data for *Daphnia magna* (EC50 = 7.5 mg/L) in a 48-h static study.

6 OTHER INFORMATION

7 REFERENCES

- Ayyappan, S. (2007): Effect of Methyl 2,5-dichlorobenzoate on the growth of green alga *Pseudokirchneriella subcapitata*; document number(s): 07003 ; document date: 2007-07-27; BVL document number: 1690981
- Anonymous, (2008): European Commission. Draft Assessment Report 2,5-Dichlorobenzoic acid methylester, prepared by Germany, final addendum of August 2008
- Béres, E. (2004): Testing of 2,5-DCBME with CHO HPRT assay; document number(s): 04/842-015C; document date: 2004-08-24; BfR document number: ASB2007-1387

- Béres, E. (2004): Testing of 2,5-DCBME with in vitro mammalian chromosome aberration test; document number(s): 04/842-020C; document date: 2004-10-15; BfR document number: ASB2007-1386
- Béres, E. (2004): Testing of mutagenic effect of test item 2,5-DCBME by mouse micronucleus test; document number(s): 04/842-013E; document date: 2004-09-20; BfR document number: ASB2007-1388
- Dardemann, J. (2006): Determination of the Hydrolysis of Methyl 2,5-dichlorobenzoate; document number(s): 70190-PC-052A; document date: 2006-05-22; Doc ID CHE2006-1418, CHE2006-1419
- Dardemann, J. (2007): Statement: Requests from the authorities on some physical and chemical properties Methyl 2,5-dichlorobenzoate; document date: 2007-07-10; BVL document number: 1691654
- Dardemann, J. (2007): Amendment to Final Report AB 70190-PC-052A - Determination of the Hydrolysis of Methyl 2,5-dichlorobenzoate; document date: 2007-09-12; BVL document number: 1691664
- Dickhaus, S. and Heisler, E. (1982): Acute toxicological study of Dichlorbenzoesäuremethylester after dermal application to the rat; document number(s): 1-4-88-81; document date: 1982-08-01; BfR document number: TOX2002-546
- Dickhaus, S. and Heisler, E. (1982): Acute toxicological study of Dichlorbenzoesäuremethylester after oral application to the mouse; document number(s): 1-1-86-81; document date: 1982-08-01; BfR document number: TOX2002-545
- Dickhaus, S. and Heisler, E. (1982): Acute toxicological study of Dichlorbenzoesäuremethylester after oral application to the rat; document number(s): 1-4-85-81; document date: 1982-08-01; BfR document number: TOX2002-544
- Dickhaus, S. and Heisler, E. (1982): Irritant effects of Dichlorbenzoesäuremethylester on rabbit eye; document number(s): 1-3-89-81; document date: 1982-08-01; BfR document number: TOX2002-548
- Dickhaus, S. and Heisler, E. (1982): Irritant effects of Dichlorbenzoesäuremethylester on rabbit skin; document number(s): 1-3-90-81; document date: 1982-08-01; BfR document number: TOX2002-547
- Ferser-Zügner, W. (2004): Dichlorobenzoic acid methyl ester: Absorbtion, distribution, metabolism and excretion (ADME) - Study in rats according to OECD guideline 417; document number(s): A6M 04-044; document date: 2004-11-15; BfR document number: ASB2007-1336
- Frauen, M. (2001): Methyl-2,5-dichlorobenzoate Estimation of Photo-Chemical Oxidative Degradation; document number(s): 07002; document date: 2001-11-19; BVL document number: LUF2002-17
- Gopi, R.A. (2007): Acute Immobilisation Test with Methyl 2,5-dichlorobenzoate in *Daphnia magna*; document number(s): - ; document date: 2007-07-25; BVL document number: 1690980

- Hirka, G. and Sebestyen, I. (2004): Acute inhalation toxicity study of 2,5 Dichlorbenzoesäuremethylester (2,5 DCBME) in rats; document number(s): 04/922-004P; document date: 2004-11-26; BfR document number: ASB2007-1347
- Kiss, G. (2006): Determination of the vapour pressure of Methyl-2,5-dichlorobenzoate; document number(s): 06/148-323AN; document date: 2006-04-04; BVL document number: -
- Leuschner, J. (2004): 2-week dose range-finding study for a 28-day subchronic oral toxicity study of 2,5 Dichlorobenzoic acid methyl ester in rats; document number(s): 16897/03; document date: 2004-07-12; BfR document number: ASB2007-1381
- Leuschner, J. (2004): 28-day subchronic oral toxicity study of 2,5 Dichlorobenzoic acid methyl ester in rats; document number(s): 16840/03; document date: 2004-05-24; BfR document number: ASB2007-1382
- Lange, J. (2006): Methyl 2,5-dichlorobenzoate - Phototransformation of Chemicals in Water - Direct Photolysis; document number(s): CPP106132; document date: 2006-08-11; BVL document number: -
- Rajini, A. Chittibabu (2007): Acute Toxicity Study of Methyl 2,5-dichlorobenzoate to Freshwater Fish, *Brachydanio rerio*; document number(s): 07001 ; document date: 2007-07-25; BVL document number: 1690641
- Stahl, J. (2005): Skin sensitization study of test item 2,5 DCBME in guinea pigs by Magnusson-Kligman method; document number(s): 04/922-104T; document date: 2005-01-25; BfR document number: ASB2007-1376
- Vértesi, A. (2004): For the testing of 2,5-DCBME with Bacterial reverse mutation assay; document number(s): 04/842-007M; document date: 2004-09-27; BfR document number: ASB2007-1385

8 ANNEXES