

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

Detrans HPC3

Product type(s)

PT18: Insecticides, acaricides and products to control other arthropods

Authorisation number: IE/BPA 70384

R4BP asset number: IE-0011027-0000

1. ADMINISTRATIVE INFORMATION	3
1.1. Trade name(s) of the product	3
1.2. Authorisation holder	3
1.3. Manufacturer(s) of the product	3
1.4. Manufacturer(s) of the active substance(s)	3
2. PRODUCT COMPOSITION AND FORMULATION	5
2.1. Qualitative and quantitative information on the composition of the product	5
2.2. Type(s) of formulation	5
3. HAZARD AND PRECAUTIONARY STATEMENTS	6
4. AUTHORISED USE(S)	7
4.1. Use description	7
4.2. Use description	8
4.3. Use description	9
5. GENERAL DIRECTIONS FOR USE	10
5.1. Instructions for use	10
5.2. Risk mitigation measures	10
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	10
5.4. Instructions for safe disposal of the product and its packaging	10
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	10
6. OTHER INFORMATION	12

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	Detrans HPC3 Raid® Bug Defence Raid® Bug Defense HOME DEFENCE ANT-STOP! GUN
---------------	--

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Sumitomo Chemical Agro Europe SAS
	Address	10A, rue de la Voie Lactée 69370 Saint Didier au Mont d'Or France
Authorisation number		IE/BPA 70384
<i>R4BP asset number</i>		IE-0011027-0000
Date of the authorisation		15/04/2024
Expiry date of the authorisation		22/04/2032

1.3. Manufacturer(s) of the product

Name of manufacturer	Denka International b.v.
Address of manufacturer	P.O. Box 337 3370 AH Barneweld Netherlands (the)
Location of manufacturing sites	Denka International b.v. site 1 Denka International b.v. 3370 AH Barneweld Netherlands (the)

Name of manufacturer	S.C. Johnson Europlant B.V.
Address of manufacturer	Groot Mijdrechtstraat 81 3641 RV Mijdrecht Netherlands (the)
Location of manufacturing sites	S.C. Johnson Europlant B.V. site 1 S.C. Johnson Europlant B.V., Groot Mijdrechtstraat 81 3641 RV Mijdrecht Netherlands (the)

Name of manufacturer	Evergreen Garden Care France
Address of manufacturer	4 Allées des Sequoias 69760 Limonest France
Location of manufacturing sites	Evergreen Garden Care France site 1 Usine de Fourneau 27580 Bourth France

1.4. Manufacturer(s) of the active substance(s)

Active substance	deltamethrin
Name of manufacturer	Bayer CropScience AG (Art. 95 list: Bayer S.A.S.)
Address of manufacturer	Alfred-Nobel-Strasse 50 40789 Monheim am Rhein Germany

Location of manufacturing sites

Bayer CropScience AG (Art. 95 list: Bayer S.A.S.) site
1

Bilag Industries Pvt Ltd, 304/2, II Phase, GIDC, Vapi,
396 195 Gujarat India

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
deltamethrin	(S)-a-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethylcyclopropane carboxylate	active substance	52918-63-5	258-256-6	0,03

2.2. Type(s) of formulation

AL Any other liquid

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects. EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.
Precautionary statements	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of contents to and / or its container as hazardous waste according to the regulations in force.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Use # 1- Cockroaches, crack and crevices and surfaces not regularly cleaned- General public.

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Insecticide against crawling insects (cockroaches) for domestic premises.
Target organism(s) (including development stage)	Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults
Field(s) of use	indoor use Crack and crevices and surface not regularly cleaned.
Application method(s)	Method: Trigger spray Detailed description: Spray from a distance of 30 cm (1 trigger spray pull = 0.9g) at the rate of 41 g/m ² . (i.e 46 trigger spray pull/m ²)
Application rate(s) and frequency	Application Rate: 41 g/m ² Dilution (%): . Number and timing of application: Use maximum up to 2 application per year
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Bottle with trigger spray of 500 mL, 750 mL and up to 1L

4.1.1. Use-specific instructions for use

Residual activity will be effective up to 3 months.

The knockdown is reached after 2 h and mortality after 24h – 72h on surfaces and after 7 days in cracks and crevices.

Apply the product preferably on non-porous surfaces (that is, in ceramic, glass, metal or plastics surfaces).

See directions for use

4.1.2. Use-specific risk mitigation measures

The product has to be applied only on restricted areas on surfaces not regularly cleaned, for example behind or under the fridge, under the oven or the water heater, in all cracks and crevices that can be a harbourage for cockroaches.

See directions for use

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See directions for use

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.2. Use description

Table 2. Use # 2 - Flies Indoor, spot treatment to a surface

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Insecticide against flies for domestic premises.
Target organism(s) (including development stage)	Scientific name: <i>Musca domestica</i> Common name: house fly Development stage: adults
Field(s) of use	indoor use Spot application to a surface.
Application method(s)	Method: Trigger spray Detailed description: Spray from a distance of 30 cm (1 trigger spray pull = 0.9g) at the rate of 41 g/m ² . (i.e 46 trigger spray pull/m ²)
Application rate(s) and frequency	Application Rate: 41 g/m ² Dilution (%): . Number and timing of application: Use maximum up to 2 application per year
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Bottle with trigger spray of 500 mL, 750 mL and up to 1L

4.2.1. Use-specific instructions for use

Residual activity will be effective up to 2 months.

The knockdown is reached after 6-24 h and mortality after 24 hours.

See directions for use

4.2.2. Use-specific risk mitigation measures

The product has to be applied only in restricted areas inaccessible to children and pets (particularly cats), on surfaces not regularly wet cleaned, such as: window and door frames and walls (in localized resting areas where flies may rest)

See directions for use

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See directions for use

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

4.3. Use description

Table 3. Use # 3 – Ants, surfaces not regularly cleaned

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Insecticide against ants for domestic premises.
Target organism(s) (including development stage)	Scientific name: <i>Lasius niger</i> Common name: Black ants Development stage: adults
Field(s) of use	indoor use Surfaces not regularly cleaned.
Application method(s)	Method: Trigger spray Detailed description: Spray from a distance of 30 cm (1 trigger spray pull = 0.9g) at the rate of 41 g/m ² . (i.e 46 trigger spray pull/m ²)
Application rate(s) and frequency	Application Rate: 41 g/m ² Dilution (%): . Number and timing of application: Use maximum up to 2 application per year
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Bottle with trigger spray of 500 mL, 750 mL and up to 1L

4.3.1. Use-specific instructions for use

Apply the product on non-porous surfaces (that is, in ceramic, glass, metal or plastic surfaces).

Residual activity up to 2 months.

For ants, knockdown is reached at 6 hours and mortality at 48 hours.

See directions for use

4.3.2. Use-specific risk mitigation measures

The product has to be applied only on restricted areas on surfaces not regularly cleaned, for example behind or under the fridge, under the oven or the water heater.

See directions for use

4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See directions for use

4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

See directions for use

4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See directions for use

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Always read the label or leaflet before use and respect all the instructions provided.

Ready-to-use product with trigger spray. Shake well before use to deliver adequate amount of insecticide. Test in an inconspicuous area before applying.

Do not direct the spray up into the air or directly onto the insects.

Hold the product in an upright position and spray onto surfaces from a distance of about 30 cm.

Clean the excess of the product after the treatment with a moistened disposable wipe.

Carefully clean the rooms before treatment.

Apply on infested area only.

If the infestation persists, contact a professional.

Re-treat in case of new infestation without exceeding the maximum number of treatment authorized per year.

Avoid continuous use of the product.

Inform the authorisation holder if the treatment is ineffective.

5.2. Risk mitigation measures

Do not use the product more than 2 times per year.

Do not breathe spray.

Avoid contact with skin. In case of contact with skin wash immediately with plenty of soap and water without rubbing.

Keep cats away from treated surfaces. Due to their particular sensitivity to deltamethrin, the product can cause severe adverse reactions in cats.

Remove or cover terrariums, aquariums and animal cages before application. Turn off aquarium air-filter while spraying.

Keep out of reach of children and pets.

Keep uninvolved persons, children and pets away from treated surfaces/areas until dried.

Do not spray onto people and pets.

Do not use/apply directly on or near food, feed or drinks, or on surfaces or utensils likely to be in direct contact with food, feed, drinks and animals.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED:

If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED:

If symptoms occur call a POISON CENTRE or a doctor.

IF ON SKIN:

Take off all contaminated clothing and wash it before reuse. Wash skin with water. If skin irritation or rash occur: Get medical advice.

IF IN EYES:

If symptoms occur rinse with water. Remove contact lenses, if present and easy to do. Call a POISON CENTRE or a doctor.

Pyrethroids may cause paresthesia (burning and prickling of the skin without irritation). If symptoms persist: Get medical advice.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTER

5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product and other waste generated during the treatment are considered hazardous waste. Eliminate those wastes in accordance with current regulations.

Do not release to soil, ground, surface water or any kind of sewer.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep out of reach of children and non-target animals/pets.

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

Do not store near food, drink and feed.
Protect from freezing and direct sunlight.
Keep in original container in a dry and cool place.
Shelf life: 2 years.

6. OTHER INFORMATION

Definitions:

General public (non-professional user): Users who are not professionals and who apply the product in the context of their private life.

This product contains a bittering agent that makes it repulsive to people or pets.

The authorisation holder should report any observed resistance incidents to the Competent Authorities (CA) or other appointed bodies involved in resistance management.