

Rezumatul caracteristicilor produsului pentru un produs biocid

Denumirea produsului: VERTOX PASTA BAIT RED

Tipul (tipurile) de produs (produse): TP 14 - Rodenticide

TP 14 - Rodenticide

TP 14 - Rodenticide

TP 14 - Rodenticide

TP 14 - Rodenticide

TP 14 - Rodenticide

Numărul curent: RO/2019/0064/MRA/ IE/BPA 70509

Numărul curent R4BP 3: RO-0006232-0000

Cuprins

Informații administrative	1
1.1. Denumirea comercială a produsului	1
1.2. Detinatorul autorizației	1
1.3. Producătorul (Producătorii) produselor biocide	1
1.4. Producatorul (producatorii) substanței (substanțelor) active	1
2. Compoziția și formularea produsului	2
2.1. Informații calitative și cantitative despre compoziția produsului biocid	2
2.2. Tipul preparatului	2
3. Frazе de pericol și de precauție	2
4. Utilizare (utilizări) autorizată (autorizate)	3
5. Direcții generale de utilizare	19
5.1. Instrucțiuni de utilizare	19
5.2. Măsuri de reducere a riscurilor	21
5.3. Particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului	21
5.4. Instrucțiuni pentru eliminarea în siguranță a produsului și a ambalajului acestuia	22
5.5. Condiții de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare	22
6. Alte informații	22

Informații administrative

1.1. Denumirea comercială a produsului

VERTOX PASTA BAIT RED, PROKUM PASTA

1.2. Detinatorul autorizației

Numele și adresa detinatorului autorizației	Numele	PelGar International Limited
	Adresa	18 rue des Remparts d'Ainay 69002 Lyon Franța
Numărul curent	RO/2019/0064/MRA/ IE/BPA 70509	
Numărul curent R4BP 3	RO-0006232-0000	
Data autorizației	18/07/2013	
Data de expirare a autorizației	01/07/2024	

1.3. Producătorul (Producătorii) produselor biocide

Numele producatorului	PelGar International Limited
Adresa producătorului	Unit 13, Newman Lane GU34 2QR Alton, Hants Regatul Unit
Adresa locurilor de producție	Unit 13, Newman Lane GU34 2QR Alton, Hants Regatul Unit
	hentschke + sawatzki CHEMISCHE FABRIK GMBH Leinestr. 17 24539 hentschke + sawatzki CHEMISCHE FABRIK GMBH Leinestr. 17 24539 Neumünster Germania

1.4. Producatorul (producatorii) substanței (substanțelor) active

Substanța activă	11 - Brodifacum
Numele producătorului	PelGar International Limited
Adresa producătorului	Unit 13, Newman Lane GU34 2QR Alton, Hants Regatul Unit
Adresa locurilor de producție	Prazska 54 280 02 Kolin Republica Cehă

2. Compoziția și formularea produsului

2.1. Informații calitative și cantitative despre compoziția produsului biocid

Denumirea comună	Denumirea IUPAC	Funcția	Numărul CAS	Numărul CE	Continut (%)
Brodifacum	3-[3-(4'-bromobiphenyl-4-yl)-1,2,3,4-tetrahydro-1-naphthyl]-4-hydroxycoumarin	Substanța activă	56073-10-0	259-980-5	0,005

2.2. Tipul preparatului

RB - Bait (ready for use): paste

3. Fraze de pericol și de precauție

Fraze de pericol	<p>Poate provoca leziuni ale organelor blood în caz de expunere prelungită sau repetată..</p> <p>Poate dăuna fătului.</p>
Fraze de precauție	<p>Procurați instrucțiuni speciale înainte de utilizare.</p> <p>A nu se manipula decât după ce au fost citite și înțelese toate măsurile de securitate.</p> <p>Purtați mănuși de protecție.</p> <p>ÎN CAZ DE expunere sau de posibilă expunere:Consultați medicul.</p> <p>Consultați medicul, dacă nu vă simțiți bine.</p> <p>A se depozita sub cheie.</p>

4. Utilizare (utilizări) autorizată (autorizate)

4.1 Modul de utilizare

Utilizarea 1 - House mice – professionals – indoor

Tipul produsului	TP 14 - Rodenticide
Descrierea exactă a utilizării autorizate, după caz	Not relevant for rodenticides.
Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)	denumirea științifică: Mus musculus denumirea comună: House mouse etapă de dezvoltare: All
Domeniul de utilizare	de interior
Metoda (metodele) de aplicare	Metoda: cerere momeală Descriere detaliată: Ready-to-use bait to be used in tamper-resistant bait stations.
Doza (dozele) și frecvența de aplicare	Frecvența de aplicare: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Diluare (%): 0 Numărul și calendarul de aplicare: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres
Categoria (categoriile) de utilizatori	profesional
Dimensiunile ambalajului și materialul de ambalare	Minimum pack size of 2.5kg*. 10, 12 or 15 g individually packed bait in edible paper tea-bag packed in: - outer PE/PP container (tubs or pails) - PE lined cardboard outer or carton or PE bags in cardboard box - paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, or 20g,) with a heat-sealed lid. The trays are packed in multiples in cardboard outers. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg,

13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, or 20g,). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Pack sizes: 2.5kg, 3kg, 3.5kg, 4. kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

1 or 2 x 10g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Pack sizes:

Multiple mouse boxes within pack:

20g – 144

40g – 72, 96, 120, 144

80g – 32, 48, 60, 72, 96

1 x 12g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

24g – 120, 144

48g – 60, 72, 96, 120, 144

96g – 32, 48, 60, 72, 96

1 x 15g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

Loose paste in PP or PE packs for application by decorator's knife/spatula.

Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.

Cartridges are 50g, 100g, 150g, 200g or 300g.

Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.1.1 Instrucțiuni specifice de utilizare

- The bait stations should be visited at least every 2 to 3 days at the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.

- [When available] Follow any additional instructions provided by the relevant code of best practice.

4.1.2 Măsuri specifice de reducere a riscului de utilizare

None

4.1.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait stations close to water drainage systems, ensure that bait contact with water is avoided.

4.1.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None.

4.1.5 În funcție de modul de utilizare, condițiile de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

None.

4.2 Modul de utilizare

Utilizarea 2 - Rats – professionals – indoor

Tipul produsului	TP 14 - Rodenticide
Descrierea exactă a utilizării autorizate, după caz	Not relevant for rodenticides.
Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)	denumirea științifică: Rattus norvegicus denumirea comună: Brown rat etapă de dezvoltare: All
Domeniul de utilizare	de interior
Metoda (metodele) de aplicare	Metoda: cerere momeală Descriere detaliată: Ready-to-use bait to be used in tamper-resistant bait stations
Doza (dozele) și frecvența de aplicare	Frecvența de aplicare: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres Diluire (%): 0

Numărul și calendarul de aplicare:

10 to 60 g of bait per bait station.

High infestation – 10 to 60g bait in bait stations every 5 metres

Low infestation – 10 to 60g bait in bait stations every 10 metres

Categoria (categoriile) de utilizatori

profesional

Dimensiunile ambalajului și materialul de ambalare

Minimum pack size of 2.5kg*.

10, 12 or 15 g individually packed bait in edible paper tea-bag packed in:

- outer PE/PP container (tubs or pails)

- PE lined cardboard outer or carton or PE bags in cardboard box

- paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer

Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers.

Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

1, 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

90g – 32, 48, 60, 72

120g – 32, 48, 60, 72

180g – 16, 24, 32, 48

1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

10g – 250

20g – 120

30g – 96, 120, 144

40g – 72, 96, 120, 144

50g – 60, 72, 96, 120, 144

60g – 48, 60, 72, 96, 120

80g – 32, 48, 60, 72, 96

90g – 32, 48, 60, 72, 96

100g – 32, 48, 60, 72, 96

120g – 24, 32, 48, 60, 72

150g – 24, 32, 48, 60, 72
160g – 16, 24, 32, 48, 60, 72
200g – 16, 24, 32, 48, 60

Loose paste in PP or PE packs for application by decorator's knife/spatula.
Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.
Cartridges are 50g, 100g, 150g, 200g or 300g.
Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.2.1 Instrucțiuni specifice de utilizare

- The bait stations should be visited only 5 to 7 days after the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.
- [When available] Follow any additional instructions provided by the relevant code of best practice.

4.2.2 Măsuri specifice de reducere a riscului de utilizare

None

4.2.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait stations close to water drainage systems, ensure that bait contact with water is avoided.

4.2.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None

4.2.5 În funcție de modul de utilizare, condițiile de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

None

4.3 Modul de utilizare

Utilizarea 3 - House mice and/or rats – professionals – outdoor around buildings

Tipul produsului	TP 14 - Rodenticide
Descrierea exactă a utilizării autorizate, după caz	Not relevant for rodenticides.
Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)	denumirea științifică: Mus musculus and/or Rattus norvegicus denumirea comună: House mouse/and or Brown rat etapă de dezvoltare: All
Domeniul de utilizare	în aer liber Outdoor around buildings
Metoda (metodele) de aplicare	Metoda: cerere momeală Descriere detaliată: Ready-to-use bait to be used in tamper-resistant bait stations.
Doza (dozele) și frecvența de aplicare	Frecvența de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres Diluare (%): 0 Numărul și calendarul de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres
Categoria (categoriile) de utilizatori	profesional
Dimensiunile ambalajului și materialul de ambalare	Minimum pack size of 2.5kg*. 10, 12 or 15 g individually packed bait in edible paper tea-bag packed in: - outer PE/PP container (tubs or pails) - PE lined cardboard outer or carton or PE bags in cardboard box - paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg,

13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg

1 or 2 x 10g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Pack sizes:

Multiple mouse boxes within pack:

20g – 144

40g – 72, 96, 120, 144

80g – 32, 48, 60, 72, 96

1 x 12g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

24g – 120, 144

48g – 60, 72, 96, 120, 144

96g – 32, 48, 60, 72, 96

1 x 15g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

1, 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

90g – 32, 48, 60, 72

120g – 32, 48, 60, 72

180g – 16, 24, 32, 48

1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamper-proof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

10g – 250

20g – 120

30g – 96, 120, 144

40g – 72, 96, 120, 144

50g – 60, 72, 96, 120, 144

60g – 48, 60, 72, 96, 120

80g – 32, 48, 60, 72, 96

90g – 32, 48, 60, 72, 96

100g – 32, 48, 60, 72, 96

120g – 24, 32, 48, 60, 72

150g – 24, 32, 48, 60, 72

160g – 16, 24, 32, 48, 60, 72

200g – 16, 24, 32, 48, 60

Loose paste in PP or PE packs for application by decorator's knife/spatula.

Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.

Cartridges are 50g, 100g, 150g, 200g or 300g.

Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.3.1 Instrucțiuni specifice de utilizare

- Protect bait from the atmospheric conditions (e.g. rain, snow, etc.). Place the bait stations in areas not liable to flooding.
- The bait stations should be visited [for mice - at least every 2 to 3 days at] [for rats - only 5 to 7 days after] the beginning of the treatment and at least weekly afterwards, in order to check whether the bait is accepted, the bait stations are intact and to remove rodent bodies. Re-fill bait when necessary.
- Replace any bait in a bait station in which bait has been damaged by water or contaminated by dirt.
- [When available] Follow any additional instructions provided by the relevant code of best practice.

4.3.2 Măsuri specifice de reducere a riscului de utilizare

Do not apply this product directly in the burrows.

4.3.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait stations close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.3.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None

4.3.5 În funcție de modul de utilizare, condițiile de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

None

4.4 Modul de utilizare

Utilizarea 4 - House mice and/or rats – trained professionals – indoor

Tipul produsului

TP 14 - Rodenticide

Descrierea exactă a utilizării autorizate, după caz

Not relevant for rodenticides.

Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)

denumirea științifică: Mus musculus and/or Rattus norvegicus
denumirea comună: House mouse and/or Brown rat
etapă de dezvoltare: All

Domeniul de utilizare	de interior Indoors
Metoda (metodele) de aplicare	Metoda: cerere momeală Descriere detaliata: Ready-to-use bait to be used in covered bait points or in tamper-resistant bait stations
Doza (dozele) și frecvența de aplicare	<p>Frecvența de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres Diluare (%): 0 Numărul și calendarul de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres</p> <p>Pulsed baiting – Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres</p>
Categoria (categoriile) de utilizatori	instruiți profesional
Dimensiunile ambalajului și materialul de ambalare	<p>Minimum pack size of 2.5kg*.</p> <p>10, 12 or 15 g individually packed bait in edible paper tea-bag packed in: - outer PE/PP container (tubs or pails) - PE lined cardboard outer or carton or PE bags in cardboard box - paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>1 or 2 x 10g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: Multiple mouse boxes within pack: 20g – 144 40g – 72, 96, 120, 144 80g – 32, 48, 60, 72, 96</p>

1 x 12g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

24g – 120, 144

48g – 60, 72, 96, 120, 144

96g – 32, 48, 60, 72, 96

1 x 15g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.

Multiple mouse boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

1, 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

30g – 96, 120, 144

45g – 60, 72, 96, 120

60g – 48, 60, 72, 96

90g – 32, 48, 60, 72

120g – 32, 48, 60, 72

180g – 16, 24, 32, 48

1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamper-proof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

10g – 250

20g – 120

30g – 96, 120, 144

40g – 72, 96, 120, 144

50g – 60, 72, 96, 120, 144

60g – 48, 60, 72, 96, 120

80g – 32, 48, 60, 72, 96

90g – 32, 48, 60, 72, 96

100g – 32, 48, 60, 72, 96

120g – 24, 32, 48, 60, 72

150g – 24, 32, 48, 60, 72

160g – 16, 24, 32, 48, 60, 72

200g – 16, 24, 32, 48, 60

Loose paste in PP or PE packs for application by decorator's knife/spatula.

Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.

Cartridges are 50g, 100g, 150g, 200g or 300g.

Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg*

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.4.1 Instrucțiuni specifice de utilizare

- Remove the remaining product at the end of treatment period.
- [When available] Follow any additional instructions provided by the relevant code of best practice.

--

4.4.2 Măsuri specifice de reducere a riscului de utilizare

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign [in accordance with the applicable code of good practice, if any].
- Consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.
- To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.
- Do not use the product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.

4.4.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.4.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None

4.4.5 În funcție de modul de utilizare, condițiile de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

None

4.5 Modul de utilizare

Utilizarea 5 - House mice and/or rats – trained professionals – outdoor around buildings

Tipul produsului	TP 14 - Rodenticide
Descrierea exactă a utilizării autorizate, după caz	Not relevant for rodenticides.
Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)	denumirea științifică: Mus musculus and/or Rattus norvegicus denumirea comună: House mouse and /or Brown rat etapă de dezvoltare: All
Domeniul de utilizare	în aer liber Outdoor around buildings Metoda: cerere momeală

Metoda (metodele) de aplicare	<p>Descriere detaliata: Ready-to-use bait to be used in covered bait points or in tamper-resistant bait stations or in direct application of ready-to-use bait into the burrow.</p>
Doza (dozele) și frecvența de aplicare	<p>Frecvența de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres Diluare (%): 0 Numărul și calendarul de aplicare: Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres</p> <p>- In burrows: - 10 to 60 g of bait per burrow .</p> <p>Pulsed baiting – Mice: 5 to 20 g of bait per bait station. High infestation – 5 to 20g bait in bait stations every 2 metres Low infestation – 5 to 20g bait in bait stations every 5 metres Rats: 10 to 60 g of bait per bait station. High infestation – 10 to 60g bait in bait stations every 5 metres Low infestation – 10 to 60g bait in bait stations every 10 metres</p>
Categoria (categoriile) de utilizatori	<p>instruiți profesional</p>
Dimensiunile ambalajului și materialul de ambalare	<p>Minimum pack size of 2.5kg*.</p> <p>10, 12 or 15 g individually packed bait in edible paper tea-bag packed in: - outer PE/PP container (tubs or pails) - PE lined cardboard outer or carton or PE bags in cardboard box - paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>1 or 2 x 10g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: Multiple mouse boxes within pack: 20g – 144 40g – 72, 96, 120, 144 80g – 32, 48, 60, 72, 96</p> <p>1 x 12g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Multiple mouse boxes within pack:</p>

24g – 120, 144
48g – 60, 72, 96, 120, 144
96g – 32, 48, 60, 72, 96

1 x 15g t-bags packed in a single or multi-use tamper-proof mouse HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper.
Multiple mouse boxes within pack:

30g – 96, 120, 144
45g – 60, 72, 96, 120
60g – 48, 60, 72, 96

1, 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

30g – 96, 120, 144
45g – 60, 72, 96, 120
60g – 48, 60, 72, 96
90g – 32, 48, 60, 72
120g – 32, 48, 60, 72
180g – 16, 24, 32, 48

1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamper-proof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper

Multiple rat boxes within pack:

10g – 250
20g – 120
30g – 96, 120, 144
40g – 72, 96, 120, 144
50g – 60, 72, 96, 120, 144
60g – 48, 60, 72, 96, 120
80g – 32, 48, 60, 72, 96
90g – 32, 48, 60, 72, 96
100g – 32, 48, 60, 72, 96
120g – 24, 32, 48, 60, 72
150g – 24, 32, 48, 60, 72
160g – 16, 24, 32, 48, 60, 72
200g – 16, 24, 32, 48, 60

Loose paste in PP or PE packs for application by decorator's knife/spatula.
Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.
Cartridges are 50g, 100g, 150g, 200g or 300g.
Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg*

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.5.1 Instrucțiuni specifice de utilizare

- Protect bait from the atmospheric conditions. Place the baiting points in areas not liable to flooding.
- Replace any bait in baiting points in which bait has been damaged by water or contaminated by dirt.
- [When available] Follow any additional instructions provided by the relevant code of best practice.

When used in burrows: Baits must be placed to minimise the exposure to non-target species and children. Cover or block the entrances of baited burrows to reduce the risks of bait being rejected and spilled.

If used for pulsed baiting: Replace eaten bait only after 3 days and then at maximum 7 day intervals. Collect any spilled bait and dead rodents. [When available] Follow the specific instructions provided by the applicable code of good practice at national level.

4.5.2 Măsuri specifice de reducere a riscului de utilizare

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign [in accordance with the applicable code of good practice, if any].
- Consider preventive control measures (plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.
- To reduce risk of secondary poisoning, search for and remove dead rodents during treatment at frequent intervals, in line with the recommendations provided by the relevant code of best practice.
- Do not use this product as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.

4.5.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.5.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None

4.5.5 În funcție de modul de utilizare, condițiile de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

None

4.6 Modul de utilizare

Utilizarea 6 - Rats – trained professionals – sewers

Tipul produsului	TP 14 - Rodenticide
Descrierea exactă a utilizării autorizate, după caz	Not relevant for rodenticides.
Organism(organisme)-țintă (inclusiv stadiul de dezvoltare)	denumirea științifică: Rattus norvegicus denumirea comună: Brown rat etapă de dezvoltare: All

Domeniul de utilizare	Other Sewers
Metoda (metodele) de aplicare	Metoda: cerere momeală Descriere detaliata: Ready-to-use bait to be anchored or applied in bait stations preventing the bait from getting into contact with waste water.
Doza (dozele) și frecvența de aplicare	Frecvența de aplicare: In sewers, place 200 g to 300 g of bait every 30-50m (never more than 300 g at each manhole). Diluare (%): 0 Numărul și calendarul de aplicare: In sewers, place 200g to 300g bait every 30-50m (never more than 300g bait at each manhole).
Categoria (categoriile) de utilizatori	instruiți profesional
Dimensiunile ambalajului și materialul de ambalare	<p>Minimum pack size of 2.5kg*.</p> <p>10, 12 or 15 g individually packed bait in edible paper tea-bag packed in: - outer PE/PP container (tubs or pails) - PE lined cardboard outer or carton or PE bags in cardboard box - paper/PE/PE/AL, PP, PET/PE or laminated PP pouches - sold as they are or in cardboard outer Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in Fibreboard, PVC, PS, PET/PE, PP or PE bait trays (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g) with a heat-sealed lid. The trays are packed in multiples in cardboard outers. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>Loose bait packed in PP or PE bait trays with a heat-sealed lid (10g, 15g, 20g, 25g, 30g, 40g, 50g or 60g). The trays are packed in single or multi-use tamperproof HDPE or PP bait station. All packed in multiples of 1/2/4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper. Pack sizes: 2.5kg, 3kg, 3.5kg, 4.kg 4.5kg, 5kg 6kg, 7kg, 8kg, 9kg, 10kg 11kg, 12kg, 13kg, 14kg, 15kg 16kg, 17kg, 18kg, 19kg 20kg</p> <p>1 , 2 or 3 x 15 g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Multiple rat boxes within pack: 30g – 96, 120, 144 45g – 60, 72, 96, 120 60g – 48, 60, 72, 96 90g – 32, 48, 60, 72 120g – 32, 48, 60, 72 180g – 16, 24, 32, 48</p> <p>1, 2, 3, 4 or 5 x 10g t-bags secured on a fixed metal bar in a single or multi-use tamperproof rat HDPE or PP bait station, all packed in multiples of 1, 2, 3 or 4 in a cardboard outer or blister pack or cardboard sleeve or heat-sealed bag or poly outer heat-sealed with a cardboard topper Multiple rat boxes within pack: 10g –250 20g – 120 30g – 96, 120, 144 40g – 72, 96, 120, 144</p>

50g – 60, 72, 96, 120, 144
60g – 48, 60, 72, 96, 120
80g – 32, 48, 60, 72, 96
90g – 32, 48, 60, 72, 96
100g – 32, 48, 60, 72, 96
120g – 24, 32, 48, 60, 72
150g – 24, 32, 48, 60, 72
160g – 16, 24, 32, 48, 60, 72
200g – 16, 24, 32, 48, 60

Loose paste in PP or PE packs for application by decorator's knife/spatula.
Pack sizes: 2.5kg, 3kg 4.0kg or 5.0kg

Paste in PE or PP labelled cartridge with or without cardboard outer packaging.
Cartridges are 50g, 100g, 150g, 200g or 300g.
Pack sizes: 300g*, 600g*, 900g*, 1.2 kg* 1.8kg*, 2.4 kg*, 3.6 kg

*Exemption made to the minimum pack size for these specialist professional baits which are used in very small amounts by an individual pest controller.

4.6.1 Instrucțiuni specifice de utilizare

- Baits must be applied in a way so that they do not come into contact with water and are not washed away.
- [When available] Follow any additional instructions provided by the relevant code of best practice.

4.6.2 Măsuri specifice de reducere a riscului de utilizare

- [If national policy or legislation requires it] Place baits only in sewer systems which are connected to the sewage treatment plant.
- Do not use this product in pulsed baiting treatments.

4.6.3 În funcție de modul de utilizare, particularități ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

When placing bait points close to surface waters (e.g. rivers, ponds, water channels, dykes, irrigation ditches) or water drainage systems, ensure that bait contact with water is avoided.

4.6.4 În funcție de modul de utilizare instrucțiunile pentru eliminarea în siguranță a produsului și ambalajul acestuia

None

4.6.5 In functie de modul de utilizare, conditiile de depozitare si termenul de valabilitate a produsului în condiții normale de depozitare

None

5. Direcții generale de utilizare

5.1. Instrucțiuni de utilizare

Instructions for use- Professionals

- Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.
- Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.
- Consider preventive control measures (e.g. plug holes, remove potential food and drinking as far as possible) to improve product intake and reduce the likelihood of reinvasion.
- Bait stations should be placed in the immediate vicinity of places where rodent activity has been previously observed (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- Where possible, bait stations must be fixed to the ground or other structures.
- Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened (see section 2.5.3 for the information to be shown on the label).
- [If national policy or legislation require it] When the product is being used in public areas, the areas treated should be marked during the treatment period and a notice explaining the risk of primary or secondary poisoning by the anticoagulant as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits.
- Bait should be secured so that it cannot be dragged away from the bait station.
- Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.
- Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these.
- Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information)
- When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
- If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait stations to further places and the possibility to change to another bait formulation.
- If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodents so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.
- Remove the remaining bait or the bait stations at the end of the treatment period.
- Instructions for use that are "bait-specific":
 - Bait in sachets: Do not open the sachets containing the bait.
 - Paste:
 - o a) [Where relevant] Place paste bait with a sufficiently elongated applicator (spatula) to reduce hand exposure - avoid reaching into the bucket.
 - o b) [Where relevant] Specify how the equipment (e.g. spatula) shall be cleaned and how contact with residues of the bait can be avoided.

Instructions for Use – Trained Professionals

- Read and follow the product information as well as any information accompanying the product or provided at the point of sale before using it.
- Carry out a pre-baiting survey of the infested area and an on-site assessment in order to identify the rodent species, their places of activity and determine the likely cause and the extent of the infestation.
- Remove food which is readily attainable for rodents (e.g. spilled grain or food waste). Apart from this, do not clean up the infested area just before the treatment, as this only disturbs the rodent population and makes bait acceptance more difficult to achieve.
- The product should only be used as part of an integrated pest management (IPM) system, including, amongst others, hygiene measures and, where possible, physical methods of control.
- The product should be placed in the immediate vicinity of places where rodent activity has been previously explored (e.g. travel paths, nesting sites, feedlots, holes, burrows etc.).
- Where possible, bait stations must be fixed to the ground or other structures.
- Bait stations must be clearly labelled to show they contain rodenticides and that they must not be moved or opened (see section 2.5.3 for the information to be shown on the label).
- [If national policy or legislation requires it] When the product is being used in public areas, the areas treated should be marked during the treatment period and a notice explaining the risk of primary or secondary poisoning by the anticoagulant as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits.
- Bait should be secured so that it cannot be dragged away from the bait station.
- Place the product out of the reach of children, birds, pets and farm animals and other non-target animals.
- Place the product away from food, drink and animal feeding stuffs, as well as from utensils or surfaces that have contact with these. Wear protective chemical resistant gloves during product handling phase (glove material to be specified by the authorisation holder within the product information).
- When using the product do not eat, drink or smoke. Wash hands and directly exposed skin after using the product.
- The frequency of visits to the treated area should be at the discretion of the operator, in the light of the survey conducted at the outset of the treatment. That frequency should be consistent with the recommendations provided by the relevant code of best practice.
- If bait uptake is low relative to the apparent size of the infestation, consider the replacement of bait points to further places and the possibility to change to another bait formulation.
- If after a treatment period of 35 days baits are continued to be consumed and no decline in rodent activity can be observed, the likely cause has to be determined. Where other elements have been excluded, it is likely that there are resistant rodent so consider the use of a non-anticoagulant rodenticide, where available, or a more potent anticoagulant rodenticide. Also consider the use of traps as an alternative control measure.
- Instructions for use that are "bait-specific":
 - Bait in sachets: [For non-emptiable sachets - Do not open the sachets containing the bait].
 - Paste:
 - o a) [Where relevant] Place paste bait with a sufficiently elongated applicator (spatula) to reduce hand exposure - avoid reaching

into the bucket.

o b) [Where relevant] Specify how the equipment (e.g. spatula) shall be cleaned and how contact with residues of the bait can be avoided.

- Pulsed baiting - Replace eaten bait only after 3 days and then at maximum 7 day intervals. Collect any spilled bait and dead rodents. [When available] Follow the specific instructions provided by the applicable code of good practice at national level.
- Covered and protected bait points - [For outdoor use, baiting points must be covered and placed in strategic sites to minimise the exposure to non-target species]. [When available] Follow any additional instructions provided by the relevant code of best practice.
- Burrow baiting - Baits must be placed to minimise the exposure to non-target species and children. Cover or block the entrances of baited burrows to reduce the risks of bait being rejected and spilled. [When available] Follow any additional instructions provided by the relevant code of best practice.

IE Only: The resistance status of the target population should be taken into account when considering the choice of rodenticide to be used. In those areas where evidence of resistance to specific active ingredients is suspected, avoid their use. To control the spreading of resistance, it is advisable to alternate baits containing different anticoagulant active ingredients.

5.2. Măsuri de reducere a riscurilor

Risk mitigation measures –Professionals

- Where possible, prior to the treatment inform any possible bystanders (e.g. users of the treated area and their surroundings) about the rodent control campaign [in accordance with the applicable code of good practice, if any]".
- Dispose of dead rodents in accordance with local requirements [The method of disposal shall be described specifically in the national SPC and be reflected on the product label].
- To reduce risk of secondary poisoning, search for and remove dead rodents at frequent intervals during treatment (e.g. at least twice a week) [Where relevant, specify if more frequent or daily inspection is required], in line with the recommendations provided by the relevant code of best practice.
- Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment.
- Do not use baits containing anticoagulant active substances as permanent baits for the prevention of rodent infestation or monitoring of rodent activities.

Risk mitigation measures – Trained Professionals

- Where possible, prior to the treatment inform any possible bystanders about the rodent control campaign [in accordance with the applicable code of good practice, if any]".
 - The product information (i.e. label and/or leaflet) shall clearly show that the product shall only be supplied to trained professional users holding certification demonstrating compliance with the applicable training requirements (e.g. "for trained professionals only".
 - Do not use in areas where resistance to the active substance can be suspected.
 - Products shall not be used beyond 35 days without an evaluation of the state of the infestation and of the efficacy of the treatment.
 - Do not rotate the use of different anticoagulants with comparable or weaker potency for resistance management purposes. For rotational use, consider using a non-anticoagulant rodenticide, if available, or a more potent anticoagulant.
 - Do not wash the bait stations or utensils used in covered and protected bait points with water between applications.
 - Dispose dead rodents in accordance with local requirements [The method of disposal shall be described specifically in the national SPC and be reflected on the product label].
- Burrow baiting - Where possible, prior to the treatment inform any possible bystanders about the rodent control campaign [in accordance with the applicable code of good practice, if any]

5.3. Particularitati ale efectelor posibile directe sau indirecte, instrucțiuni de prim ajutor și măsuri de urgență pentru protecția mediului

This product contains an anticoagulant substance. If ingested, symptoms, which may be delayed, may include nosebleed and bleeding gums. In severe cases, there may be bruising and blood present in the faeces or urine.
Antidote: Vitamin K1 administered by medical/veterinary personnel only.

In case of: Dermal exposure, wash skin with water and then with water and soap.
Eye exposure, rinse eyes with eyes-rinse liquid or water, keep eyes lids open at least 10 minutes.
Oral exposure, rinse mouth carefully with water. Never give anything by mouth to unconscious person. Do not provoke vomiting. If swallowed, seek medical advice immediately and show the product's container or label.
Contact a veterinary surgeon in case of ingestion by a pet.

Bait stations must be labelled with the following information: "do not move or open"; "contains a rodenticide"; "product name or authorisation number"; "active substance(s)" and "in case of incident, call a poison centre [insert national phone number]".

Hazardous to wildlife.

5.4. Instrucțiuni pentru eliminarea în siguranță a produsului și a ambalajului acestuia

At the end of the treatment, dispose of uneaten bait and the packaging in accordance with local requirements. Use of gloves is recommended.

5.5. Condiții de depozitare și termenul de valabilitate a produsului în condiții normale de depozitare

Shelf-life: 24 months

Store in a dry, cool and well ventilated place. Keep the container closed and away from direct sunlight.

Store in places prevented from the access of children, birds, pets and farm animals.

Keep in the original container.

6. Alte informații

Because of their delayed mode of action, anticoagulant rodenticides may take from 4 to 10 days to be effective after effective consumption of the bait.

Rodents can be disease carriers. Do not touch dead rodents with bare hands, use gloves or use tools such as tongs when disposing them.

This product contains a bittering agent and a dye.