

**EN**

***ANNEX***

**SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT**

Free Land 10E

**Product type(s)**

PT18: Insecticides, acaricides and products to control other arthropods

**Authorisation number:** VAP4521

**R4BP asset number:** LT-0030270-0000

---

1. ADMINISTRATIVE INFORMATION .....	3
1.1. Trade name(s) of the product .....	3
1.2. Authorisation holder .....	3
1.3. Manufacturer(s) of the product .....	3
1.4. Manufacturer(s) of the active substance(s) .....	3
2. PRODUCT COMPOSITION AND FORMULATION .....	4
2.1. Qualitative and quantitative information on the composition of the product .....	4
2.2. Type(s) of formulation .....	4
3. HAZARD AND PRECAUTIONARY STATEMENTS .....	5
4. AUTHORISED USE(S) .....	6
4.1. Use description .....	6
4.2. Use description .....	7
4.3. Use description .....	8
4.4. Use description .....	9
4.5. Use description .....	10
4.6. Use description .....	11
4.7. Use description .....	12
4.8. Use description .....	13
4.9. Use description .....	14
4.10. Use description .....	15
4.11. Use description .....	16
4.12. Use description .....	17
5. GENERAL DIRECTIONS FOR USE .....	19
5.1. Instructions for use .....	19
5.2. Risk mitigation measures .....	19
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment .....	19
5.4. Instructions for safe disposal of the product and its packaging .....	19
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage .....	19
6. OTHER INFORMATION .....	20

## 1. ADMINISTRATIVE INFORMATION

### 1.1. Trade name(s) of the product

Trade name(s)	Free Land 10E
---------------	---------------

### 1.2. Authorisation holder

Name and address of the authorisation holder	Name	Activa s.r.l.
	Address	via Feltre, 32 20132 Milano Italy
Authorisation number		VAP4521
<i>R4BP asset number</i>		LT-0030270-0000
Date of the authorisation		05/03/2024
Expiry date of the authorisation		16/02/2033

### 1.3. Manufacturer(s) of the product

Name of manufacturer	Activa S.r.l
Address of manufacturer	Via Feltre 32 20132 Milano Italy
Location of manufacturing sites	c/o ALTHALLER ITALIA s.r.l. Strada Com.le per Campagna, 5 20078 San Colombano al Lambro (MI) Italy  c/o FERBI SRL Contrada Ripoli 64023 Mosciano Sant'Angelo (TE) Italy

### 1.4. Manufacturer(s) of the active substance(s)

Active substance	(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of manufacturer	Tagros Chemicals India Ltd.
Address of manufacturer	Jhaver Centre, Rajah Annamalai Building, IV Floor, 72, Marshalls Road 600 008 Egmore, Chennai India
Location of manufacturing sites	A-4/1&2, Sipcot Industrial Complex, Pachayankuppam, Cuddalore 607 005 Tamil Nadu India

---

## 2. PRODUCT COMPOSITION AND FORMULATION

### 2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		active substance	52315-07-8	257-842-9	10

### 2.2. Type(s) of formulation

EC Emulsifiable concentrate

---

### 3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects.
Precautionary statements	P273: Avoid release to the environment. P391: Collect spillage. P501: Dispose of container to national regulation. P501: Dispose of contents to national regulation.

## 4. AUTHORISED USE(S)

### 4.1. Use description

**Table 1. Indoor spot application in not wet cleaned areas**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Application of the product must be performed in areas that are not wet cleaned. Total area treated in a standard house = 2 m <sup>2</sup> Total area treated in a large building = 9.3 m <sup>2</sup>
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: spraying
Application rate(s) and frequency	Application Rate: 50 mg a.i./m <sup>2</sup> .  Dilution (%): 1  Number and timing of application: Application up to 2 times per year.
Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.1.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mix thoroughly and using a knapsack spray, distribute 50mL of solution for 1sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

#### 4.1.2. Use-specific risk mitigation measures

Application only in areas that are not wet cleaned

Wear chemical resistant gloves

#### 4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.2. Use description

**Table 2. Indoor spot application in not wet cleaned areas**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Application of the product must be performed in areas that are not wet cleaned. Total area treated in a standard house = 2 m <sup>2</sup>
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 50 mg a.i. /m <sup>2</sup> .  Dilution (%): 1  Number and timing of application: Application up to 2 times per year.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Cartdrige (ready to dilute system) 2.5 mls HDPE Single Use Bottle 25 mls HDPE Single Use Bottle 50 mls HDPE Single Use Bottle 100 mls HDPE

##### 4.2.1. Use-specific instructions for use

In the case of single use pack, pour the full content in the knapsack spray or in a spray pump of proper size, already filled by water, mix thoroughly and distribute 50mL of solution for 1 sqm.

In the case of ready to dilute pack, strip the collar, screw down the ferrule, shake the container. The application has to be performed using the specific container, equipped with the appropriated trigger. Perform 35-40 spray per sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

##### 4.2.2. Use-specific risk mitigation measures

Application only in areas that are not wet cleaned

##### 4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

### 4.3. Use description

**Table 3. Indoor spot application in crack & crevice**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Total area treated in a standard house = 2 m <sup>2</sup> Total area treated in a large building = 9.3 m <sup>2</sup>
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20 mg a.i./m <sup>2</sup> .  Dilution (%): 0.5  Number and timing of application: Application up to 2 times per year.
Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.3.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mixing thoroughly and using a knapsack spray, distribute 40ML of solution for 1 sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

#### 4.3.2. Use-specific risk mitigation measures

Wear chemical resistant gloves.



### 4.3.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

### 4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

### 4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

## 4.4. Use description

**Table 4. Indoor spot application in crack & crevice**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Total area treated in a standard house = 2 m <sup>2</sup>
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20mg a.i./m <sup>2</sup> .  Dilution (%): 0.5  Number and timing of application: Application up to 2 times per year.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Cartdrige (ready to dilute system) 2.5 mls HDPE Single Use Bottle 25 mls HDPE Single Use Bottle 50 mls HDPE Single Use Bottle 100 mls HDPE

#### 4.4.1. Use-specific instructions for use

In the case of single use pack, pour the full content in the knapsack spray or in a spray pump of proper size, already filled by water, mix thoroughly and distribute 40mL of solution for 1 sqm.

In the case of ready to dilute pack, strip the collar, screw down the ferrule, shake the container. The application has to be performed using the specific container, equipped with the appropriated trigger. Perform 30-35 spray per sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

#### 4.4.2. Use-specific risk mitigation measures

No RMMs.

#### 4.4.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.4.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.4.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

### 4.5. Use description

**Table 5. Indoor barrier application in crack & crevice**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Application of the product must be performed in areas that are not wet cleaned. Total area treated in a standard house = 20 m2 Total area treated in a large building = 93 m2
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20 mg a.i./m2.  Dilution (%): 0.5  Number and timing of application: Application up to 2 times per year.

Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.5.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mixing thoroughly and using a knapsack spray, distribute 40ML of solution for 1 sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

#### 4.5.2. Use-specific risk mitigation measures

Application only in areas that are not wet cleaned

Wear chemical resistant gloves.

#### 4.5.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.5.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.5.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.6. Use description

**Table 6. Indoor barrier application in crack & crevice**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Application of the product must be performed in areas that are not wet cleaned. Total area treated in a standard house = 20 m2
Target organism(s) (including development stage)	Scientific name: <i>Blattella germanica</i> Common name: German cockroach Development stage: adults  Scientific name: <i>Blatta orientalis</i> Common name: Oriental cockroach Development stage: adults  Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults  Scientific name: <i>Periplaneta americana</i> Common name: American Cockroach Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying

Application rate(s) and frequency	Application Rate: 20 mg a.i./m <sup>2</sup> . Dilution (%): 0.5 Number and timing of application: Application up to 2 times per year.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Cartridge (ready to dilute system) 2.5 mls HDPE Single Use Bottle 25 mls HDPE Single Use Bottle 50 mls HDPE Single Use Bottle 100 mls HDPE

#### 4.6.1. Use-specific instructions for use

In the case of single use pack, pour the full content in the knapsack spray or in a spray pump of proper size, already filled by water, mix thoroughly and distribute 40mL of solution for 1 sqm.

In the case of ready to dilute pack, strip the collar, screw down the ferrule, shake the container. The application has to be performed using the specific container, equipped with the appropriated trigger. Perform 30-35 spray per sqm.

Avoid contact with treated surfaces. Application up to 2 times per year.

#### 4.6.2. Use-specific risk mitigation measures

Application of the product must be performed in areas that are not wet cleaned.

#### 4.6.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.6.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.6.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.7. Use description

**Table 7. Indoor flying wasp control**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	The product is applied directly on a single wasp when it is laid on a surface.
Target organism(s) (including development stage)	Scientific name: <i>Vespula Germanica</i> Common name: German wasp Development stage: adults
Field(s) of use	indoor use
Application method(s)	Method: Pump spray Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20 mg a.i. per insect Dilution (%): 5

	Number and timing of application: 2 times per year.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Cartdrige (ready to dilute system) 2.5 mls HDPE Single Use Bottle 25 mls HDPE Single Use Bottle 50 mls HDPE Single Use Bottle 100 mls HDPE

#### 4.7.1. Use-specific instructions for use

In the case of single use pack, pour the full content in a spray pump of proper size, already filled by water, mix thoroughly and apply 4mL per insect

#### 4.7.2. Use-specific risk mitigation measures

No RMM.

#### 4.7.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.7.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.7.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.8. Use description

**Table 8. Targeted residual treatment around the building against mosquitoes**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	The product is applied outdoor around buildings in rural areas to control flying insects.
Target organism(s) (including development stage)	Scientific name: Aedes albopictus Common name: Aedes mosquitoes Development stage: adults  Scientific name: Culex pipiens Common name: Common mosquitoes Development stage: adults
Field(s) of use	outdoor use  Around the building
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 10 mg a.i./m <sup>2</sup>  Dilution (%): 0.2  Number and timing of application: No limitations.

Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.8.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mix thoroughly and using a knapsack spray, distribute 1litre of solution for 20sqm.

#### 4.8.2. Use-specific risk mitigation measures

The product should only be applied where the floor is not connected to a drain (i.e. STP). Do not apply during rainy or windy weather. Prevent exposure of non-target organisms (e.g., consider night application when pollinators including bees are not active, no treatment of plants during blooming period).

#### 4.8.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.8.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.8.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

### 4.9. Use description

**Table 9. Targeted residual treatment around the building against mosquitoes**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	The product is applied outdoor around buildings in rural areas to control flying insects.
Target organism(s) (including development stage)	Scientific name: Aedes albopictus Common name: Aedes mosquitoes Development stage: adults  Scientific name: Culex pipiens Common name: Common mosquitoes Development stage: adults
Field(s) of use	outdoor use  Around the building
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 10 mg a.i./m <sup>2</sup>  Dilution (%): 0.2  Number and timing of application: No limitations.
Category(ies) of users	general public (non-professional)

Pack sizes and packaging material	Cartdrige (ready to dilute system)	2.5 mls	HDPE
	Single Use Bottle	25 mls	HDPE
	Single Use Bottle	50 mls	HDPE
	Single Use Bottle	100 mls	HDPE

#### 4.9.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mix thoroughly and using a knapsack spray, distribute 1litre of solution for 20sqm.

#### 4.9.2. Use-specific risk mitigation measures

The product should only be applied where the floor is not connected to a drain (i.e. STP). Do not apply during rainy or windy weather. Prevent exposure of non-target organisms (e.g., consider night application when pollinators including bees are not active, no treatment of plants during blooming period).

#### 4.9.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.9.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.9.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.10. Use description

**Table 10. Outdoor space spraying by cold fogging against mosquitoes**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	Product is applied outdoor in green areas to control mosquitoes.
Target organism(s) (including development stage)	Scientific name: Aedes albopictus Common name: Aedes mosquitoes Development stage: adults  Scientific name: Culex pipiens Common name: Common mosquitoes Development stage: adults
Field(s) of use	outdoor use  Outdoor, residential areas
Application method(s)	Method: Cold fogging  Detailed description: Dilute the product in water at the recommended rate, mix thoroughly, then using a cold fogger equipment properly calibrated, distribute evenly in the area interested by the application, during nighttime or dusk and dawn.
Application rate(s) and frequency	Application Rate: 0.0003 g a.i./m2 for treatment against Culex pipiens 0.0001 g a.i./m2 for treatment against Aedes albopictus  Dilution (%): - 0.06% w/w against Culex pipiens - 0.02% w/w against Aedes albopictus

	Number and timing of application: No limitations.
Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.10.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mix thoroughly, then using a cold fogger equipment properly calibrated, distribute evenly in the area interested by the application, during nighttime or dusk and dawn.

#### 4.10.2. Use-specific risk mitigation measures

- Prevent exposure of water bodies (e.g. a buffer zone of some tenths of meters).
- Prevent exposure of non-target organisms (e.g., consider night application when pollinators including bees are not active, no treatment on plants during blooming period).
- Should be considered night application after thermal inversion so as to avoid spread of spray droplets;
- When application is directed towards shrubs and sheds the application should not exceed 2 meters height in order to reduce spread of spray droplets and to grant upwards an untreated area to facilitate recovery.
- make sure that there are untreated area in the territory to facilitate recovery.
- Accept an initial effect when recovery occurs within a certain period.
- Cold fogging equipments should be calibrated carefully and regularly.

#### 4.10.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.10.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.10.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.11. Use description

**Table 11. Ant nest eradication**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	The product is applied outdoor for ant nest eradication.
Target organism(s) (including development stage)	Scientific name: <i>Lasius niger</i> Common name: garden ant Development stage: adults
Field(s) of use	outdoor use
Application method(s)	Method: Knapsack spray  Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20 mg a.i./nest  Dilution (%): 0.5



	Number and timing of application: No limitations.
Category(ies) of users	trained professional ; professional
Pack sizes and packaging material	Bottle in HDPDE with measuring cap of 25 mls, 250 mls, 500 mls, 1 liter, 2 liter HDPE Bottle in HDPE of 5 liters, 10 liters, 20 liters

#### 4.11.1. Use-specific instructions for use

Dilute the product in water at the recommended rate, mix thoroughly and using a knapsack spray to distribute the solution. Application must be done at a rate of 40 gr of insecticide solution per nest, partially at the nest entrance and partially on the walkways immediately around the nest. To optimize the treatment efficacy, do not apply in case of rain or wind.

#### 4.11.2. Use-specific risk mitigation measures

No RMM.

#### 4.11.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please, refer to section 2.1.5 General directions for use.

#### 4.11.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please, refer to section 2.1.5 General directions for use.

#### 4.11.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please, refer to section 2.1.5 General directions for use.

#### 4.12. Use description

**Table 12. Ant nest eradication**

Product type	PT18: Insecticides, acaricides and products to control other arthropods
Where relevant, an exact description of the authorised use	The product is applied outdoor for ant nest eradication.
Target organism(s) (including development stage)	Scientific name: Lasius niger Common name: garden ant Development stage: adults
Field(s) of use	outdoor use
Application method(s)	Method: Knapsack spray Detailed description: Spraying
Application rate(s) and frequency	Application Rate: 20 mg a.i./nest Dilution (%): 0.5 Number and timing of application: No limitations.
Category(ies) of users	general public (non-professional)
Pack sizes and packaging material	Cartdrige (ready to dilute system) 2.5 mls HDPE Single Use Bottle 25 mls HDPE Single Use Bottle 50 mls HDPE

#### **4.12.1. Use-specific instructions for use**

In the case of single use pack, pour the full content in a spray pump of proper size, already filled by water, mix thoroughly and distribute 40gr of insecticide solution on the nest.

In the case of ready to dilute pack, strip the collar, screw down the ferrule, shake the container. The application has to be performed using the specific container, equipped with the appropriated trigger. Perform 35-40 spray per nest.

Application must be done at recommended rate partially at the nest entrance and partially on the walkways immediately around the nest. To optimize the treatment efficacy, do not apply in case of rain or wind.

#### **4.12.2. Use-specific risk mitigation measures**

No RMM.

#### **4.12.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Please, refer to section 2.1.5 General directions for use.

#### **4.12.4. Where specific to the use, the instructions for safe disposal of the product and its packaging**

Please, refer to section 2.1.5 General directions for use.

#### **4.12.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Please, refer to section 2.1.5 General directions for use.

---

## **5. GENERAL DIRECTIONS FOR USE<sup>1</sup>**

### **5.1. Instructions for use**

The product should be applied so that children and pets do not come in contact with the product.

### **5.2. Risk mitigation measures**

Please, see use-specific risk mitigation measures detailed above.

### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

well or seek for medical attention/Poison centre (show SDS or label) Do not release the product or its empty containers in the environment.

### **5.4. Instructions for safe disposal of the product and its packaging**

Dispose of contents/container in accordance with local waste management regulations. Do not empty into drains. Do not reuse packaging.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

Keep out of reach of children. Store away from food, drinks or feeding stuff.

Shelf-life: 2 years, in original container at room temperatures. Avoid extreme temperatures and exposure to direct sunlight.

---

<sup>1</sup>Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

---

## **6. OTHER INFORMATION**