

# Summary of product characteristics for a biocidal product

**Product name:** X6089CR

**Product type(s):** PT08 - Wood preservatives (Preservatives)

PT08 - Wood preservatives (Preservatives)

**Authorisation number:** 795-2

**R4BP 3 asset reference number:** DK-0013104-0001

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	9

## Administrative information

### 1.1. Trade names of the product

X6089CR
Koatec Hydrogel
Xylophene Curatif WI100G
Xylophene Industrie Xylobati WI100G
Xylophene Professionnel CGX
Xylophene Expert Xylo Profond

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	PPG AC - France SA
	Address	1 rue de l'Union Immeuble Union Square, CS10055 92565 Rueil-Malmaison France
<b>Authorisation number</b>	795-2 1-1	
<b>R4BP 3 asset reference number</b>	DK-0013104-0001	
<b>Date of the authorisation</b>	12/06/2018	
<b>Expiry date of the authorisation</b>	11/06/2028	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	PPG AC - France SA
<b>Address of the manufacturer</b>	Immeuble Union Square, 1 rue de l'Union, CS 10055 92565 Rueil-Malmaison France
<b>Location of manufacturing sites</b>	ZI Montplaisir, 25 rue Jean le Rond d'Alembert 81000 Albi France
	ZI de Ruitz, BP 83 62620 Ruitz France
	PPG Trilak Kft., 4 Grassalkovich ut 1238 Budapest Hungary
	Dyrup A/S, Gladsaxevej 300 2860 SØBORG Denmark
	PPG Deco Polska Sp. z o.o., ul. Kwidzyńska 8 51-416 Wrocław Poland
	Berkem Developpement SAS, Marais Ouest 24680 Gardonne France
	PPG Romania, 33 Catanoaia street, sector 3 032903 Bucharest Romania

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1283 - (RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
<b>Name of the manufacturer</b>	Arysta LifeScience Benelux SPRL
<b>Address of the manufacturer</b>	26 rue de Renory 14102 Ougrée Belgium
<b>Location of manufacturing sites</b>	Dr Reddys Laboratories Limited Mitchell, Steanard Lane, Mirfield, WF14 8QB West Yorkshire United Kingdom
	Gharda Ltd; D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. RATNAGIRI 415 722 MAHARASHTRA India

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)- $\alpha$ -cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)		Active Substance	52315-07-8	257-842-9	0,11
alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	alcohols, C11-14-iso-, C13-rich, ethoxylated propoxylated	Non-active substance	78330-23-1		0,108

## 2.2. Type of formulation

Another Liquid (AL)

## 3. Hazard and precautionary statements

### Hazard statements

Causes serious eye irritation.  
 Very toxic to aquatic life with long lasting effects.  
 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

### Precautionary statements

Keep out of reach of children.  
 Wash thoroughly after handling.  
 Avoid release to the environment.  
 Wear .  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If eye irritation persists: Get medical .  
 Collect spillage.  
 Dispose of to .

## 4. Authorised use(s)

### 4.1 Use description

#### Use 1 - Preventive X6089CR

<b>Product type</b>	PT08 - Wood preservatives (Preservatives)
<b>Where relevant, an exact description of the authorised use</b>	-
<b>Target organism(s) (including development stage)</b>	<p>Scientific name: Common name: Wood boring beetles Development stage: -</p> <p>Scientific name: Hylotrupes bajulus Common name: House longhorn beetle Development stage: Larvae</p> <p>Scientific name: Anobium punctatum Common name: Common furniture beetle Development stage: Larvae</p> <p>Scientific name: Lyctus brunneus Common name: Powder post beetles Development stage: Larvae</p> <p>Scientific name: Reticulitermes spp. Common name: Subterranean Termites Development stage: Workers</p> <p>Scientific name: Reticulitermes spp. Common name: Subterranean Termites Development stage: Soldiers</p> <p>Scientific name: Reticulitermes spp. Common name: Subterranean Termites Development stage: Nymphs</p>
<b>Field(s) of use</b>	<p>Indoor</p> <p>UC1 on softwood and hardwood.</p>
<b>Application method(s)</b>	<p>Method: superficial application Detailed description: Superficial application / brush / roller / pad treatment Superficial application / spray treatment</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: 200 g/m<sup>2</sup> Dilution (%): - Number and timing of application: Application rate in the analytical zone: Preventive treatment – use class 1: 200 g/m<sup>2</sup></p>
<b>Category(ies) of users</b>	<p>Professional</p> <p>General public (non-professional)</p>
<b>Pack sizes and packaging material</b>	<p>- 4 L, 15 L tin-plate cans, 20 L tin-plate pails</p> <p>- 20 L LDPE sachet.</p> <p>The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.</p>

All packagings are hermetically closed with a cap.

#### 4.1.1 Use-specific instructions for use

-

#### 4.1.2 Use-specific risk mitigation measures

-

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

#### 4.2 Use description

##### Use 2 - Curative X6089CR

##### Product type

PT08 - Wood preservatives (Preservatives)

##### Where relevant, an exact description of the authorised use

-

##### Target organism(s) (including development stage)

Scientific name:  
Common name: Wood boring beetles

Development stage: -

Scientific name: *Hylotrupes bajulus*  
 Common name: House longhorn beetle  
 Development stage: Larvae

Scientific name: *Anobium punctatum*  
 Common name: Common furniture beetle  
 Development stage: Larvae

Scientific name: *Lyctus brunneus*  
 Common name: Powder post beetles  
 Development stage: Larvae

Scientific name: *Reticulitermes* spp.  
 Common name: Subterranean Termites  
 Development stage: Workers

Scientific name: *Reticulitermes* spp.  
 Common name: Subterranean Termites  
 Development stage: Soldiers

Scientific name: *Reticulitermes* spp.  
 Common name: Subterranean Termites  
 Development stage: Nymphs

**Field(s) of use**

Indoor

Curative treatment  
 wood in situation of use class 1, on softwood and hardwood.

**Application method(s)**

Method: superficial application  
 Detailed description:  
 Superficial application / brush / roller / pad treatment  
 Superficial application / spray treatment

Method: Injection  
 Detailed description:  
 Injection (in combination with superficial application)

**Application rate(s) and frequencies**

Application Rate: 300 g/m<sup>2</sup>  
 Dilution (%): -  
 Number and timing of application:  
 Application rate in the analytical zone: (wood in service)  
 300 g/m<sup>2</sup> for curative treatment by superficial application

Application Rate: 180 g/m<sup>2</sup> (20 mL per hole, 9 holes/m<sup>2</sup>)  
 Dilution (%): -  
 Number and timing of application:  
 In combination with injection if need be:  
 180 g/m<sup>2</sup> for injection (20 mL per hole, 9 holes/m<sup>2</sup>)

**Category(ies) of users**

Professional

General public (non-professional)

**Pack sizes and packaging material**

- 4 L, 15 L tin-plate cans, 20 L tin-plate pails

- 20 L LDPE sachet.

The tin-plate cans and pails are coated inside with an epoxyphenolic varnish.



All packagings are hermetically closed with a cap.

#### 4.2.1 Use-specific instructions for use

- Curative treatments performed by injection must always be combined with curative treatments applied by superficial application.

#### 4.2.2 Use-specific risk mitigation measures

-

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

-

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

### 5. General directions for use

#### 5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder.

## 5.2. Risk mitigation measures

- Do not apply on wood likely to be in contact with food, feed, drinks and livestock.
- For professional, wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coated coverall (category III Type 6) during the application phase of the product by spraying and injection combined with spraying.

## 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

- Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.
- Skin contact: Remove contaminated clothing and shoes. Wash contaminated skin with water. Contact poison treatment specialist if symptoms occur.
- Ingestion: Wash out mouth with water. Contact poison treatment specialist. Seek medical advice immediately if symptoms occur and/or large quantities have been ingested. Do not give fluids or induce vomiting.
- Inhalation (of spray mist): Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice immediately if symptoms occur and/or large quantities have been inhaled.
- In case of impaired consciousness place in recovery position and seek medical advice immediately.
- Keep the container or label available.

## 5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf-life: 2 years

## 6. Other information

- Treated wood should not be intended for uses involving contact with food, feed or livestock.

I. Etiketten skal udformes i overensstemmelse med det godkendte resumé af det biocidholdige produkts egenskaber, jf. artikel 69, stk. 1, i biocidforordningen (Forordning (EU) nr. 528/2012), og CLP-Forordningen [1].

II. Det er udelukkende ansøgers/godkendelsesindehaverens ansvar, at etiket, mærkning og pakning lever op til lovens krav, jf. biocidforordningen artikel 69. Etiket og mærkning skal være på dansk.  
Nedstående tekst i afsnit III er bidrag til overholdelsen af reglerne og således kun en del af de krav, som stilles til blandt andet etiketten.

III. Etiketten skal indeholde nedenstående oplysninger. Oplysninger i citationstegn skal angives ordret:

1) I hovedfeltet:

"Træbeskyttelsesmiddel

Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*). Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013."

2) I advarselsfeltet:

"ADVARSEL

Forårsager alvorlig øjenirritation (H319).

Meget giftig med langvarige virkninger for vandlevende organismer (H410)

Vask huden grundigt efter brug.

Undgå udledning til miljøet.

Udslip opsamles.

Læs etiketten før brug.

Bær beskyttelseshandsker/beskyttelsestøj/øjenbeskyttelse/ansigtsbeskyttelse.

Bær kemisk resistente beskyttelseshandsker og beskyttelsestøj ved brug af produktet."  
(Handskematerialet og tøj materialet skal angives af godkendelsesindehaveren i produktdatabladet.)

"Overtrædelse af nedenstående særligt fremhævede forskrifter kan medføre straf:

**Må kun anvendes indendørs af professionelle til forebyggelse eller behandling af angreb af træborende insekter (*Hylotrupes bajulus*, *Anobium punctatum* og *Lyctus brunneus*). Må kun anvendes i brugsklasse 1 jf. DS/EN335:2013. Produktet må i bygninger hvor mennesker opholder sig i længere tid (boliger, kontorbygninger og arbejdspladser) kun anvendes steder hvor mennesker i almindelighed kun lejlighedsvis og kortvarigt kommer i kontakt med behandlet træ (f.eks. tagkonstruktioner, skunkrum og strøer i kældre og under gulvkonstruktioner).**

**Må ikke anvendes mod andre skadevoldere og ikke i højere doseringer end de i brugsanvisningen nævnte.**

**Må kun anvendes i doseringer på 200 g/m<sup>2</sup> ved præventiv behandling, 300 g/m<sup>2</sup> ved kurativ behandling og 180 g/m<sup>2</sup> til injektion.**

**Må ikke anvendes til træværk, der kommer i direkte berøring med fødevarer og foderstoffer.**

**Må ikke tømmes i kloak afløb.**

**Opbevares utilgængeligt for børn.**

**Må ikke opbevares sammen med fødevarer, drikkevarer og foderstoffer."**

Farepiktogrammerne GHS07 og GHS09.

Miljøstyrelsen henleder opmærksomheden på, at godkendelsesindehaver skal anføre oplysninger om førstehjælp, herunder:  
VED KONTAKT MED ØJNENE: Skyl forsigtigt med vand i flere minutter. Fjern eventuelle kontaktlinser, hvis dette kan gøres let.  
Fortsæt skylning.

Ved vedvarende øjenirritation: Søg lægehjælp.

3) I deklarationsfeltet:

- a) Teksten "Træbeskyttelsesmiddel BPR-reg. nr. 795-2-1-1. Aktivstof og den biocidholdige produktfamilie er godkendt efter biocidforordningen (Forordning (EU) nr. 528/2012)".
- b) Oplysning om præparattype: "væske" for dette præparat.
- c) Indholdet af aktivstof i vægtprocent (% w/w) og g/L ved 20 °C.
- d) Sætningen: "Indeholder 1,2-benzisothiazol-3(2H)-one. Kan udløse allergisk reaktion."
- e) Udløbsdatoen skal anføres. Denne dato må højst være 24 måneder efter produktionsdatoen. Etikettens dato kan udformes som en henvisning til en produktionsdato andetsteds på emballagen.
- f) Batchnummer eller -betegnelse skal anføres.
- g) Pakningsstørrelse i L.
- h) Godkendelsesindehavers navn og adresse.

#### 4) Brugsanvisningen:

Oplysninger om skadevoldere, anvendelsesområde og doseringer.

Følgende retningslinjer gælder i forhold til bortskaffelse.

Der skal mærkes med sikkerhedssætning P501: "Rester og emballage bortskaffes som farligt affald."

Følgende sætning skal anføres under sikkerhedssætning P501: "Ovenstående sætning er Miljøstyrelsens vejledning om affaldshåndtering af dette produkt. Følg altid kommunens affaldsregulativ og forhør dig hos kommunen, hvis du er i tvivl."