

EN

ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

CORPOL MADERA VERDE

Product type(s)

PT08: Wood preservatives

Authorisation number: ES/APP(NA)-2022-08-00814

R4BP asset number: ES-0028467-0000

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	CORPOL MADERA VERDE
---------------	---------------------

1.2. Authorisation holder

Name and address of the authorisation holder	Name	QUIMICA DE MUNGUÍA S.A.
	Address	DERIO BIDEA 51 48100 MUNGUÍA Spain
Authorisation number	ES/APP(NA)-2022-08-00814	
<i>R4BP asset number</i>	ES-0028467-0000	
Date of the authorisation	22/04/2022	
Expiry date of the authorisation	28/07/2025	

1.3. Manufacturer(s) of the product

Name of manufacturer	QUÍMICA DE MUNGUÍA S.A.
Address of manufacturer	Derio Bidea, 51 48100 Munguía (Vizcaya) Spain
Location of manufacturing sites	Derio Bidea, 51 48100 Munguía (Vizcaya) Spain

1.4. Manufacturer(s) of the active substance(s)

Active substance	3-iodo-2-propynylbutylcarbamate (IPBC)
Name of manufacturer	LANXESS Deutschland GmbH
Address of manufacturer	Kennedyplatz, 1 50569 Köln Germany
Location of manufacturing sites	Shanghai Hui Long Chemicals Co., Ltd / Dengta Jiazhu Rd. Jiading 201815 Shanghai China

Active substance	Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.- hydroxy-, propanoate (salt) (Bardap 26)
Name of manufacturer	Lonza Cologne GmbH
Address of manufacturer	Nattermallee 1 50529 Cologne Germany
Location of manufacturing sites	Clariant Produkte , Industrieparkstr. 1 84504 Burgkirchen Germany WallChemie, Am Selder 25 47906 Kempen Germany

Active substance	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of manufacturer	LANXESS Deutschland GmbH
Address of manufacturer	Kennedyplatz, 1 50569 Köln Germany
Location of manufacturing sites	Syngenta Crop Protection AG, CH-4002 Basilea, Suiza CH-1870 Monthey Switzerland Jiangsu Yangnong Chemical Group Co., Ltd / Wenfeng Road, Yangzhou 225009 Jiangsu China

Jiangsu SevenContinent Green Chemical Co., Ltd /
North Area of Dongsha Chem-Zone, Zhanjiagang
215600 Jiangsu China

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
3-iodo-2-propynylbutylcarbamate (IPBC)		active substance	55406-53-6	259-627-5	5
Poly(oxy-1,2-ethanediyl), .alpha.-[2-(didecylmethylammonio)ethyl]-.omega.-hydroxy-, propanoate (salt) (Bardap 26)		active substance	94667-33-1		3
1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)		active substance	60207-90-1	262-104-4	3

2.2. Type(s) of formulation

EC Emulsifiable concentrate

3. HAZARD AND PRECAUTIONARY STATEMENTS

<p>Hazard statements</p>	<p>H315: Causes skin irritation.</p> <p>H318: Causes serious eye damage.</p> <p>H373: May cause damage to organs {0:or state all organs affected, if known: } through prolonged or repeated exposure { 1:state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard: }.</p> <p>H317: May cause an allergic skin reaction.</p> <p>H360D: May damage the unborn child.</p> <p>H410: Very toxic to aquatic life with long lasting effects.</p>
<p>Precautionary statements</p>	<p>P201: Obtain special instructions before use.</p> <p>P260: Do not breathe vapours.</p> <p>P264: Wash . thoroughly after handling.</p> <p>P272: Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P310: Immediately call a POISON CENTER/ doctor.</p> <p>P302+P352: IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P308+P313: IF exposed or concerned: Get medical advice.</p> <p>P333+P313: If skin irritation or rash occurs: Get medical advice.</p> <p>P273: Avoid release to the environment.</p> <p>P391: Collect spillage.</p> <p>P405: Store locked up.</p> <p>P501: Dispose of contents to /container as hazardous waste to a registered establishment or undertaking, in accordance with current regulations.</p>

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Uso # 1 - Temporary preventive treatment of green wood

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Temporary anti-sapstain wood preservative, which the wood or wood based product is inside a construction, not expose to the weather and wetting or where occasional, but not persistent, wetting can occur
Target organism(s) (including development stage)	Scientific name: no data Common name: Bluestain fungi Development stage: no data Scientific name: no data Common name: mould fungi Development stage: no data
Field(s) of use	indoor use Indoor use (Use Class not relevant)
Application method(s)	Method: Superficial application: dipping/green chain/automated spray. Detailed description: Superficial application: dipping/green chain/automated spray. Product is not ready-to-use.
Application rate(s) and frequency	Application rate: 2 g/m ² Dilution (%): 1.5 % (v/v) Number and timing of application: One application for temporary prevention for freshly sawn wood
Category(ies) of users	industrial ; trained professional
Pack sizes and packaging material	Plastic containers (polyethylene): 25, 50, 100, 200, 500 and 1000 L.

4.1.1. Use-specific instructions

Always read the label or leaflet before use and follow all the instructions provided.

CORPOL MADERA VERDE is ONLY to be used for wood in situation in which the wood or wood based product is inside a construction, not expose to the weather and wetting or where occasional, but not persistent, wetting can occur.

CORPOL MADERA VERDE provides temporary preventive protection of freshly felled lumber against colonization by blue stain and moulds during drying of wood in the sawmill.

After treatment by dipping/automated spray/green chain wood should be stored for complete drying in open stacking with wood strips, in a well ventilated, covered and paved area.

For dipping treatment, immerse the wood for at least 20 seconds.
The users should inform if the treatment is ineffective and report straightforward to the registration holder.
Please refer to Directions for use

4.1.2. Use-specific risk mitigation measures

4.1.3. Use-specific risk mitigation measures

Please refer to Directions for use

4.1.4. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please refer to Directions for use

4.1.5. Where specific to the use, the instructions for safe disposal of the product and its packaging

Please refer to Directions for use

4.1.6. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please refer to Directions for use

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

Before using the product, read the label carefully.

In order to avoid risks for people or the environment follow the instructions for use.

Properly ventilate the area where the product's treatment is performed.

Do not mix with other chemicals.

Apply the product on the wood to be treated by immersion in the bath.

Dilution: 1,5% (regular conditions)

Do not use in the presence of people or pets.

Do not apply to kitchen tools.

Ventilate where product is applied.

Do not mix with any other chemicals.

Contains Propiconazole, may cause allergic reactions.

In order to avoid direct loss to soil or water, freshly treated wood should be stored after treatment, under cover or on a hard and waterproof surface or both.

The authorization holder should report any observed incidents related to the efficacy to the Competent Authorities (CA).

5.2. Risk mitigation measures

Environment:

-Prevent any release of the biocidal product to the sewage system or the environment during the product application phase as well as during the storage and the transport of treated timber;

-All industrial application processes must be carried out within a contained area situated on impermeable hard standing with bunding to prevent run-off and a recovery system in place (e.g. sump).

-Application solutions must be collected and reused or disposed of as hazardous waste. They must not be released to soil, ground- and surface water or any kind of sewer;

-Freshly treated timber must be stored after treatment under shelter or on impermeable hard standing, or both, to prevent direct losses to soil, sewer or water and that any losses of the product shall be collected for reuse or disposal.

-Any contaminated water/soil shall be collected, contained and treated as hazardous waste.

Handling:

Before using the product read the label carefully.

Do not use on wood which may come in direct contact with food, feedingstuff and livestock animals

Keep children and pets away from treated surfaces until they have dried.

Avoid prolonged contact of pets to treated surfaces.

The wood should be treated stacked with separation battens. Once treated, it will remain stacked and trapped protected from the rain to avoid the washout of the protective product. Wood piles should be arranged in such a way that air circulation is favoured to ensure a correct drying process. Recommended period of safety: 24 hours, it will never be less than the time it takes to fix the product.

RMM for industrial uses: "the person responsible for placing the treated wood on the market must ensure that the treated wood is not intended for uses involving contact with food, feed or livestock".

Use Personal Protection Equipment (PPE)

Use clean personal protective equipment in good condition.

Store personal protective equipment in a clean place, away from the work area.

During use, do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Provide adequate ventilation, especially in closed areas.

Eye protection: Avoid eye and face contact by using glasses and protection screen against drops and liquid splash (UNE-EN 166)

Hand protection: wear protective chemical resistant gloves (glove material to be specified by the authorization holder within the product information)

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

Body protection : For automated dipping (green chain) and spraying, a protective impermeable coverall (at least category III type 4) shall be worn (coverall material to be specified by the authorization holder within the product information).

For manual dipping, a protective coated coverall (at least category III type 6) shall be worn (coverall material to be specified by the authorization holder within the product information).

Method and precautions concerning fire:

Fire prevention:

Do not allow the access to non-authorized people at the treatment place.

Extinguishing measures:

Extinguish fire with foam, powder, CO₂ or water spray.

Do not use water jet, only to refresh areas and packaging next to the heat source

Specific hazards arising from the substance or preparation.

The fire may product a thick black smoke. The combustion gases of organic materials must always be considered as toxic for inhalation. Do not breathe vapours.

In case of fire, the following sub-products can be formed:

- Carbon monoxide (CO)
- Carbon dioxide (CO₂)
- Hydrogen chloride (HCl)

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

IF INHALED: If symptoms occur call a POISON CENTRE or a doctor.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

The eyes should also be rinsed repeatedly on the way to the doctor.

IF MEDICAL ADVICE IS NEEDED, HAVE THE PRODUCT CONTAINER OR LABEL AT HAND AND CONTACT THE POISON CONTROL CENTER

Emergency measures to protect the environment

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform to the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Channelling large quantities and collect in containers; dispose them according to local regulations. Wash the small amounts with water. Remove the used water according to local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Empty containers, unused product, washing water, containers and other waste generated during the treatment are considered hazardous waste. Deliver those wastes to a registered establishment or undertaking, in accordance with current regulations.

Code the waste according Decision 2014/955/EU.
Do not release to soil, ground, surface water or any kind of sewer.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 2 years.
Keep out of direct sunlight and frost.
Keep away from sources of ignition.
Keep always in the original package

6. OTHER INFORMATION

Definitions:

Trained professional : pest control operators, having received specific training in management of biocidal products according to the national legislation in force.