# Summary of product characteristics for a biocidal product

Product name: Product 6-3 - Pollet

Product type(s):

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

 $\mbox{\sc PT02}$  - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: FR-2023-0073

R4BP 3 asset reference number: FR-0021553-0040

### **Table Of Contents**

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	28
5.1. Instructions for use	
5.2. Risk mitigation measures	28
5.2. Risk illiugation measures	29
<ol><li>5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment</li></ol>	29
5.4. Instructions for safe disposal of the product and its packaging	29
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	29
6. Other information	30

### **Administrative information**

### 1.1. Trade names of the product

Product 6-3 - Pollet		

### 1.2. Authorisation holder

Name and address of the authorisation holder

Name	Pollet SA
Address	rue de la grande couture 20 7501 Orcq Belgium

**Authorisation number** 

FR-2023-0073 1-6

R4BP 3 asset reference number

FR-0021553-0040

Date of the authorisation

19/12/2023

Expiry date of the authorisation

18/12/2033

### 1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer ETS POLLET SA

Rue de la Grande Couture, 20 7501 ORCQ Belgium

**Location of manufacturing sites** 

Address of the manufacturer

Rue de la Grande Couture, 20 7501 ORCQ Belgium

### 1.4. Manufacturer(s) of the active substance(s)

Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Corbion Purac Bioquimica sa
Address of the manufacturer	Gran Vial 19-25 08160 MONTMELÓ Spain
Location of manufacturing sites	Gran Vial 19-25 E-08160 MONTMELÓ Spain
	Arkelsedijk 46 NL-4200 GORINCHEM Netherlands
Active substance	1322 - L-(+)-lactic acid
Name of the manufacturer	Jungbunzlauer S.A
Address of the manufacturer	ZI Portuaire - BP 32 F-67390 Marcklosheim France
Location of manufacturing sites	Jungbunzlauer S.A - ZI Portuaire - BP 32 F-67390 Marcklosheim France

# 2. Product composition and formulation

# 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
L-(+)-lactic acid		Active Substance	79-33-4	201-196-2	25,13
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one (EINECS 247-500-7) and 2-methyl- 2H-isothiazol-3-one (EINECS 220-239-6)	Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2- methyl-2H-isothiazol-3- one	Non-active substance	55965-84-9	611-341-5	0

### 2.2. Type of formulation

SL - Soluble concentrate

# 3. Hazard and precautionary statements

#### **Hazard statements**

May be corrosive to metals.

Causes severe skin burns and eye damage.

Corrosive to the respiratory tract.

### **Precautionary statements**

Keep only in original packaging.

Do not breathe spray.

Wash hands thoroughly after handling.

Wear protective gloves/ protective clothing/ eye protection.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with .

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store in a corrosive resistant/... container with a resistant inner liner.

### 4. Authorised use(s)

#### 4.1 Use description

Use 1 - Disinfection of hard surfaces and equipment by manual liquid spraying - Professionals -PT2 - Soluble concentrate (Use 1)

### Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

### Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

### Application method(s)

Method: Spraying Detailed description: Manual surface spraying

### Application rate(s) and frequencies

Application Rate: -Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

- Bacteria and yeasts: 5% v/v, 15 minutes.

### Category(ies) of users

Professional

### Pack sizes and packaging material

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

### 4.1.1 Use-specific instructions for use

- For healthcare settings: clean carefully the surfaces before application of the product.	
1.2 Use-specific risk mitigation measures	
For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation he vithin the product information) during mixing and loading, application and rinsing.	older
For professional bystander:	
Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to boresent, wear same PPE as the professional user.	e
Do not touch the surface until it is completely dried.	
or General public:	
Do not be present in the treatment area during disinfection process by compression sprayer.	
Do not touch the surface until it is rinsed and completely dried.	
Children should not be present during disinfection and until the surface is rinsed and dried.	
1.3 Where specific to the use, the particulars of likely direct or indirect effects, first ai structions and emergency measures to protect the environment	d
1.4 Where specific to the use, the instructions for safe disposal of the product and its ackaging	- <b>-</b> -
L.5 Where specific to the use, the conditions of storage and shelf-life of the product older normal conditions of storage	

### 4.2 Use description

### Use 2 - Disinfection of hard surfaces by manual spraying using mural cleaning station (liquid/foam spraying) - Professionals - PT2 - Soluble concentrate (Use 2)

### **Product type**

PT02 - Disinfectants and algaecides not intended for direct application to humans or

Where relevant, an exact description of the authorised animals (Disinfectants)

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

### Field(s) of use

Indoor

Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)

### **Application method(s)**

Method: Spraying Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

### Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 5% v/v, 15 minutes.

### Category(ies) of users

Professional

### Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

For healthcare se	tings: clean carefully the surfaces before application of the product.
2.2 Use-speci	fic risk mitigation measures
For professional uvithin the product info	ser: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holde ormation) during mixing and loading, application and rinsing.
For professional byst	ander:
Do not be present as the professional u	in the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE ser.
Do not touch the s	surface until it is completely dried.
General public:	
Do not be present	in the treatment area during disinfection process by spraying.
Do not touch the s	surface until it is rinsed and completely dried.
Children should n	ot be present during disinfection and until the surface is rinsed and dried.
-	ecific to the use, the particulars of likely direct or indirect effects, first aid demergency measures to protect the environment
.2.4 Where spe ackaging	ecific to the use, the instructions for safe disposal of the product and its

4.2.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.3 Use description	
Use 3 - Disinfection of hard sur - Soluble concentrate (Use3)	faces of equipment by manual dipping/soaking– Professionals - PT2
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Dipping/Soaking Detailed description: Manual dipping/soaking.
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional

Pack sizes and packaging material	20mL PE+PET Pods	
	100mL to 2L HDPE/PET Bottle	
	1L LDPE Dosing bottle	
	1L HDPE Dosing bottle	
	1 to 5 L HDPE Pouch	
	5-10-20L LDPE/PET Bag in box (cubitainer)	
	5 to 30L HDPE Jerrican	
	60-220L HDPE Drum	
	1000L HDPE Bulk container (IBC)	
4.3.1 Use-specific instruction	ns for use	
- For healthcare settings: clean carefull	y the surfaces before application of the product.	
4.3.2 Use-specific risk mitigation measures		
- For professional user: wear gloves, pr within the product information) during mix	rotective coverall and chemical googles (material to be specified by the authorisation holder king and loading, application and rinsing.	
4.3.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment		
-		
4.3.4 Where specific to the use, the instructions for safe disposal of the product and its packaging		

4.3.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product storage
-	
4.4 Use description	
Use 4 - Disinfection of hard sur PT2 – Soluble concentrate (Use	faces by wiping / mopping / brushing / scrubbing – Professionals -
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in private and public areas: institutions, industries (including cosmetic and pharmaceutical industries), and health care facilities (excluding the hospitals)
Application method(s)	Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional

# Pack sizes and packaging material

### 4.4.1 Use-specific instructions for use

For healthcare settings: clean carefully the surfaces before application of the product.

### 4.4.2 Use-specific risk mitigation measures

-	For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder
wi	thin the product information) during mixing and loading, application and rinsing.

For professional bystander :

- Do not touch the surface until it is completely dried.

For general public:

- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.

4.4.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid nstructions and emergency measures to protect the environment		
-		
4.4.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its	
-		
1.4.5 Where specific to the usunder normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
4.5 Use description		
Use 5 - Disinfection of inner sur	faces by CIP – Professionals - PT2 – Soluble concentrate (Use 7)	
Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)	
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
Field(s) of use	Indoor	
	Indoors disinfection in industries (including cosmetic and pharmaceutical industries).	
Application method(s)	Method: Cleaning-in-place Detailed description: -	
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:	

	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C: - Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging material	20mL PE+PET Pods
material	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)

# 4.5.1 Use-specific instructions for use

-

### 4.5.2 Use-specific risk mitigation measures

For professional user:

- Wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product

information) during mixing and loading and maintenance of the circuit system.		
,		
	nical googles and a respiratory protective equipment (material to be specified by the formation) during maintenance of the dosing pumps.	
addionodaen noide main die productiin	ormanon, daming manner and a document particles	
4 F 2 M/hovo opocific to the		
	se, the particulars of likely direct or indirect effects, first aid measures to protect the environment	
-		
4.5.4 Where specific to the uspackaging	se, the instructions for safe disposal of the product and its	
-		
I.5.5 Where specific to the us under normal conditions of s	se, the conditions of storage and shelf-life of the product torage	
-		
4.6 Use description		
Use 6 - Disinfection of hard surf PT4 – Soluble concentrate (Use	faces and equipment by manual liquid spraying – Professionals - 9)	
•	PT04 - Food and feed area (Disinfectants)	
Product type		
Where relevant, an exact description of the authorised use	-	
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:	
	Scientific name: Common name: Yeasts Development stage:	
	T	
Field(s) of use	Indoor	
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).	
Application method(s)	Method: Spraying	
Application inclination(3)	Detailed description: Manual surface spraying	

Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging	20mL PE+PET Pods
material	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch
	5-10-20L LDPE/PET Bag in box (cubitainer)
	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.6.1 Use-specific instruction	ns for use

### 4.6.2 Use-specific risk mitigation measures

- For professional user: wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holde within the product information) during mixing and loading, application and rinsing.
For professional bystander:
- Do not be present in the treatment area during disinfection process by compression/knapsack sprayer. If it is necessary to be present, wear same PPE as the professional user."
- Do not touch the surface until it is completely dried.
General public:
- Do not be present in the treatment area during disinfection process by spraying.
- Do not touch the surface until it is rinsed and completely dried.
- Children should not be present during disinfection and until the surface is rinsed and dried.
4.6.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
modulation with a morganity modelates to protect the differential
-
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product
4.6.4 Where specific to the use, the instructions for safe disposal of the product and its packaging  4.6.5 Where specific to the use, the conditions of storage and shelf-life of the product

SUMMARY OF PRODUCT CHARACTERISTICS

### **Product type**

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised

Target organism(s) (including development stage)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

### Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

### Application method(s)

Method: Spraying

Detailed description:

Manual spraying with a mural cleaning station (liquid/foam spraying) with automated dilution.

### Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application:

At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 5% v/v, 15 minutes.

### Category(ies) of users

Professional

### Pack sizes and packaging material

5 to 30L HDPE Jerrican

60-220L HDPE Drum

7.2 Use-spec	eific risk mitigation measures
	er :wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder iformation) during mixing and loading, application and rinsing.
or professional by	stander:
Do not be present i ne professional use	n the treatment area during disinfection process by spraying. If it is necessary to be present, wear same PPE aer."
Do not touch the su	urface until it is completely dried
General public:	
Do not be present i	n the treatment area during disinfection process by spraying.
Do not touch the su	urface until it is rinsed and completely dried;
Children should no	t be present during disinfection and until the surface is rinsed and dried
-	pecific to the use, the particulars of likely direct or indirect effects, first aid and emergency measures to protect the environment
7.4 Where sp ackaging	pecific to the use, the instructions for safe disposal of the product and its
	ecific to the use, the conditions of storage and shelf-life of the product conditions of storage
aci nonnal (	onanions of storage

### 4.8 Use description

# Use 8 - Disinfection of hard surfaces and equipment by manual dipping/soaking- Professionals - PT4 - Soluble concentrate (Use11)

1 14 - Soluble concentrate (OSC	,
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Dipping/soaking Detailed description: Manual dipping/soaking.
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Professional
Pack sizes and packaging	20mL PE+PET Pods
material	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
	1 to 5 L HDPE Pouch

4.8.1 Use-specific instructions for use	
-	
4.8.2 Use-specific risk mitigation measures	
For professional user: wear gloves, protective coverall and che	mical googles (material to be specified by the authorisation holder
within the product information) during mixing and loading, appli	cation and rinsing.
4.8.3 Where specific to the use, the particular	ars of likely direct or indirect effects, first aid
instructions and emergency measures to p	otect the environment
-	
4.8.4 Where specific to the use, the instruct packaging	ions for safe disposal of the product and its
packaging	
-	
4.8.5 Where specific to the use, the conditio	ns of storage and shelf-life of the product
under normal conditions of storage	
-	
4.9 Use description	

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

### Use 9 - Disinfection of hard surfaces by wiping / mopping / brushing / scrubbing - Professionals -PT4 - Soluble concentrate (Use 12)

### **Product type**

Where relevant, an exact description of the authorised use

Target organism(s) (including development stage)

PT04 - Food and feed area (Disinfectants)

Scientific name: Common name: Bacteria Development stage:

Scientific name: Common name: Yeasts Development stage:

### Field(s) of use

Indoor

Indoors disinfection in agri-food industries (excluding milk industries), food and feed areas (collective central kitchens, food shops and restaurants).

### Application method(s)

Method: Wiping/mopping/brushing/scrubbing without mechanical action Detailed description:

### Application rate(s) and frequencies

Application Rate: -

Dilution (%): 5% v/v - 9% v/v Number and timing of application:

At a temperature of 20°C:

Bacteria and yeasts: 9% v/v, 30 minutes.

At a temperature of 40°C:

Bacteria and yeasts: 5% v/v, 15 minutes.

### Category(ies) of users

Professional

### Pack sizes and packaging material

20 mL HDPE Cartridge to be used with trigger spray 0.5, 0.75, 1L and 1L bottle

20mL PE+PET Pods

100mL to 2L HDPE/PET Bottle

1L LDPE Dosing bottle

1L HDPE Dosing bottle

1 to 5 L HDPE Pouch

.9.1 Use-specific instructi	ons for use
.9.2 Use-specific risk miti	gation measures
	rotective coverall and chemical googles (material to be specified by the authorisation holder mixing and loading, application and rinsing.  mpletely dried
For general public: Do not touch the surface until it is rins Children should not be present during	sed and completely dried g disinfection and until the surface is rinsed and dried
-	use, the particulars of likely direct or indirect effects, first aid cy measures to protect the environment
.9.4 Where specific to the ackaging	use, the instructions for safe disposal of the product and its
-	
9.5 Where specific to the nder normal conditions of	use, the conditions of storage and shelf-life of the product f storage

5-10-20L LDPE/PET Bag in box (cubitainer)

5 to 30L HDPE Jerrican

60-220L HDPE Drum

### 4.10 Use description

# Use 10 - Disinfection of inner surfaces by CIP - Professionals - PT4 - Soluble concentrate (Use15)

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
	Indoor
Field(s) of use	Indoors disinfection in agri-food industries (excluding milk industries).
Application method(s)	Method: Cleaning in place Detailed description: -
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Industrial
	Trained professional
	Professional
Pack sizes and packaging	20mL PE+PET Pods
material	100mL to 2L HDPE/PET Bottle
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle

	5 to 30L HDPE Jerrican
	60-220L HDPE Drum
	1000L HDPE Bulk container (IBC)
4.10.1 Use-specific instruction	ons for use
-	
4.10.2 Use-specific risk mitig	pation measures
For professional user:	
-wear gloves, protective coverall and che information) during mixing and laoding a	emical googles (material to be specified by the authorisation holder within the product nd maintenance of the circuit system.
	cal googles and a respiratory protective equipment (material to be specified by the formation) during maintenance of the dosing pumps.
	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.10.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
-	

1 to 5 L HDPE Pouch

5-10-20L LDPE/PET Bag in box (cubitainer)

4.10.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage	
-	
4.11 Use description	
Use 11 - Disinfection of the inne Professionals – PT4 – Soluble o	er surfaces of small kitchen appliances without circulation – concentrate (Use 35)
Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	-
Target organism(s) (including development stage)	Scientific name: Common name: Bacteria Development stage:
	Scientific name: Common name: Yeasts Development stage:
Field(s) of use	Indoor
	Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants).
Application method(s)	Method: Disinfection of inner surfaces without circulation Detailed description: -
Application rate(s) and frequencies	Application Rate: - Dilution (%): 5% v/v - 9% v/v Number and timing of application: At a temperature of 20°C:
	- Bacteria and yeasts: 9% v/v, 30 minutes.
	At a temperature of 40°C:
	- Bacteria and yeasts: 5% v/v, 15 minutes.
Category(ies) of users	Trained professional
	Professional
Pack sizes and packaging	20mL PE+PET pods

	20mL HDPE cartridges
	1L LDPE Dosing bottle
	1L HDPE Dosing bottle
4.11.1 Use-specific instruction	ons for use
-	
4.11.2 Use-specific risk mitig	ation measures
information) during mixing and laoding an -wear gloves, protective coverall, chemic	emical googles (material to be specified by the authorisation holder within the product and maintenance of the circuit system.  It is all googles and a respiratory protective equipment (material to be specified by the formation) during maintenance of the dosing pumps.
<b>=</b>	use, the particulars of likely direct or indirect effects, first aid measures to protect the environment
-	
4.11.4 Where specific to the packaging	use, the instructions for safe disposal of the product and its
-	
4.11.5 Where specific to the ι under normal conditions of s	use, the conditions of storage and shelf-life of the product torage
-	
4.12 Use description	

# Use 12 - Disinfection of the inner surfaces of small kitchen appliances by CIP - Professionals - PT4 - Soluble concentrate (Use 36)

# PT04 - Food and feed area (Disinfectants) **Product type** Where relevant, an exact description of the authorised use Scientific name: Common name: Bacteria Development stage: Target organism(s) (including development stage) Scientific name: Common name: Yeasts Development stage: Indoor Field(s) of use Indoors disinfection in food and feed areas (collective central kitchens, food shops and restaurants). Method: Disinfection of inner surfaces with circulation Application method(s) Detailed description: Application Rate: -Application rate(s) and Dilution (%): 5% v/v - 9% v/v frequencies Number and timing of application: At a temperature of 20°C: Bacteria and yeasts: 9% v/v, 30 minutes. At a temperature of 40°C: Bacteria and yeasts: 5% v/v, 15 minutes. Professional Category(ies) of users Pack sizes and packaging 20mL PE+PET pods material 20mL HDPE cartridges 1L LDPE Dosing bottle 1L HDPE Dosing bottle

4.12.1 Use-specific instructions for use					
-					
4.12.2 Use-specific risk mitigation measures					
For professional user:					
-wear gloves, protective coverall and chemical googles (material to be specified by the authorisation holder within the product information) during mixing and laoding and maintenance of the circuit system.					
-wear gloves, protective coverall, chemical googles and a respiratory protective equipment (material to be specified by the authorisation holder within the product information) during maintenance of the dosing pumps.					
4.12.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment					
-					
4.12.4 Where specific to the use, the instructions for safe disposal of the product and its packaging					
-					
4.12.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage					
-					
5. General directions for use					
5.1. Instructions for use					

- Apply only on non porous surfaces.
- Inform the registration holder if the treatment is ineffective.
- Products have been tested against bacteria, including Enterobacter cloacae, Salmonella Typhimurium, Campylobacter jejuni and Listeria monocytogenes at 20°C and 40°C and Lactobacillus brevis at 40°C.
5.2. Risk mitigation measures
-
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
- IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
- IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance. Information to Healthcare personnel/doctor: The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid
- IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
- IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
5.4. Instructions for safe disposal of the product and its packaging
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets) nor down the drains.
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
.5. Conditions of storage and shelf-life of the product under normal conditions of storage
- Protect from frost.
- Keep away from direct sunlight.
- Shelf-life = 2 years.

Comply with the instructions for use.