

# Chesar 3.9 Desktop (standalone) installation manual



# **Changes to this document**

Date	Modification
23/05/2017	First version.
14/11/2017	Section 8 on establishing ECHA Cloud connection via company proxy added, update Chesar 3.2 to Chesar 3.3.
05/11/2018	Update to Chesar 3.4
26/11/2019	Update to Chesar 3.5
18/01/2021	Update to Chesar 3.6
10/11/2021	Update to Chesar 3.7
22/05/2023	Update to Chesar 3.8
04/06/2024	Update to Chesar 3.9

#### Disclaimer

The information contained in this manual does not constitute legal advice. The European Chemicals Agency does not accept any liability with regard to the contents of this document. The European Chemicals Agency is entitled to modify or revise the document at any time with or without notice and with or without cause.

#### Chesar 3.9 Desktop (standalone) installation manual

ECHA-24-H-09-EN
978-92-9468-388-5
ED-09-24-489-EN-N
10.2823/285375
June 2024
EN

© European Chemicals Agency, 2024

Cover page © European Chemicals Agency

Reproduction is authorised provided the source is fully acknowledged in the form

"Source: European Chemicals Agency, http://echa.europa.eu/", and provided written notification is given to the ECHA Communication Unit (<u>publications@echa.europa.eu</u>).

ECHA invites interested parties to submit comments on this document which may be incorporated in future updates. These can be submitted via the Contact ECHA page at: <a href="https://echa.europa.eu/contact">https://echa.europa.eu/contact</a>

European Chemicals Agency

Mailing address: P.O. Box 400, FI-00121 Helsinki, Finland

Visiting address: Telakkakatu 6, Helsinki, Finland

# **Table of Contents**

4

Changes to this document	2
Table of Contents	4
1. Introduction	5
2. Prerequisites	5
2.1. Hardware requirements	. 5
2.2. Software requirements	. 5
2.3. Security	.6
3. Install Chesar 3.9 desktop version	6
4. Running Chesar 3.9 Desktop	7
5. Upgrade from Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 to Chesar 3.9	8
6. Regular backups	9
7. Reporting issues	9
8. Establishing ECHA Cloud connection via company proxy	9

# **1. Introduction**

Thank you for choosing to install the Chesar 3 application. Chesar is an application developed by the European Chemicals Agency (ECHA) to help companies carry out their chemical safety assessments (CSAs) and prepare their chemical safety reports (CSRs) and exposure scenarios (ES) for communication in the supply chain. This document will guide you through the steps required to install and configure Chesar 3.9 desktop version, and covers 2 situations:

- You do not have any version of Chesar installed, and you want to install Chesar 3.9.
- You already have Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 installed, and you want to upgrade to Chesar 3.9.

If you have any other situation, or in case you encounter problems when installing or using Chesar please contact our helpdesk:

https://echa.europa.eu/contact

Please be aware that Chesar 2.3 files cannot be imported in Chesar 3.9. If you need to migrate your Chesar 2.3 database, you first need to install Chesar 3.0 and run the migration tool. Please refer to the related installation manuals on the Chesar website at <a href="https://chesar.echa.europa.eu/download-chesar-3.0">https://chesar.echa.europa.eu/download-chesar-3.0</a>.

## **2. Prerequisites**

## 2.1. Hardware requirements

Minimum hardware recommendations for a machine running Chesar 3.9 desktop application:

Characteristics	Value
CPU/Cores	Dual Core/ 2.0 GHz
Memory	4 GB
Free disk space	300 MB

## **2.2. Software requirements**

Chesar 3.9 desktop package comes with an included Windows compatible Java 8 JRE (Zulu – Azul OpenJDK 8.38.0.13). If you want to run Chesar on a different operating system, please download and install Java from the vendor of your preference:

- <u>https://www.azul.com/downloads/zulu-community/</u>, for a release from Azul
- <u>http://www.oracle.com/technetwork/java/javase/downloads/jre8-downloads-</u> 2133155.html, for a release from Oracle

In case you choose the Azul vendor, make sure you download and install a JRE FX java package.

Chesar 3.9 desktop package already includes the database software (Derby version 10.12) and the application server software (Tomcat version 8.5.2) therefore there is no need for you to install separately a database or application server.

6

Software	Product	Version	Source
Operating	Microsoft Windows	10	
System	Linux		
Java	JRE	8	http://www.oracle.com/technetwork/java/javase/ downloads/index.html
	Azul Zulu Open JRE FX	8	https://www.azul.com/downloads/zulu/
Browser	Edge		https://www.microsoft.com/en-us/edge
	Mozilla Firefox		https://www.mozilla.org/en-GB/firefox/new/
	Chrome		https://www.google.com/chrome/browser/deskto p/index.html

Chesar 3.9 desktop package has been tested using the following:

## 2.3. Security

The Chesar application contains a basic username / password feature aimed at reducing the risk of accidental modification of data. This functionality is not intended to protect against wilful or malicious attempts to gain access to or modify data. Chesar must be installed within a securely protected environment.

## 3. Install Chesar 3.9 desktop version

Download the Chesar desktop package (Chesar-Desktop-3.9.0.zip) from the Chesar website (<u>https://chesar.echa.europa.eu/</u>) to your computer.

Unzip the downloaded file. The unzipped folder is the Chesar installation folder:

Chesar-Desktop-3.9.0

The expected content is the following:



If you are already a Chesar user (i.e. if you have data in your Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7), you need to follow the instructions given in section 5 *Upgrade from Chesar* 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 to Chesar 3.9.

If you do not have any Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 installation or if you do not want to transfer the data from your Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 installation then you can proceed directly to the next section *Running Chesar 3.9* 

#### Desktop.

## 4. Running Chesar 3.9 Desktop

- 1. Go to the installation folder e.g.: C:\Chesar-Desktop-3.9.0
- 2. Double-click3.8 chesar3.bat

Chesar-Desktop-3.9.0		📊 jre
		lib
		webapps
	- 61	💿 chesar3.bat
		chesar3.sh
		실 chesar-standalone.jar
		🧾 standalone.properties

In case you get the following message from your firewall, click Cancel.



3. The dialog below should appear. Wait until the Open Browser button becomes enabled

8

👱 Welcor	me to Chesar 3		-		×
C chesar	CHESAR 3 Stan	dalone Ap	plic	atio	n
	Chesar3 successfully started	Restart Chr	esar		

- Click the Open Browser button. Chesar 3.9 opens in your default browser. If you
  want to use a different browser from the default one, open your preferred browser
  and enter the following address in the URL bar: <u>http://localhost:8010/index.html</u>
- 5. **Login**: default username/password: **admin/admin**. After logging in with admin/admin you may at any point create additional users in Box 7.

# 5. Upgrade from Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 to Chesar 3.9

If you want to upgrade from the previous version of Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 to Chesar 3.9, please proceed as follow:

Go to Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 installation folder on your computer and **copy** the "Chesar3-db" folder.

Name	Date modified	Туре
📙 chesar3-db	04/11/2019 10:15	File folder
chesar3-logs	04/11/2019 09:53	File folder
📙 jre	18/10/2019 01:33	File folder
📙 lib	18/10/2019 01:33	File folder
📑 temp	04/11/2019 09:54	File folder
🔜 webapps	18/10/2019 01:33	File folder
💿 chesar3.bat	04/07/2019 01:29	Windows Batch File
chesar3.sh	09/03/2017 11:22	SH File
🛓 chesar-standalone.jar	18/10/2019 01:33	Executable Jar File
derby.log	04/11/2019 10:15	Text Document
standalone.properties	18/10/2019 01:33	PROPERTIES File

Then, go to the newly installed Chesar 3.9 folder and **paste** it there.

Because you used copy-paste, at this point in the procedure your PC still has your previous Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 folder containing "chesar3-db", and in addition you have the new Chesar 3.9 folder containing a **copy** of "chesar3-db".

When you start Chesar 3.9, the data in Chesar 3.9.0\chesar3-db (i.e. the copy of your previous Chesar 3.0 / 3.1 / 3.2 / 3.3 / 3.4 / 3.5 / 3.6 / 3.7 / 3.8 data) will be handled as if it was generated with Chesar 3.9, and it might be that the data is recalculated. For more information please read the Chesar 3.9 release note document available at <a href="https://chesar.echa.europa.eu/fi/download-">https://chesar.echa.europa.eu/fi/download-</a>

#### <u>chesar-3.9</u>.

Note that when you first start Chesar 3.9, in case you have included a copy of a previous database, the migration of your database may still be in progress after logging in to Chesar. In this case some substances may be temporarily locked by the tool. You will be able to access your substances again once the migration is finished.

## **6.** Regular backups

Your data is precious! In the same way as any other application, it is prudent to take periodic backups of the data. For example you could make a copy of the folder named chesar3-db and all of its content, and store this copy somewhere outside of the Chesar installation folder. Please store your backups in a safe location - without this backup you are at risk of losing data. Your ICT contact point should be able to give you more advice on how to back-up your data. Avoid taking back up copies while the application is up and running.

## 7. Reporting issues

In case you encounter problems or wish to give other feedback, please use the ECHA online contact form: <u>https://echa.europa.eu/contact/</u>.

If the issue you are reporting concerns a problem with installing or running of Chesar, please collect and send us the Chesar log files which can be found on your PC at:

...\Chesar-Desktop-3.9.0\chesar3-logs

## 8. Establishing ECHA Cloud connection via company proxy

If you would like to connect Chesar 3.9 to IUCLID hosted in the ECHA cloud via a company proxy, first collect the following information:

- Proxy Host;
- Proxy Port.

If the proxy requires authentication the following will also be needed:

- Proxy User;
- Proxy Password.

In most cases these are the same credentials you use to log in to your workstation. After that follow the steps below:

- 1) Stop Chesar 3.
- In a folder where Chesar 3 is installed find chesar3.bat. Create a backup copy of the file. Then right click on the file and open it for editing with a text editor like Notepad or Notepad++.

#### Chesar 3.9 Desktop (standalone)

10 installation manual

	Pictures webapps	
	Chesar3.ba	t
_	Open	- Shortcut
	Edit	
-	Print	dalone.jar
•	Run as administrator	
	7-Zip >	properties
	CRC SHA	
2	Edit with Notepad++	
Ð	Scan with Windows Defender	
R	TortoiseGit >	L
	Restore previous versions	L
	Send to	
	Cut	
	Сору	

#### 3) Delete the existing contents and paste the following:

```
start jre/bin/javaw -Xmx1024m -Xms256m -XX:+HeapDumpOnOutOfMemoryError -
Dhttp.proxyHost=PROXY_HOST -Dhttp.proxyPort=PROXY_PORT -Dhttps.proxyHost=PROXY_HOST -
Dhttps.proxyPort=PROXY_PORT -Dhttp.proxyUser=PROXY_USER -
Dhttp.proxyPassword=PROXY PASSWORD -jar chesar-standalone.jar
```

### Replace PROXY\_HOST, PROXY\_PORT, PROXY\_USER and PROXY\_PASSWORD with your own values.

- 5) Save chesar3.bat
- 6) Re-start Chesar and attempt to connect to the IUCLID instance in the ECHA Cloud.



EUROPEAN CHEMICALS AGENCY TELAKKAKATU 68, P.O. BOX 400, FI-00121 HELSINKI, FINLAND ECHA.EUROPA.EU

