

# Summary of product characteristics for a biocidal product

**Product name:** C-FDL

**Product type(s):** PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

**Authorisation number:** EU-0027467-0000

**R4BP 3 asset reference number:** IS-0029771-0014

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	8
5.1. Instructions for use	8
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	9
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	9
6. Other information	9

## Administrative information

### 1.1. Trade names of the product

C-FDL
-------

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	Knieler & Team GmbH
	Address	Kattrepelsbrücke 1 20095 Hamburg Germany
<b>Authorisation number</b>	EU-0027467-0000 1-6	

<b>R4BP 3 asset reference number</b>	IS-0029771-0014
<b>Date of the authorisation</b>	11/08/2022
<b>Expiry date of the authorisation</b>	31/07/2032

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	Knieler & Team GmbH
<b>Address of the manufacturer</b>	Kattrepelsbrücke 1 20095 Hamburg Germany
<b>Location of manufacturing sites</b>	Knieler & Team GmbH, Kattrepelsbrücke 1 20095 Hamburg Germany A.F.P. Antiseptica Forschungs- und Produktionsgesellschaft mbH, Otto-Brenner-Straße 16-18 21337 Lüneburg Germany

#### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	OQ Chemicals GmbH (formerly Oxea GmbH)
<b>Address of the manufacturer</b>	Rheinpromenade 4a 40789 Monheim am Rhein Germany
<b>Location of manufacturing sites</b>	OQ Chemicals Corporation (formerly Oxea Corporation), 2001 FM 3057 TX 77414 Bay City United States

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	BASF SE
<b>Address of the manufacturer</b>	Carl-Bosch-Str. 38 67056 Ludwigshafen Germany
<b>Location of manufacturing sites</b>	BASF SE, Carl-Bosch-Str. 38 67056 Ludwigshafen Germany

<b>Active substance</b>	1354 - Propan-1-ol
<b>Name of the manufacturer</b>	SASOL Chemie GmbH & Co. KG
<b>Address of the manufacturer</b>	Secunda Chemical Operations, Sasol Place, 50 Katherine Street 2090 Sandton South Africa
<b>Location of manufacturing sites</b>	Secunda Chemical Operations, PDP Kruger Street 2302 Secunda South Africa

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Stockmeier Chemie GmbH & Co. KG
<b>Address of the manufacturer</b>	Am Stadtholz 37 33609 Bielefeld Germany
<b>Location of manufacturing sites</b>	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	Brenntag GmbH
<b>Address of the manufacturer</b>	Stinnes-Platz 1 45472 Mülheim an der Ruhr Germany
<b>Location of manufacturing sites</b>	Shell Nederland Raffinaderij B.V. 3196 KK Rotterdam-Pernis Netherlands
	Exxon Mobil LA 70805 Baton Rouge United States

<b>Active substance</b>	1355 - Propan-2-ol
<b>Name of the manufacturer</b>	INEOS Solvent Germany GmbH
<b>Address of the manufacturer</b>	Römerstrasse 733 47443 Moers Germany
<b>Location of manufacturing sites</b>	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany
	INEOS Solvent Germany GmbH, Shamrockstrasse 88 44623 Herne Germany

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30
Propan-2-ol		Active Substance	67-63-0	200-661-7	40

### 2.2. Type of formulation

AL - Any other liquid
-----------------------

### 3. Hazard and precautionary statements

#### Hazard statements

Flammable liquid and vapour.  
Causes serious eye damage.  
May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.

#### Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.  
Keep container tightly closed.  
Avoid breathing vapours.  
Use only outdoors or in a well-ventilated area.  
Wear augnvörn.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a EITRUNARMÍÐSTÖÐ eða lækni.  
Store in a well-ventilated place. Keep cool.  
Store locked up.  
Dispose of container to viðurkenndri móttökustöð fyrir spilliefni.

### 4. Authorised use(s)

#### 4.1 Use description

##### Use 1 - sóttbreinsun á hörðu, ógropnu lítið yfirborði skjástöðvar, vökv

#### Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

#### Where relevant, an exact description of the authorised use

Á ekki við.

#### Target organism(s) (including development stage)

Scientific name: other  
Common name: Bacteria  
Development stage:

Scientific name: other  
Common name: Yeasts  
Development stage:

Scientific name: other  
Common name: viruses (limited spectrum virucidal activity)  
Development stage:

#### Field(s) of use

Indoor

Heilsugæslu og lyfja- og snyrtivöruíðnað, umhverfi sjúklinga, vinnusvæði/skrifborð, almennum búnaði (að undanskildum snertiflötum við mat): sóttthreinsun á hörðu/ógrofnu lítið yfirborði.  
Aðeins til faglegrar notkunar.

#### Application method(s)

Method: Manual application  
Detailed description:

Sóttthreinsiefni fyrir yfirborð tilbúið til notkunar við herbergishita ( $20\pm 2$  °C) .

Allt yfirborðið sem á að sóttthreinsa er bleytt með því að hella eða úða úr lítilli fjarlægð og þurrka síðan vandlega með klút. Magn vörunnar skal vera nægilegt (hám. 50 ml/m<sup>2</sup>) til að yfirborðið haldist blautt á meðan snertitíma stendur.

#### Application rate(s) and frequencies

Application Rate: Lágmarkstími áhrifa: • til að stjórna bakteríum, gersveppum og hjúpuðum veirum: 60 sek. • til að stjórna veirum (takmarkað róf veiruvirkni): 5 mín.  
Dilution (%): Tilbúin til notkunar vöru  
Number and timing of application:

Skynsamleg tíðni sóttthreinsunar á herbergi sjúklings er 1-2 sinnum á dag. Hámarksfjöldi notkunar er 6 sinnum á dag. Ekki þarf að athuga öryggisbil á milli notkunar.

#### Category(ies) of users

Industrial

Professional

#### Pack sizes and packaging material

100, 500, 750 og 1000 ml glær/hvít háþéttni pólýetýlen (HDPE)-flaska með pólýprópýlen (PP)-smelluloki (aukabúnaður: PP-skrúftappi með úðahaus);  
5000 ml glært/hvítt HDPE-hylki með HDPE-skrúftappa.

#### 4.1.1 Use-specific instructions for use

Yfirborð skal ávallt vera sýnilega hreint áður en sóttthreinsun fer fram. Hámarksfjöldi notkunar er 6 sinnum á dag.

#### 4.1.2 Use-specific risk mitigation measures

Sjá almennar leiðbeiningar um notkun á meta SPC 6

**4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Sjá almennar leiðbeiningar um notkun á meta SPC 6

**4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging**

Sjá almennar leiðbeiningar um notkun á meta SPC 6

**4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Sjá almennar leiðbeiningar um notkun á meta SPC 6

**4.2 Use description**

**Use 2 - sóttþreinsun á hörðu, ógropnu lítið yfirborði skjástöðvar, vökvi**

<b>Product type</b>	PT04 - Food and feed area (Disinfectants)
<b>Where relevant, an exact description of the authorised use</b>	Á ekki við.
<b>Target organism(s) (including development stage)</b>	Scientific name: other Common name: Bacteria Development stage:  Scientific name: other Common name: Yeasts Development stage:
<b>Field(s) of use</b>	Indoor  Heilsugæslu og í matvælaíðnaði, matreiðslu og meðhöndlun í eldhúsum/á veitingastöðum: sóttþreinsun á hörðu/ógropnu lítið yfirborði. Aðeins til faglegrar notkunar.
<b>Application method(s)</b>	Method: Manual application Detailed description:



	<p>Sóttreinsiefni fyrir yfirborð tilbúið til notkunar við herbergishita (20±2 °C) .</p> <p>Allt yfirborðið sem á að sóttreinsa er bleytt með því að hella eða úða úr lítilli fjarlægð og þurrka síðan vandlega með klút. Magn vörunnar skal vera nægilegt (hám. 50 ml/m<sup>2</sup>) til að yfirborðið haldist blautt á meðan snertitíma stendur.</p>
<b>Application rate(s) and frequencies</b>	<p>Application Rate: Lágmarkstími áhrifa: til að stjórna bakteríum og gersveppum við 20°C: 60 sek.</p> <p>Dilution (%): Tilbúin til notkunar vöru</p> <p>Number and timing of application: Hægt er að nota vöruna eins oft og þörf krefur. Skynsamleg tíðni í eldhúsum er 1-2 sinnum á dag. Ekki þarf að athuga öryggisbil á milli notkunar.</p>
<b>Category(ies) of users</b>	<p>Industrial</p> <p>Professional</p>
<b>Pack sizes and packaging material</b>	<p>100, 500, 750 og 1000 ml glær/hvít háþéttni pólýetýlen (HDPE)-flaska með pólýprópýlen (PP)-smelluloki (aukabúnaður: PP-skrúftappi með úðahaus); 5000 ml glært/hvítt HDPE-hylki með HDPE-skrúftappa.</p>

#### 4.2.1 Use-specific instructions for use

Yfirborð skal ávallt vera sýnilega hreint áður en sóttreinsun fer fram.

#### 4.2.2 Use-specific risk mitigation measures

Sjá almennar leiðbeiningar um notkun á meta SPC 6

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 6

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Sjá almennar leiðbeiningar um notkun á meta SPC 6

#### **4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage**

Sjá almennar leiðbeiningar um notkun á meta SPC 6

### **5. General directions for use**

#### **5.1. Instructions for use**

Aðeins til faglegrar notkunar.

#### **5.2. Risk mitigation measures**

Haldið utan seilingar fyrir börn.

Notkun á augnhlífum við meðhöndlun á vörinni er skylda.

#### **5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment**

Almenn skyndihjálpar: Flyttu einstaklinginn sem varð fyrir áhrifum á brott af mengaða svæðinu. Leitið læknishjálpar við vanlíðan. Ef hægt er skal sýna þetta blað.

EF EFNINU ER ANDAÐ INN: Flytjið í ferskt loft og haldið í hvíld í stöðu sem hentar vel fyrir öndun. Hringið á EITRUNARMÍÐSTÖÐ eða lækni.

EF EFNID BERST Á HÚÐ: Þvoið húðina strax með miklu vatni. Farið síðan úr öllum menguðum fötum og þvoið þau áður en þau eru notuð aftur. Haldið áfram að þvo húðina með vatni í 15 mínútur. Hringið á EITRUNARMÍÐSTÖÐ eða lækni.

EF EFNID BERST Í AUGU: Skolið án tafar með vatni í nokkrar mínútur. Fjarlægjið snertilinsur ef þær eru til staðar og það er auðvelt. Haldið áfram að skola í að minnsta kosti 15 mínútur. Hringið á 112/sjúkrabíl vegna lækniástoðar.

Upplýsingar til heilbrigðisstarfsfólks/lækna: Augun skulu einnig skoluð endurtekið á leiðinni til lækis ef snerting varð við augu með basískum efnum (pH > 11), amínnum og sýrum eins og edikssýru, maurasýru eða própansýru.

EF EFNID ER GLEYPST: Skolið munninn án tafar. Gefðu eitthvað að drekka ef viðkomandi getur gleypst. Framkallið EKKI uppköst. Hringið á 112/sjúkrabíl vegna lækniástoðar.

Ráðstafanir gegn losun fyrir slysi:

Stöðvið leka ef það er öruggt. Fjarlægjið íkveikjuvalda. Farið einstaklega varlega til að forðast að stöðurafmagn hlaðist upp. Opinn eldur bannaður. Reykingar bannaðar.

Komið í veg fyrir að efnið fari í holræsi og vatnsveitukerfi.

Þurrkið upp með ídrægu efni (til dæmis klút). Sogið upp leka með óvirku föstu efni, eins og leir eða kísilgúr sem allra fyrst. Takið upp á vélrænan hátt (með því að sópa eða moka). Fargið í samræmi við viðeigandi staðbundnar reglur.

## 5.4. Instructions for safe disposal of the product and its packaging

Förgun verður að fara fram í samræmi við opinberar reglur. Hellist ekki í niðurföll. Fargið ekki með heimilissorpi. Fargið innihaldi/íláti á viðurkenndum sorphirðustað. Tæmið umbúðir alveg áður en þeim er fargað. Þegar ílátin hafa verið alveg tæmd eru þau endurvinnanleg rétt eins og allar aðrar umbúðir.

## 5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Geymslutími: 24 mánuðir  
Geymist á þurru, svölu og vel loftræstu svæði. Hafið ílátið vandlega lokað. Haldið fjarri beinu sólarljósi.  
Ráðlagður geymsluhiti: 0-30°C  
Geymið ekki við hitastig undir 0°C  
Geymið ekki nálægt matvælum, drykkjum og dýrafóðri. Haldið fjarri eldfimum efnum.

## 6. Other information

The hazard and precautionary statements shall be in Icelandic on the product label.

The Hazard Statements

H226: Eldfimir vökvi og gufa.

H318: Veldur alvarlegum augnskaða.

H336: Getur valdið sljóleika eða svima.

EUH066: Endurtekin snerting getur valdið þurri eða sprunginni húð.

The precautionary statements

P210: Haldið frá hitagjöfum, heitum flötum, neistagjöfum, opnum eldi og öðrum íkveikivöldum. Reykingar bannaðar.  
P233: Ílát skal vera vel lukt.  
P261: Gætið þess að anda ekki inn gufu.  
P271: Notið eingöngu utandyra eða í vel loftræstu rými.  
P280: Notið augnhlífur.  
P304+P340: EFTIR INNÖNDUN: Flytjið viðkomandi í ferskt loft og látið hann hvílast í stellingu sem léttir öndun.  
P305+P351+P338: BERIST EFNID Í AUGU: Skolið varlega með vatni í nokkrar mínútur. Fjarlægjið snertilinsur ef það er auðvelt. Skolið áfram.  
P310: Hringið umsvifalaust í EITRUNARMÍÐSTÖÐ, s. 543-2222 eða í 112.  
P403+P235: Geymist á vel loftræstum stað. Geymist á köldum stað.  
P405: Geymist á læstum stað.  
P501: Fargið íláti til viðurkennds móttökuaðila.