

# Summary of product characteristics for a biocidal product

**Product name:** FLY IN

**Product type(s):** PT19 - Repellents and attractants (Pest control)

PT19 - Repellents and attractants (Pest control)

**Authorisation number:**

**R4BP 3 asset reference number:** IE-0028268-0000

## Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	7
5.1. Instructions for use	7
5.2. Risk mitigation measures	7
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	7
5.4. Instructions for safe disposal of the product and its packaging	7
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	8
6. Other information	8

## Administrative information

### 1.1. Trade names of the product

FLY IN
--------

### 1.2. Authorisation holder

<b>Name and address of the authorisation holder</b>	Name	S.R. Last Shield Limited
	Address	Christodoulou Sozou 31 Hermes Tower Office 401 office 4 1095 Nicosia Cyprus
<b>Authorisation number</b>		
<b>R4BP 3 asset reference number</b>	IE-0028268-0000	
<b>Date of the authorisation</b>	12/11/2021	
<b>Expiry date of the authorisation</b>	12/11/2031	

### 1.3. Manufacturer(s) of the biocidal products

<b>Name of the manufacturer</b>	LAST SHIELD LIMITED
<b>Address of the manufacturer</b>	Kibbutz Gvat, 36579 – Israel 36579 Gvat Israel
<b>Location of manufacturing sites</b>	Kibbutz Gvat, 36579 – Israel 36579 36579 Israel

### 1.4. Manufacturer(s) of the active substance(s)

<b>Active substance</b>	2329 - Saccharomyces cerevisiae (yeast)
<b>Name of the manufacturer</b>	ALGIST BRUGGEMAN
<b>Address of the manufacturer</b>	LANGERBRUGGEKAAI 37 B-9000 GENT - Belgium B-9000 Gent Belgium
<b>Location of manufacturing sites</b>	LANGERBRUGGEKAAI 37 B-9000 GENT - Belgium B-9000 Gent Belgium
<b>Active substance</b>	2328 - Powdered egg
<b>Name of the manufacturer</b>	SHIJIAZHUANG LEMANDOU CHEMICALS, LTD
<b>Address of the manufacturer</b>	17TH FLOOR, BLOCK A, COFCO HEBEI PLAZA, NO.345 YOUYI NORTH STR. SHIJIAZHUANG, 050071 - China 050071 SHIJIAZHUANG China
<b>Location of manufacturing sites</b>	SHIJIAZHUANG LEMANDOU CHEMICALS, LTD 17TH FLOOR, BLOCK A, COFCO HEBEI PLAZA, NO.345 YOUYI NORTH STR. SHIJIAZHUANG, 050071 - China 050071 SHIJIAZHUANG China

## 2. Product composition and formulation

### 2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Saccharomyces cerevisiae (yeast)		Active Substance	68876-77-7		50
Powdered egg		Active Substance			30

### 2.2. Type of formulation

SP - Water soluble powder
---------------------------

## 3. Hazard and precautionary statements

<b>Hazard statements</b>	
--------------------------	--

**Precautionary statements**

Keep out of reach of children.
--------------------------------

**4. Authorised use(s)****4.1 Use description****Use 1 - Use # 1 - Fly in – Fly trap to fill with water****Product type**

PT19 - Repellents and attractants (Pest control)
--

**Where relevant, an exact description of the authorised use**

Attractant for flies
----------------------

**Target organism(s) (including development stage)**

Scientific name: Musca domestica Common name: flies Development stage: Adults  Scientific name: Stomoxys calcitrans Common name: flies Development stage: Adults
--

**Field(s) of use**

Outdoor  Other  Outdoors or in open buildings
---

**Application method(s)**

Method: Open system Detailed description: The trap should be filled with water
--

**Application rate(s) and frequencies**

Application Rate: 30g of product per litre of water. Dilution (%): 3 Number and timing of application: One application every 15-30 days, in relation with the temperature and degree of infestation.
---

**Category(ies) of users**

Professional  General public (non-professional)
---

**Pack sizes and packaging material**

Bag (Aluminum foil): 30 g / 50 g / 100 g / 125 g Jars (Polyethylene): 250 g / 1 kg / 3 kg Bag (Aluminium plastic): 125 g / 150 g Bag (PET): 50 g
---

#### 4.1.1 Use-specific instructions for use

- Open the small cap on the top of the lid.
- Fill bag with water until water reaches the "Fill Line".
- Close the small cap after you finish filling the bag with water.
- The attraction will start to catch flies about 3 days after it is placed in the infected places
- Turn plastic cap counterclockwise and pull up to open order to allow flies to enter the trap
- Hang the trap at a height of 3-6 feet (1-2 meters) off the ground. It is recommended to place the trap in an area with ample sunlight
- After 30 days or when trap becomes full or contents dry out, close the lid of the trap and discard the trap into a garbage receptacle.

##### **For maximum efficiency of the trap**

- On hot days, hang the trap shaded areas. When the weather is cool, hang the trap in the sun.
- Be sure to always be water in the trap. Trap without water will not be effective. If necessary, add water.
- Effectiveness of the bait is to 15-30 days. Then replace it with a new one.
- Storage: Store in cool, dry place out of reach of children and pets.

##### **Where to Hang It**

All our water-based fly traps are for OUTDOOR USE ONLY.

They control flies outside and keep them from getting indoors. We recommend hanging the trap around 7-8 meters away from home entrances and 6-7 meters away from patios Or from the seating area

##### **Recommended locations for hanging the trap:**

- Along a back fence or toward the back of your yard
- Near a dog run or kennel
- Near garbage bins or dumpsters
- Near a compost pile
- Near a campsite
- In a barn with good air ventilation
- Around poultry, hogs, sheeps, dairy and beef cattle areas.

#### 4.1.2 Use-specific risk mitigation measures

Please refer to section General directions for use

#### 4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please refer to section General directions for use

#### 4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please refer to section General directions for use

#### 4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please refer to section General directions for use

#### 4.2 Use description

##### Use 2 - Use # 2 – Fly In - Exclusive Formulation for traps

<b>Product type</b>	PT19 - Repellents and attractants (Pest control)
<b>Where relevant, an exact description of the authorised use</b>	Attractant for flies
<b>Target organism(s) (including development stage)</b>	Scientific name: <i>Musca domestica</i> Common name: flies Development stage: Adults  Scientific name: <i>Stomoxys calcitrans</i> Common name: fly Development stage: Adults
<b>Field(s) of use</b>	Outdoor  Other  Outdoors or in open buildings
<b>Application method(s)</b>	Method: Open system Detailed description: The product should be dissolved in water and poured into the trap.
<b>Application rate(s) and frequencies</b>	Application Rate: 30g of product per litre of water. Dilution (%): 3 Number and timing of application: One application every 15-30 days, in relation with the temperature and degree of infestation.
<b>Category(ies) of users</b>	Professional  General public (non-professional)
<b>Pack sizes and packaging material</b>	Bag (Aluminum foil): 30 g / 50 g / 100 g / 125 g Jars (Polyethylene): 250 g / 1 kg / 3 kg Bag (Aluminium plastic): 125 g / 150 g Bag (PET): 50 g

#### 4.2.1 Use-specific instructions for use

- Add 1 spoon of bait (1.06oz or 30g) per 1 liter of water.
- Use the amount of water and bait according to the size of the trap.
- The attraction will start to catch flies about 3 days after it is placed in the infected places.
- When the bait liquid dries in trap, renew the bait liquid in trap.

##### **For maximum efficiency of the trap**

- On hot days, hang the trap shaded areas. When the weather is cool, hang the trap in the sun.
- Be sure to always be water in the trap. Trap without water will not be effective. If necessary, add water.
- Effectiveness of the bait is to 15-30 days. Then replace it with a new one.
- Storage: Store in cool, dry place out of reach of children and pets.

##### **Where to Hang It**

All our water-based fly traps are for OUTDOOR USE ONLY.

They control flies outside and keep them from getting indoors. We recommend hanging the trap around 7-8 meters away from home entrances and 6-7 meters away from patios Or from the seating area

##### **Recommended locations for hanging the trap:**

- Along a back fence or toward the back of your yard
- Near a dog run or kennel
- Near garbage bins or dumpsters
- Near a compost pile
- Near a campsite
- In a barn with good air ventilation
- Around poultry, hogs, sheeps, dairy and beef cattle areas.

#### 4.2.2 Use-specific risk mitigation measures

Please refer to section General directions for use

#### 4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Please refer to section General directions for use

#### 4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

Please refer to section General directions for use

#### 4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

Please refer to section General directions for use



## 5. General directions for use

### 5.1. Instructions for use

Please refer to specific instruction of use for each authorised use.

### 5.2. Risk mitigation measures

Since no specific hazards have been identified for this product, only general mitigation measures are recommended.

**Precautions for safe handling:**

Ensure good ventilation of the work station.

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

**Personal Protection Equipment (PPE):**

No PPE is necessary for handling this product.

**Fire safety measures:**

Suitable extinguishing media:

Water spray. Dry powder. Foam.

Unsuitable extinguishing media:

No data available.

Special hazards arising from the substance or mixture:

Development of hazardous combustion gases or vapours possible in the unlikely event of fire.

Advice for firefighters: Do not intervene without suitable protective equipment. Self-contained breathing apparatus. Full body protection.

### 5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

**First aid measures**

After inhalation: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash skin with plenty of water.

After eye contact: Rinse eyes with water as a precaution.

After ingestion: Call a poison center or a doctor if you feel unwell.

**Indication of all medical care and special treatments to be dispensed immediately**

Treat symptomatically.

**Measures in case of accidental spill**

Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel: Take up dry. Clean up affected area

For emergency responders: Do not attempt to take action without suitable protective equipment.

Environmental precautions:

Avoid release to the environment.

Methods and material for containment and cleaning up:

Mechanically recover the product

### 5.4. Instructions for safe disposal of the product and its packaging

Dispose of materials or solid residues at an authorized site.  
Empty containers must be disposed of in recycling facilities or places established by the local authority in compliance with the appropriate regulations.

### **5.5. Conditions of storage and shelf-life of the product under normal conditions of storage**

Conditions of storage: Store in a dry cool area.

Shelf life: 2 years

### **6. Other information**